





Supply of Motion Control Parts

**OE GRADE
BRAKE &
FRICTION
SOLUTIONS**



2022-2023 Product Catalogue

Contents

| | | |
|--------------------|---------------------------|--------------------|
| ADAMS | CHINA GEAR | FORD |
| AGRALE | CLAAS | FRISCH-FAUN |
| AGRIA FORK-LIFT | CLARK/ DANA | FUNK |
| AHLMANN | CLEARING | FURUKAWA (HITACHI) |
| AISIN | CLIMAX | GALION |
| ALISCHALMERS | COLES CRANES | GEHL |
| ALLISON | CROWN | GENIE/ TEREX |
| ALVIS | DAEWOO/ DOOSAN | GETMAN |
| ASTRA | DAF | GHH |
| AUSA | DAIMLER | GIRLING |
| AUSCO | DANFOOS | GLEISBAU |
| BALKANCAR | DANTRUCK | GRAZIANO |
| JCB | DEUTZ | GROVE |
| BELAZ | DITCH WITCH | HALLA |
| BELL | DONGI MARINE | HAMWORTHY |
| BEML | DRESSER | HANOMAG (KOMATSU) |
| BENATI | DRESSTA | HARRISON |
| BENFORT | DYNAHOE | HATRA |
| BENFRA | DYNAPAC | HAULOTTE |
| BOMAG | EDER | HINDUSTAN MOTORS |
| BONFIGLIOLI | EUCLID | HITACHI |
| BRAY | F&S | HOWARD ROTAVATOR |
| BREVINI | FAI (KOMATSU) | HURTH (DANA) |
| BROCKHOUSE | FANTUZZI | HURTH MARINE |
| BRODERSON | FARESIN | HYDREMA |
| CARCO WINCHES | FARMATRAC | HYSTER |
| CARRARO | FAY | HYUNDAI |
| CASE (DAVID BROWN) | FENDT | INNOCANTI |
| CATERPILLAR | FENWICK | INTERNATIONAL |
| CASAB | FERMEC (TEREX) | IOCHPE MAXION |
| CHAMPION | FIAT ALLIS & FIAT HITACHI | |
| CHELSEA | FIORI | |

Contents

| | | |
|-----------------------|-----------------------------|--------------------------|
| ISEKI | MERCEDES BUS | SCANIA |
| ITOCHU | MICHIGAN | SCHAEFF |
| IVECO | MITSUBISHI | SCHOPF |
| JEFFREY | MITSUI TCM | SELF CHANGING GEARS |
| JLG/ OMNIQUIP | MOROOKA | SENNEBOGEN |
| JOHN DEERE | MOXY | SELICK |
| JOY | NABCO | SHINKO |
| JUNGHEINRICH | NAF | SISU |
| KALMAR | NEWAGE | SMV |
| KATO | NEW HOLLAND | SOILMEC |
| KAWASAKI | NIIGATA | SPICER |
| KESSLER | NISSAN | STEYR |
| K.H.D. | NOUVA DETAS | STILL |
| KIRSTALL | O&K | STROMAG |
| KOBELCO | OKAMURA | SUMITOMO EATON |
| KOMATSU | OMCI | SVETRUCK |
| KRAMER | ORMIG | TADANO |
| KUBOTA | ORTLINGHAUS | TAILIFT |
| LANCER BOSS | PANHARD | TAMROCK |
| LANDINI | P&H | TAYLOR |
| LANSING | PERLINI | TCI |
| LE TOUR-NEAU | PETTIBONE | TCM FORKLIFT |
| LEYLAND (WILLSON) | POCLAIN | TEREX |
| LIEBHERR | PPM | THWAITES |
| LIMB | PRM NEWAGE | TIMBERJACK |
| LINDE | REINTJES | TONANCO |
| LIUGONG | RENAULT TRACTOR | TORO/ TAMROCK/ SANDVIK |
| LONGKING | RENAULT TRUCK | TOYOTA |
| LUNBERG HYMAS | ROCKWELL/ AXLETECH/ MERITOR | TROJAN |
| MACK TRUCK | SAME/ LAMBORGINI/ HURLIMANN | TUG |
| MAFI | SAMSUNG | TWIN DISC |
| MANITOU | SANDERSON | UNIVERSAL TRACTOR BRASOV |
| MARATHON LE TOUR-NEAU | | UZEL |
| MASSEY FERGUSON | | VALMET/ VALTRA |
| MATBRO | | |

Contents

VENIERI

VOITH

VOLVO

WABCO

WAGNER/ ATLAS COPCO/ EPIROC

WARNER GEAR

WINGET

XTREME

YALE

ZETOR

ZETTLEMEYER

ZF

**Did not find what you were looking for?
Go and fill Part Identification Form**

FORM

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------|---|-------------------|--------------------|-----------------|-----------------|------------------|
| ADAMS | | | | | | |
| 725193 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3x158,8x1,6 | 9,50x6,25x0,063 |
| 725224 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0x171,5x4,7 | 10,00x6,75x0,187 |
| AGRALE | | | | | | |
| 8012.103.046.00.6 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0x49,2x1,5 | 3,35x1,94x0,059 |
| 8012.103.047.00.4 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |
| AGRIA FORKLIFT | | | | | | |
| 809824 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0x111,0x2,7 | 7,09x4,37x0,105 |
| 809825 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0x34,0x4,8 | 5,98x1,34x0,189 |
| AHLMANN | | | | | | |
| 410 266 5A | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |
| 410 266 6A | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0x49,2x1,5 | 3,35x1,94x0,059 |
| 410 268 8A | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0x32,7x4,8 | 6,69x1,29x0,189 |
| 410 283 6A | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,0 | 7,52x5,12x0,079 |
| 410 283 7A | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,5 | 7,52x5,12x0,098 |
| 410 283 8A | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x3,0 | 7,52x5,12x0,118 |
| 410 283 9A | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0x103,0x3,5 | 7,05x4,05x0,138 |
| 410 653 7A | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6x152,1x2,5 | 9,59x5,99x0,098 |
| 410 653 9A | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6x152,1x2,0 | 9,59x5,99x0,079 |
| 410 661 9A | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0x66,8x2,2 | 5,12x2,63x0,087 |
| 410 662 0A | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0x66,8x2,3 | 5,12x2,63x0,091 |
| 410 662 1A | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0x66,8x2,4 | 5,12x2,63x0,094 |
| 410 662 2A | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0x66,8x2,5 | 5,12x2,63x0,098 |
| 410 662 3A | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5x62,6x2,6 | 4,63x2,46x0,102 |
| 410 695 8A | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0x68,2x1,6 | 3,94x2,69x0,061 |
| 410 695 7A | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2x76,2x1,2 | 4,26x3,00x0,045 |
| 410 696 1A | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4x140,0x2,9 | 7,73x5,51x0,114 |
| 410 696 2A | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0x132,6x3,0 | 7,36x5,22x0,118 |
| 410 824 2A | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7x142,0x4,0 | 9,16x5,59x0,157 |
| 410 897 3A | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 21 | INT TH | 65,8x38,5x1,6 | 2,59x1,52x0,063 |
| 410 915 7A | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0x111,0x2,7 | 7,09x4,37x0,105 |
| 410 916 0A | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0x34,0x4,8 | 5,98x1,34x0,189 |
| 411 028 8A | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0x167,0x4,5 | 10,91x6,57x0,177 |
| 411 040 0A | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 411 040 2A | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,5 | 11,54x7,28x0,177 |
| 418 901 2A | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0x176,0x4,5 | 10,55x6,93x0,177 |
| 418 964 0A | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0x105,6x3,8 | 7,01x4,16x0,148 |
| 419 974 2A | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8x75,4x3,0 | 5,82x2,97x0,118 |
| 23111391 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7x114,0x3,7 | 7,86x4,49x0,146 |
| 23114670 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0x69,0x6,1 | 9,96x2,72x0,240 |
| 23122765 | END PLATE | ----- | 64 | EXT TH | 230,0x152,5x5,0 | 9,06x6,00x0,197 |
| 23122766 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |

| | | | | | | |
|---|--|------------|-----|-----------|------------------|-------------------|
| 23122767 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x10,8 | 9,06x6,00x0,397 |
| 23133911 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0x176,0x4,5 | 10,55x6,93x0,177 |
| AISIN | | | | | | |
| 35634-3400A | DISC FRICTION FP | WAFF LE | 30 | INT TH | 131,0x79,2x2,6 | 5,16x3,12x0,102 |
| 35634-3700 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0x79,2x2,6 | 5,16x3,12x0,102 |
| ALLISCHALMERS (also see Fiatallis) | | | | | | |
| 1004870 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| 1004876 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| 1005843 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| 1018221 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,3 | 5,48x3,87x0,327 |
| 1018222 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| 1018224 | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 1018225 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,7 | 5,48x3,87x0,343 |
| 1018238 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8x147,3x3,0 | 7,51x5,80x0,118 |
| 1018239 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| ALLISON | | | | | | |
| 5196303 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT TH | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| 5197160 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 6702963 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 413,3x323,7x3,0 | 16,27x12,74x0,118 |
| 6703050 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 285,6x203,3x3,0 | 11,24x8,00x0,118 |
| 6758737 | OBSOLETE AFTER STOCK | | 8 | EXT LG | 311,2x235,0x5,0 | 12,25x9,25x0,197 |
| 6759048 | CLUTCH DISC SINTER BRONZE | SPIRAL | 4 | INT TH | 243,8x204,2x6,3 | 9,60x8,04x0,247 |
| 6768446 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 6769326 | DISC STEEL INTERMEDIATE | ----- | 30 | (90)EX TH | 387,4x321,8x5,0 | 15,25x12,67x0,195 |
| 6770264 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 257,4x181,2x5,0 | 10,14x7,14x0,197 |
| 6770590 | CLUTCH DISC SINTER BRONZE | SPIRAL | 100 | INT TH | 409,4x314,2x4,5 | 16,12x12,37x0,178 |
| 6770647 | CLUTCH DISC SINTER BRONZE | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 6770917 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 209,0x157,0x2,5 | 8,23x6,18x0,096 |
| 6771348 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 211,0x157,0x7,6 | 8,31x6,18x0,299 |
| 6771349 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 255,5x219,7x6,3 | 10,06x8,65x0,248 |
| 6771491 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 292,1x213,9x5,1 | 11,50x8,42x0,201 |
| 6771533 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 246,1x178,1x4,9 | 9,69x7,01x0,193 |
| 6771858 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 257,3x190,5x5,0 | 10,13x7,50x0,197 |
| 6774409 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 244,8x182,5x2,4 | 9,64x7,19x0,094 |
| 6775541 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 6776092 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,1x255,8x3,1 | 13,00x10,08x0,122 |
| 6776610 | DISC STEEL INTERMEDIATE | ----- | 30 | (90)EX TH | 387,4x321,8x3,0 | 15,25x12,67x0,120 |
| 6777592 | CLUTCH DISC SINTER BRONZE | SPR/RAD | | | 253,5x74,4x3,9 | 9,98x2,93x0,153 |
| 6777796 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 450,9x389,6x5,0 | 17,75x15,34x0,195 |
| 6779887 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT SL | 468,0x388,0x5,0 | 18,43x15,28x0,197 |
| 6830221 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 6830293 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 57 | INT TH | 303,8x235,2x3,9 | 11,96x9,26x0,153 |
| 6830295 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 6830368 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 6830920 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|-----------------|-------------------|
| 6830950 | CLUTCH DISC SINTER BRONZE | SPIRAL | 59 | INT TH | 199,9x144,8x3,8 | 7,87x5,70x0,150 |
| 6831641 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 246,9x184,7x2,5 | 9,72x7,27x0,100 |
| 6831705 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT LG | 219,0x167,5x2,5 | 8,62x6,59x0,100 |
| 6832138 | CLUTCH DISC SINTER BRONZE | SUNBURST | 89 | INT TH | 433,3x371,1x5,1 | 17,06x14,61x0,201 |
| 6833972 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 6834348 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT LG | 247,1x186,2x2,5 | 9,73x7,33x0,100 |
| 6834370 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 182,4x129,5x2,5 | 7,18x5,10x0,098 |
| 6834374 | DISC STEEL INTERMEDIATE | ----- | 18 | EXT TH | 194,0x140,5x2,5 | 7,64x5,53x0,100 |
| 6834487 | OBSOLETE | 2 PASS | 62 | INT TH | 319,0x259,3x3,8 | 12,56x10,21x0,148 |
| 6834488 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 335,0x273,1x2,6 | 13,19x10,75x0,103 |
| 6834679 | DISC STEEL INTERMEDIATE | ----- | 14 | EXT TH | 244,6x182,9x2,6 | 9,63x7,20x0,103 |
| 6834680 | DISC STEEL INTERMEDIATE | ----- | 38 | EXT TH | 335,0x275,1x2,6 | 13,19x10,83x0,103 |
| 6834720 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 335,0x272,9x3,0 | 13,19x10,75x0,120 |
| 6834766 | DISC STEEL INTERMEDIATE | ----- | 38 | EXT TH | 335,0x275,1x3,0 | 13,19x10,83x0,120 |
| 6835151 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,6x110,0x2,0 | 5,89x4,33x0,080 |
| 6835152 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 207,3x154,4x2,6 | 8,16x6,08x0,103 |
| 6835475 | DISC STEEL INTERMEDIATE | ----- | 18 | EXT TH | 194,0x140,5x2,5 | 7,64x5,53x0,100 |
| 6835687 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,2x2,5 | 9,12x6,86x0,098 |
| 6835707 | DISC STEEL INTERMEDIATE | ----- | 11 | EXT LG | 292,1x224,3x2,5 | 11,50x8,83x0,100 |
| 6835720 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 275,3x213,4x3,2 | 10,84x8,40x0,125 |
| 6835748 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0x259,1x3,8 | 12,56x10,20x0,148 |
| 6835976 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,2x2,5 | 9,12x6,86x0,098 |
| 6835996 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 59 | INT TH | 243,8x170,7x3,9 | 9,60x6,72x0,154 |
| 6835997 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 59 | INT TH | 218,2x170,7x3,9 | 8,59x6,72x0,153 |
| 6836518 | DISC STEEL INTERMEDIATE | ----- | 12 | (14)EX LG | 159,0x116,0x2,3 | 6,26x4,57x0,090 |
| 6837422 | DISC STEEL INTERMEDIATE | ----- | 21 | EXT TH | 268,7x201,9x3,0 | 10,58x7,95x0,118 |
| 6837565 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,5x187,7x3,9 | 9,98x7,39x0,153 |
| 6837690 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 274,3x201,9x2,7 | 10,80x7,95x0,107 |
| 6838693 | OBSOLETE AFTER STOCK | | 52 | INT TH | 292,1x213,9x4,0 | 11,50x8,42x0,156 |
| 6838694 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 310,9x234,8x3,0 | 12,24x9,25x0,119 |
| 6839914 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,1x255,8x3,1 | 13,00x10,08x0,122 |
| 6884958 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,2x2,5 | 9,12x6,86x0,098 |
| 6885138 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 207,3x154,4x2,6 | 8,16x6,08x0,103 |
| 8625197 | DISC STEEL INTERMEDIATE | ----- | 12 | (14)EX LG | 159,0x116,0x2,3 | 6,26x4,57x0,090 |
| 8625797 | DISC STEEL INTERMEDIATE | ----- | 12 | (14)EX LG | 159,0x116,0x2,3 | 6,26x4,57x0,090 |
| 23010122 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 23010123 | DISC FRICTION DISC FRICTION CAR- BON FP FP | SUNBURST | 57 | INT TH | 303,8x235,2x3,9 | 11,96x9,26x0,153 |
| 23010124 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23010436 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0x259,1x3,8 | 12,56x10,20x0,148 |
| 23010437 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23010438 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23010871 | CLUTCH DISC SINTER BRONZE | SPR/RAD | | | 253,5x74,4x3,9 | 9,98x2,93x0,153 |
| 23013787 | OBSOLETE AFTER STOCK | 2 PASS | 71 | INT TH | 275,3x222,3x3,2 | 10,84x8,75x0,125 |
| 23015720 | OBSOLETE AFTER STOCK | 2 PASS | 71 | INT TH | 275,3x222,3x3,2 | 10,84x8,75x0,125 |

| | | | | | | |
|----------|---------------------------|----------|-----|-----------|-----------------|-------------------|
| 23015971 | DISC FRICTION GRPH | SUNBURST | 89 | INT TH | 433,3x371,3x5,2 | 17,06x14,62x0,205 |
| 23016606 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT LG | 247,1x186,2x2,5 | 9,73x7,33x0,100 |
| 23016608 | DISC STEEL INTERMEDIATE | ----- | 11 | EXT LG | 292,1x224,3x2,5 | 11,50x8,83x0,100 |
| 23016610 | DISC STEEL INTERMEDIATE | ----- | 18 | EXT TH | 194,0x140,5x2,5 | 7,64x5,53x0,100 |
| 23017289 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,1x255,8x3,1 | 13,00x10,08x0,122 |
| 23017553 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| 23040848 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0x259,1x3,8 | 12,56x10,20x0,148 |
| 23041097 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 207,3x154,4x2,6 | 8,16x6,08x0,103 |
| 23041615 | DISC FRICTION GRPH | SUNBURST | 89 | INT TH | 433,3x371,3x5,2 | 17,06x14,62x0,205 |
| 23041616 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23041786 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0x259,1x3,8 | 12,56x10,20x0,148 |
| 23042039 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23042197 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,6x110,0x2,0 | 5,89x4,33x0,080 |
| 23042198 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 207,3x154,4x2,6 | 8,16x6,08x0,103 |
| 23042199 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,1x2,5 | 9,12x6,86x0,098 |
| 23042200 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 182,4x129,5x2,5 | 7,18x5,10x0,098 |
| 23042201 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 275,3x213,4x3,2 | 10,84x8,40x0,125 |
| 23042202 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0x259,1x3,8 | 12,56x10,20x0,148 |
| 23042210 | OBSOLETE AFTER STOCK | 2 PASS | 71 | INT TH | 275,3x222,3x3,2 | 10,84x8,75x0,125 |
| 23045054 | OBSOLETE AFTER STOCK | | 15 | EXT LG | 295,1x233,3x2,5 | 11,62x8,83x0,100 |
| 23045454 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23045455 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| 23045554 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 246,9x184,7x2,5 | 9,72x7,27x0,100 |
| 23045573 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 285,0x207,3x2,5 | 11,22x8,16x0,098 |
| 23045588 | DISC FRICTION FP | 2 PASS | 42 | (44)EX TH | 179,7x115,9x2,5 | 7,07x4,56x0,098 |
| 23045589 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 165,1x107,7x2,5 | 6,50x4,24x0,098 |
| 23046108 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 314,5x230,9x4,7 | 12,38x9,09x0,185 |
| 23047289 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23047771 | DISC STEEL INTERMEDIATE | ----- | 38 | EXT TH | 335,0x275,0x2,6 | 13,19x10,83x0,103 |
| 23047772 | DISC STEEL INTERMEDIATE | ----- | 38 | EXT TH | 335,0x275,0x3,0 | 13,19x10,83x0,120 |
| 23048195 | CLUTCH DISC SINTER BRONZE | SUNBURST | 89 | INT TH | 433,3x371,1x5,1 | 17,06x14,61x0,201 |
| 23048510 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23048511 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| 23048628 | DISC FRICTION FP | 2 PASS | 84 | INT TH | 252,7x207,8x2,5 | 9,95x8,18x0,098 |
| 29501209 | CLUTCH DISC SINTER BRONZE | SUNBURST | 110 | INT TH | 410,0x345,0x4,4 | 16,14x13,58x0,173 |
| 29501423 | DISC STEEL INTERMEDIATE | ----- | 24 | (48)EX TH | 261,8x195,6x2,5 | 10,31x7,70x0,098 |
| 29503141 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 281,1x216,8x2,5 | 10,07x8,54x0,098 |
| 29505765 | DISC STEEL INTERMEDIATE | ----- | 24 | (56)EX TH | 352,3x279,1x2,5 | 13,87x10,99x0,098 |
| 29505720 | DISC STEEL INTERMEDIATE | ----- | 56 | EXT TH | 327,9x255,1x2,5 | 12,91x10,04x0,098 |
| 29505771 | DISC STEEL INTERMEDIATE | ----- | 45 | (56)EX TH | 352,3x279,1x2,5 | 13,87x10,99x0,098 |
| 29505759 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 190,0x117,9x2,5 | 7,48x4,64x0,098 |
| 29505823 | DISC FRICTION FP | 2 PASS | 97 | (99)IN TH | 314,1x245,5x3,2 | 12,37x9,67x0,127 |
| 29511462 | DISC FRICTION FP | 2 PASS | 36 | (38)EX TH | 204,1x132,2x3,3 | 8,04x5,20x0,128 |
| 29515399 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 246,9x184,7x2,5 | 9,72x7,27x0,100 |
| 29516170 | DISC FRICTION FP | 2 PASS | 84 | INT TH | 252,7x207,8x2,5 | 9,95x8,18x0,098 |
| 29516171 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 242,3x185,4x2,5 | 9,54x7,30x0,098 |
| 29516172 | DISC FRICTION FP | 2 PASS | 79 | (81)IN TH | 254,3x198,2x3,2 | 10,01x7,80x0,126 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|-------------------------|--------------------|--------------------|-----------------|-----------------|-------------------|
| 29527014 | DISC FRICTION FP | 2 PASS | 74 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x0,148 |
| 29528207 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 242,3x185,4x2,5 | 9,54x7,30x0,098 |
| 29528209 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 242,3x185,4x2,5 | 9,54x7,30x0,098 |
| 29529291 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x0,148 |
| 29529492 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,1x2,5 | 9,12x6,86x0,098 |
| 29530312 | DISC FRICTION FP | RADIAL | 36 | EXT TH | 128,8x82,1x2,5 | 5,07x3,23x0,098 |
| 29530313 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 190,8x149,1x2,5 | 7,51x5,87x0,098 |
| 29530314 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 120,5x66,5x2,2 | 4,74x2,62x0,087 |
| 29530315 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 203,5x160,0x2,2 | 8,01x6,30x0,087 |
| 29530330 | DISC STEEL INTERMEDIATE | ----- | 12 | (14)EX LG | 159,0x116,0x2,3 | 6,26x4,57x0,090 |
| 29531048 | DISC STEEL INTERMEDIATE | SLOTS | 27 | (36)EX TH | 242,9x180,5x2,5 | 9,56x7,11x0,098 |
| 29531049 | DISC FRICTION FP | SLOTS | 117 | INT TH | 220,4x171,8x2,5 | 8,68x6,76x0,098 |
| 29532371 | DISC FRICTION FP | 2 PASS | 79 | (81)IN TH | 254,3x198,2x3,2 | 10,01x7,80x0,126 |
| 29534834 | DISC FRICTION FP | 2 PASS/ HARDEN | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x3,800 |
| 29535637 | DISC STEEL INTERMEDIATE | SLOTS | 27 | EX TH+ 3 LG | 244,0x180,5x3,2 | 9,61x7,11x0,126 |
| 29536334 | DISC FRICTION FP | 2 PASS | 42 | (44)EX TH | 179,7x115,9x2,5 | 7,07x4,56x0,098 |
| 29536335 | DISC FRICTION FP | 2 PASS | 82 | (84)IN TH | 267,7x207,8x2,5 | 10,54x8,18x0,098 |
| 29536336 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 242,3x185,4x2,5 | 9,54x7,30x0,098 |
| 29536337 | DISC FRICTION FP | 2 PASS | 79 | (81)IN TH | 254,3x198,2x3,2 | 10,01x7,80x0,126 |
| 29536338 | DISC FRICTION FP | 2 PASS | 36 | (38)EX TH | 204,1x132,2x3,3 | 8,04x5,20x0,128 |
| 29536339 | DISC FRICTION FP | 2 PASS | 97 | (99)IN TH | 314,1x245,5x3,2 | 12,37x9,67x0,127 |
| 29536340 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x0,148 |
| 29536341 | DISC FRICTION FP | 2 PASS/ HARDEN | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x3,800 |
| 29536343 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 165,1x107,7x2,5 | 6,50x4,24x0,098 |
| 29536344 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 281,1x216,8x2,5 | 10,07x8,54x0,098 |
| 29536345 | DISC STEEL INTERMEDIATE | ----- | 24 | (48)EX TH | 261,8x195,6x2,5 | 10,31x7,70x0,098 |
| 29536346 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 285,0x207,3x2,5 | 11,22x8,16x0,098 |
| 29536347 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 190,0x117,9x2,5 | 7,48x4,64x0,098 |
| 29536348 | DISC STEEL INTERMEDIATE | ----- | 56 | EXT TH | 327,9x255,1x2,5 | 12,91x10,04x0,098 |
| 29536349 | DISC STEEL INTERMEDIATE | ----- | 24 | (56)EX TH | 352,3x279,1x2,5 | 13,87x10,99x0,098 |
| 29536350 | DISC STEEL INTERMEDIATE | ----- | 45 | (56)EX TH | 352,3x279,1x2,5 | 13,87x10,99x0,098 |
| 29536481 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 246,4x180,5x2,0 | 9,70x7,11x0,079 |
| 29536482 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 246,4x180,5x2,5 | 9,70x7,11x0,098 |
| 29536483 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 246,4x180,5x3,0 | 9,70x7,11x0,118 |
| 29537393 | DISC FRICTION FP | RADIAL | 115 | INT TH | 220,2x173,4x2,5 | 8,67x6,83x0,098 |
| 29537887 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,1x2,5 | 9,12x6,86x0,098 |
| 29538424 | DISC FRICTION FP | 2 PASS | 80 | INT TH | 231,6x174,2x2,5 | 9,12x6,86x0,098 |
| 29538468 | DISC FRICTION FP | RADIAL | 36 | EXT TH | 128,8x82,1x2,5 | 5,07x3,23x0,098 |
| 29538469 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 190,8x149,1x2,5 | 7,51x5,87x0,098 |
| 29541825 | DISC FRICTION FP | 2 PASS | 74 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x0,148 |
| 29542506 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 352,2x278,9x3,3 | 13,87x10,98x0,130 |
| 29542748 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT TH | 261,7x195,5x3,3 | 10,30x7,70x0,130 |

| | | | | | | |
|--------------|---|-----------------|-----|-----------|--------------------|---------------------|
| 29546270 | DISC FRICTION FP | SLOTS/ WAVED | 117 | INT TH | 220,4x171,8x1,8 | 8,68x6,76x0,071 |
| 29546276 | DISC FRICTION FP | 2 PASS | 36 | EXT TH | 128,8x82,1x1,8 | 5,07x3,23x0,071 |
| 29546701 | DISC STEEL INTERMEDIATE | SLOTS | 27 | (36)EX TH | 242,9x180,5x2,5 | 9,56x7,11x0,098 |
| 29549470 | CLUTCH DISC SINTER BRONZE | SUNBURST | 89 | INT TH | 433,3x371,1x5,1 | 17,06x14,61x0,201 |
| ALVIS | | | | | | |
| FV659433 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 187,7x136,5x1,5 | 7,39x5,37x0,058 |
| FV659434 | CLUTCH DISC SINTER BRONZE | RADIAL | 55 | INT TH | 176,3x122,4x2,4 | 6,94x4,82x0,095 |
| FV719063 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 182,2x136,5x1,5 | 7,17x5,37x0,058 |
| FV793164 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 187,7x136,5x1,5 | 7,39x5,37x0,058 |
| ASTRA | | | | | | |
| 063100027AS | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8x75,4x3,0 | 5,82x2,97x0,118 |
| ATLAS | | | | | | |
| 2983397 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0x34,0x4,8 | 5,98x1,34x0,189 |
| 2983400 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0x111,0x2,7 | 7,09x4,37x0,105 |
| 3968947 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0x34,0x4,8 | 7,01x1,34x0,189 |
| 3983822 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0x76,0x1,5 | 5,08x2,99x0,059 |
| 3983833 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9x68,1x2,2 | 4,64x2,68x0,087 |
| 3984389 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0x40,5x4,9 | 7,91x1,59x0,192 |
| 3984470 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9x144,0x2,7 | 8,54x5,67x0,106 |
| 5615505 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 334,0x225,0x3,0 | 13,15x8,86x0,118 |
| 6012097 | DISC FRICTION FP | WAFFLE | 45 | (54)IN TH | 298,0x106,2x5,0 | 11,73x4,18x0,197 |
| 6012325 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 333,5x225,5x2,5 | 13,13x8,88x0,098 |
| 6012326 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0x106,0x3,9 | 11,73x4,17x0,152 |
| 6013097 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 49 | (58)IN TH | 298,2x116,5x5,0 | 11,74x4,59x0,197 |
| 6049171 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4x140,0x2,9 | 7,73x5,51x0,114 |
| 6049172 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4x140,0x3,0 | 7,73x5,51x0,118 |
| 8000891 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 189,6x130,5x3,7 | 7,46x5,14x0,146 |
| 8000892 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0x105,6x3,8 | 7,01x4,16x0,148 |
| 8012028 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7x114,0x3,7 | 7,86x4,49x0,146 |
| 8015306 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 160,0x109,5x4,0 | 6,30x4,31x0,157 |
| BH00005515 | DISC STEEL INTERMEDIATE | HARDENED | 28 | INT TH | 126,8x79,5x1,75 | 4,99x3,13x0,069 |
| BH00010656 | CLUTCH DISC SINTER BRONZE | WAFFLE | 4 | EXT LG | 145,5x95,5x2,9 | 5,73x3,76x0,112 |
| AUSA | | | | | | |
| DA1120700601 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9x144,0x2,7 | 8,54x5,67x0,106 |
| DA1120761002 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0x40,5x4,9 | 7,91 x 1,59 x 0,192 |
| AUSCO | | | | | | |
| 37893 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 19 | INT TH | 203,2x57,2x4,7 | 8,00 x 2,25 x 0,185 |
| 74551 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 90,3x52,2x2,6 | 3,56 x 2,05 x 0,100 |
| 74552 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 151,8x60,7x1,9 | 5,98 x 2,39 x 0,075 |
| 74553 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 151,3x61,0x6,3 | 5,97 x 2,40 x 0,248 |
| 74996 | DISC FRICTION FP | 2 PASS | 29 | INT TH | 115,0 x 59,0 x 2,7 | 4,53 x 2,32 x 0,106 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|-------------------|--------------------|-----------------|-----------------|---------------------|
| BALKANCAR | | | | | | |
| KTM1189 | CLUTCH DISC SINTER BRONZE | WAFFLE | 35 | INT TH | 146,0x102,6x2,5 | 5,75 x 4,04 x 0,098 |
| KTM1490 | CLUTCH DISC SINTER BRONZE | SPIRAL | 34 | INT TH | 132,0x83,0x2,0 | 5,20 x 3,27 x 0,079 |
| KTM1942 | CLUTCH DISC SINTER BRONZE | SPIRAL | 34 | INT TH | 132,0x83,0x2,0 | 5,20 x 3,27 x 0,079 |
| 6844.01.00.05 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 152,6x109,0x2,0 | 6,00 x 4,29 x 0,079 |
| 6855.02.00.06 | DISC STEEL INTERMEDIATE | ----- | 45 | EXT TH | 139,3x90,0x1,5 | 5,48 x 3,54 x 0,059 |
| 6855.02.00.07 | DISC STEEL INTERMEDIATE | ----- | 45 | EXT TH | 139,3x90,0x1,5 | 5,48x3,54x0,059 |
| JCB | | | | | | |
| 04/500206 | DISC FRICTION FP | 2 PASS | 59 | INT TH | 190,8x147,3x3,0 | 7,51x5,80x0,118 |
| 04/500207 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| 04/500229 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,7 | 5,48x3,87x0,343 |
| 04/500230 | TAN DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 04/500230 | GREEN PA. | WAFFLE | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 04/500231 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| 04/500233 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,3 | 5,48x3,87x0,327 |
| 04/500235 | DISC STEEL INTERMEDIATE | SPRING | 8 | INT TH | 134,7x73,6x1,8 | 5,30x2,90x0,071 |
| 04/500300 | DISC STEEL INTERMEDIATE | FLEXI PLATE | | | | |
| 04/500301 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7x133,4x1,5 | 13,37x5,25x0,059 |
| 04/500302 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5x132,0x2,1 | 7,34x5,20x0,083 |
| 04/800278 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41x3,58x0,079 |
| 04/800279 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x1,5 | 5,16x3,35x0,059 |
| 04/800280 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,0 | 5,16x3,35x0,079 |
| 04/800281 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,5 | 5,16x3,35x0,098 |
| 04/700745 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,5 | 5,16x3,35x0,098 |
| 04/800746 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41x3,58x0,079 |
| 05/901906 | DISC STEEL INTERMEDIATE | ----- | 27 | INT TH | 107,2x78,7x1,4 | 4,22x3,10x0,055 |
| 05/901907 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | EXT TH | 113,8x85,0x2,2 | 4,48x3,35x0,087 |
| 10/300200 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0x224,0x4,5 | 12,80x8,82x0,177 |
| 10/300376 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0x237,0x4,5 | 14,17x9,33x0,177 |
| 10/300377 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0x253,0x4,0 | 15,08x9,96x0,154 |
| 10/300378 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0x253,0x4,3 | 15,08x9,96x0,167 |
| 10/301378 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0x253,0x5,0 | 15,08x9,96x0,197 |
| 10/904181 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0x111,0x2,7 | 7,09x4,37x0,105 |
| 10/904182 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0x34,0x4,8 | 5,98x1,34x0,189 |
| 10/904323 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,5 | 11,54x7,28x0,177 |
| 10/904336 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 10/904337 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0x167,0x4,5 | 10,91x6,57x0,177 |
| 10/905026 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 10/905027 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0x167,0x4,5 | 10,91x6,57x0,177 |
| 10/905028 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,5 | 11,54x7,28x0,177 |
| 10/905029 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 10/905030 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,5 | 11,54x7,28x0,177 |
| 10/905043 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0x167,0x4,5 | 10,91x6,57x0,177 |
| 10/905514 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |
| 10/906320 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0x32,7x4,8 | 6,69x1,29x0,189 |

| | | | | | | |
|------------|---------------------------|----------|----|-----------|-----------------|-------------------|
| 10/906486 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0x215,0x4,5 | 11,73x8,46x0,177 |
| 10/906487 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0x226,0x3,9 | 12,40x8,90x0,154 |
| 10/906488 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0x226,0x4,5 | 12,40x8,90x0,177 |
| 10/906489 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0x226,0x4,3 | 12,40x8,90x0,167 |
| 10/906490 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0x226,0x5,0 | 12,40x8,90x0,197 |
| 10/906586 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0x224,0x4,5 | 12,80x8,82x0,177 |
| 10/906587 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0x243,0x3,9 | 13,58x9,57x0,154 |
| 10/906588 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0x243,0x4,5 | 13,58x9,57x0,177 |
| 10/906589 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0x243,0x5,0 | 13,58x9,57x0,197 |
| 10/906590 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0x243,0x4,2 | 13,58x9,57x0,165 |
| 10/906812 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0x103,0x3,5 | 7,05x4,05x0,138 |
| 10/906931 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,0 | 7,52x5,12x0,079 |
| 10/906932 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,5 | 7,52x5,12x0,098 |
| 10/906933 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x3,0 | 7,52x5,12x0,118 |
| 10/907119 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,0 | 7,52x5,12x0,079 |
| 10/907120 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x2,5 | 7,52x5,12x0,098 |
| 10/907121 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0x130,0x3,0 | 7,52x5,12x0,118 |
| 10/907122 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0x103,0x3,5 | 7,05x4,05x0,138 |
| 10/907369 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2x76,2x1,2 | 4,26x3,00x0,045 |
| 10/907373 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0x68,2x1,6 | 3,94x2,69x0,061 |
| 15/920147 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0x215,0x4,5 | 11,73x8,46x0,177 |
| 200/42308P | DISC STEEL INTERMEDIATE | ----- | 79 | EXT TH | 168,7x104,1x1,5 | 6,64x4,10x0,059 |
| 200/42309P | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 163,3x92,7x2,4 | 6,43x3,65x0,095 |
| 200/42311 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 163,3x92,7x2,5 | 6,43x3,65x0,098 |
| 331/16516 | DISC STEEL INTERMEDIATE | ----- | 57 | EXT TH | 147,2x99,5x2,0 | 5,80x3,92x0,079 |
| 331/16519 | DISC STEEL INTERMEDIATE | ----- | 57 | EXT TH | 147,2x99,5x1,2 | 5,80x3,92x0,047 |
| 331/16520 | DISC FRICTION FP | RADIAL | 45 | INT TH | 140,2x92,4x2,4 | 5,52x3,64x0,094 |
| 331/31560 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0x99,0x4,0 | 5,47x3,90x0,157 |
| 331/31561 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0x90,0x6,0 | 5,47x3,54x0,236 |
| 331/31563 | OBSOLETE | ----- | 54 | EXT TH | 139,0x99,0x6,5 | 5,47x3,90x0,256 |
| 332/C4679 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 34 | INT TH | 104,0x68,0x1,6 | 4,09x2,68x0,063 |
| 332/C4680 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2x84,2x1,4 | 4,38x3,31x0,055 |
| 332/F6082 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0x252,0x3,8 | 13,58x9,92x0,150 |
| 332/G0484 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0x262,0x2,4 | 14,72x10,31x0,094 |
| 332/Y8132 | DISC STEEL INTERMEDIATE | ----- | 57 | EXT TH | 147,2x99,5x2,0 | 5,80x3,92x0,079 |
| 332/Y8134 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 240,0x140,0x3,8 | 9,45x5,51x0,150 |
| 333/C5794 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0x252,1x4,7 | 13,58x9,93x0,185 |
| 333/C5795 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5x262,5x4,0 | 14,67x10,33x0,157 |
| 333/C5805 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5x262,5x2,0 | 14,67x10,33x0,079 |
| 333/D1602 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0x69,0x6,1 | 9,96x2,72x0,240 |
| 333/D1603 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0x176,0x4,5 | 10,55x6,93x0,177 |
| 440/00707 | OBSOLETE AFTER STOCK | | 9 | EXT TH | 180,4x80,0x3,2 | 7,10x3,15x0,126 |
| 440/00719 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 164,0x34,2x3,8 | 6,46x1,35x0,150 |
| 440/00720 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT TH | 180,4x80,0x3,8 | 7,10x3,15x0,150 |
| 440/00721 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 164,0x34,2x3,8 | 6,46x1,35x0,150 |
| 445/03205 | CLUTCH DISC KIT(7) | 2 PASS | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 445/03206 | CLUTCH DISC KIT(6) | ----- | 6 | EXT LG | 150,9x98,6x1,8 | 5,94x3,88x0,070 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|----------------------|--------------------|-----------------|---------------------|---------------------|
| 445/03206 | SINGLE | PLATE | 6 | EXT LG | 150,9 x 98,6 x 1,8 | 5,94 x 3,88 x 0,070 |
| 445/05106 | CLUTCH DISC SINTER BRONZE | WAFFLE | 28 | INT TH | 101,5 x 57,2 x 2,1 | 4,00 x 2,25 x 0,083 |
| 445/05107 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 111,5 x 66,7 x 1,5 | 4,39 x 2,63 x 0,059 |
| 445/12307 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 445/12314 | OBSOLETE AFTER STOCK | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,2 | 5,48 x 3,88 x 0,049 |
| 445/12315 | END PLATE | ----- | 18 | (54)EX TH | 139,0 x 98,0 x 6,0 | 5,47 x 3,86 x 0,236 |
| 445/30011 | GREEN PA. | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,091 |
| 445/30011 | TAN DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,091 |
| 445/40118 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 115,0 x 74,0 x 1,5 | 4,53 x 2,91 x 0,059 |
| 445/40119 | CLUTCH DISC SINTER BRONZE | ----- | 15 | INT TH | 101,8 x 29,8 x 2,1 | 4,00 x 1,17 x 0,083 |
| 446/01310 | DISC STEEL INTERMEDIATE | ----- | 40 | (52)EX TH | 170,9 x 130,3 x 1,4 | 6,73 x 5,13 x 0,055 |
| 446/01317 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 162,6 x 120,9 x 2,3 | 6,40 x 4,76 x 0,090 |
| 446/01317 | OBSOLETE AFTER STOCK | | 38 | INT TH | 162,6 x 120,9 x 2,3 | 6,40 x 4,76 x 0,090 |
| 446/40707 | OBSOLETE | SUNBURST | 51 | EXT TH | 165,1 x 127,0 x 2,4 | 6,50 x 5,00 x 0,095 |
| 447/00506 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 447/00507 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2 x 96,3 x 1,5 | 5,40 x 3,79 x 0,059 |
| 447/06706 | DISC STEEL INTERMEDIATE | ----- | 79 | EXT TH | 168,7 x 104,1 x 1,5 | 6,64 x 4,10 x 0,059 |
| 450/10211 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 221,0 x 49,5 x 4,8 | 8,70 x 1,95 x 0,189 |
| 450/10212 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 238,0 x 140,0 x 3,2 | 9,37 x 5,51 x 0,125 |
| 450/10218 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 221,0 x 49,5 x 4,8 | 8,70 x 1,95 x 0,189 |
| 450/10219 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 238,0 x 140,0 x 3,2 | 9,37 x 5,51 x 0,125 |
| 450/10224 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 222,0 x 49,5 x 3,9 | 8,74 x 1,95 x 0,152 |
| 450/10226 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 240,0 x 140,0 x 3,8 | 9,45 x 5,51 x 0,150 |
| 450/20401 | CLUTCH DISC SINTER BRONZE | ----- | 28 | INT TH | 88,0 x 57,3 x 3,0 | 3,46 x 2,25 x 0,118 |
| 450/20402 | CLUTCH DISC SINTER BRONZE | ----- | 28 | INT TH | 88,0 x 57,3 x 2,1 | 3,46 x 2,25 x 0,080 |
| 450/20403 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 98,7 x 63,0 x 1,6 | 3,89 x 2,48 x 0,063 |
| 450/22908 | DISC FRICTION FP | 3 PASS | 24 | INT TH | 222,0 x 58,5 x 3,9 | 8,74 x 2,30 x 0,154 |
| 450/23003 | DISC FRICTION FP | 3 PASS | 24 | INT TH | 222,0 x 58,5 x 3,9 | 8,74 x 2,30 x 0,154 |
| 451/01702 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 203,2 x 46,2 x 4,7 | 8,00 x 1,82 x 0,185 |
| 451/01703 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 2,3 | 9,05 x 5,12 x 0,090 |
| 451/08002 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 2,3 | 9,05 x 5,12 x 0,090 |
| 451/13302 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 2,3 | 9,05 x 5,12 x 0,090 |
| 451/13303 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 203,2 x 46,2 x 4,7 | 8,00 x 1,82 x 0,185 |
| 451/22702 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 3,1 | 9,05 x 5,12 x 0,124 |
| 451/24201 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 3,1 | 9,05 x 5,12 x 0,124 |
| 451/24202 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 229,9 x 130,0 x 3,1 | 9,05 x 5,12 x 0,124 |
| 453/15301 | DISC STEEL INTERMEDIATE | ----- | 9 | (60)EX TH | 240,0 x 130,0 x 3,8 | 9,45 x 5,12 x 0,150 |
| 456/01001 | DISC FRICTION FP | 2 PASS/SINE- WAVE | 45 | INT TH | 133,3 x 92,7 x 2,3 | 5,25 x 3,65 x 0,091 |
| 458/20281 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 164,0 x 34,2 x 3,8 | 6,46 x 1,35 x 0,150 |
| 458/20285 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 240,0 x 140,0 x 3,8 | 9,45 x 5,51 x 0,150 |
| 458/20286 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT TH | 180,4 x 80,0 x 3,8 | 7,10 x 3,15 x 0,150 |
| 458/20289 | DISC STEEL INTERMEDIATE | ----- | 9 | (60)EX TH | 240,0 x 130,0 x 3,8 | 9,45 x 5,12 x 0,150 |
| 458/20316 | DISC FRICTION FP | 3 PASS | 24 | INT TH | 222,0 x 58,5 x 3,9 | 8,74 x 2,30 x 0,154 |
| 458/20353 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 222,0 x 49,5 x 3,9 | 8,74 x 1,95 x 0,152 |
| 458/20357 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 166,0 x 49,5 x 3,9 | 6,54 x 1,95 x 0,153 |

| | | | | | | |
|-----------------------------------|---|---|-----|------------|---------------------|-----------------------|
| 458/20358 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 182,0 x 97,0 x 3,9 | 7,17 x 3,82 x 0,153 |
| 550/43098 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 550/43099 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 3,9 | 12,40 x 8,90 x 0,154 |
| 550/43100 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 550/43101 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 5,0 | 12,40 x 8,90 x 0,197 |
| 550/43103 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,3 | 12,40 x 8,90 x 0,167 |
| 814/00207 | DISC STEEL INTERMEDIATE | SPRING | 8 | INT TH | 134,7 x 73,6 x 1,8 | 5,30 x 2,90 x 0,071 |
| 998/M5385 | CLUTCH DISC KIT | 12 X DISC FRICTION FP IM7913, 12 X DISC STEEL INTERMEDIATE IM7916MP | | | | |
| 998/11001 | CLUTCH DISC KIT | IM7298 X 5, IM7300MP X 1, IM7295 X 5 | | | | |
| LMM0336 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 173,5 x 143,0 x 1,6 | 6,83 x 5,63 x 0,063 |
| LMM0337 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 164,0 x 136,0 x 3,0 | 6,46 x 5,35 x 0,118 |
| BELAZ | | | | | | |
| 540-170-1344 | OBSOLETE AFTER STOCK | SPR/RAD | 38 | INT TH | 243,0 x 185,0 x 3,8 | 9,57 x 7,28 x 0,150 |
| 540-170-1352 | DISC STEEL INTERMEDIATE | ----- | 14 | EXT LG | 265,5 x 197,5 x 2,6 | 10,45 x 7,78 x 0,102 |
| 7548-1711482 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 255,0 x 198,6 x 2,6 | 10,04 x 7,82 x 0,102 |
| 7555B-3502550 | DISC FRICTION CARBON FP DISC FRICTION FP | 3 PASS | 80 | INT TH | 585,0 x 398,0 x 5,0 | 23,03 x 15,67 x 0,197 |
| 755B-3502595-10 | DISC STEEL INTERMEDIATE | ----- | 120 | EXT TH | 605,0 x 420,0 x 3,0 | 23,82 x 16,54 x 0,118 |
| BELL (ALSO SEE JOHN DEERE) | | | | | | |
| 160234 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 160235 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,0 | 6,49 x 4,24 x 0,118 |
| 160236 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,1 | 6,49 x 4,24 x 0,122 |
| 160238 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 200053 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 200054 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 200055 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| 200056 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| 200057 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 200058 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 200092 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 200106 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 200107 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 200108 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| 200109 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 200111 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)INT TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 200440 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 207666 | CLUTCH DISC SINTER BRONZE | SUN/RAD | 60 | INT TH | 462,4 x 299,4 x 4,9 | 18,20 x 11,79 x 0,193 |
| 208496 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,7 x 318,3 x 4,0 | 19,16 x 12,53 x 0,157 |
| 208662 | CLUTCH DISC SINTER BRONZE | SUN/RAD | 60 | INT TH | 462,4 x 299,4 x 4,9 | 18,20 x 11,79 x 0,193 |
| 217103 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 20 | INT TH | 150,0 x 74,8 x 4,0 | 5,91 x 2,94 x 0,157 |
| 217104 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 163,9 x 86,0 x 4,0 | 6,45 x 3,39 x 0,157 |
| 220712 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 151,3 x 61,0 x 6,3 | 5,97 x 2,40 x 0,248 |
| 220713 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 90,3 x 52,2 x 2,6 | 3,56 x 2,05 x 0,100 |
| 220714 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 151,8 x 60,7 x 1,9 | 5,98 x 2,39 x 0,075 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 221014 | DISC STEEL INTERMEDIATE | HARDENED | 2 | EXT LG | 275,0 x 123,9 x 1,8 | 10,83 x 4,88 x 0,069 |
| 221015 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/RAD | 27 | INT TH | 246,5 x 114,3 x 1,7 | 9,70 x 4,50 x 0,067 |
| 221456 | DISC FRICTION GRPH | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 221457 | DISC STEEL INTERMEDIATE | ----- | | RING | 449,0 x 329,0 x 6,6 | 17,68 x 12,95 x 0,258 |
| 224967 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 5,0 | 18,19 x 13,78 x 0,197 |
| 226813 | DISC FRICTION GRPH | WAFFLE | 60 | INT TH | 450,0x300,0x5,3 | 17,72x11,81x0,209 |
| AL160564 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63x10,49x0,148 |
| AL160565 | DISC STEEL INTERMEDIATE | ----- | 24 | (56)EX TH | 352,3x279,1x2,5 | 13,87x10,99x0,098 |
| AL160566 | DISC FRICTION FP | 2 PASS/ HARDEN | 75 | (77)IN TH | 320,7x266,4x3,8 | 12,63 x 10,49 x 3,800 |
| AL160567 | DISC STEEL INTERMEDIATE | ----- | 45 | (56)EX TH | 352,3x279,1x2,5 | 13,87 x 10,99 x 0,098 |
| AL160575 | DISC FRICTION FP | 2 PASS | 36 | (38)EX TH | 204,1x132,2x3,3 | 8,04 x 5,20 x 0,128 |
| AL160576 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 190,0x117,9x2,5 | 7,48 x 4,64 x 0,098 |
| AL160578 | DISC FRICTION FP | 2 PASS | 97 | (99)IN TH | 314,1x245,5x3,2 | 12,37 x 9,67 x 0,127 |
| AT179503 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 232,0x43,0x5,8 | 9,13 x 1,69 x 0,228 |
| AT339059 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 233,0x141,5x5,5 | 9,17 x 5,57 x 0,217 |
| AT339543 | DISC FRICTION FP | 3 PASS | 20 | INT TH | 233,0x59,5x5,5 | 9,17 x 2,34 x 0,217 |
| AT339922 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 34 | INT TH | 109,7x68,4x1,6 | 4,32 x 2,69 x 0,063 |
| T159409 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5x153,0x3,0 | 9,59 x 6,02 x 0,118 |
| T161233 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5x153,0x4,0 | 9,59 x 6,02 x 0,157 |
| T228727 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0x153,6x4,0 | 9,88 x 6,05 x 0,157 |
| T229406 | DISC STEEL INTERMEDIATE | DISHED | 30 | EXT TH | 119,8x75,3x1,8 | 4,72 x 2,96 x 0,071 |
| BEMIL | | | | | | |
| 125-TM-02088 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0x372,6x5,4 | 18,70 x 14,67 x 0,213 |
| 125-TM-13396 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 544,0x386,5x7,0 | 21,42 x 15,22 x 0,275 |
| 125-TM-13777 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,9x324,9x5,0 | 16,53 x 12,79 x 0,196 |
| 778-AX-12168 | DISC STEEL INTERMEDIATE | ----- | 146 | (164)EX TH | 494,8x345,9x2,4 | 19,48 x 13,62 x 0,094 |
| 778-AX-92059 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1x330,0x5,1 | 18,90 x 12,99 x 0,200 |
| 778-AX-92156 | DISC DAMPER | ----- | 146 | EXT TH | 494,8x345,9x7,2 | 19,48 x 13,62 x 0,283 |
| 985-BR-95248 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9x492,0x5,1 | 25,98 x 19,37 x 0,200 |
| PB7600 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9x492,0x5,1 | 25,98 x 19,37 x 0,200 |
| PB7601 | DISC STEEL INTERMEDIATE | ----- | 226 | EXT TH | 681,0x509,8x2,4 | 26,81 x 20,07 x 0,094 |
| PB7602 | DISC DAMPER | ----- | 226 | EXT TH | 681,0x509,8x6,9 | 26,81 x 20,07 x 0,270 |
| BENATI | | | | | | |
| 321 2112 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07 x 4,48 x 0,070 |
| 321 2326 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85 x 4,24 x 0,102 |
| 321 3587 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48 x 3,88 x 0,070 |
| 321 3743 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1x92,7x2,4 | 5,24 x 3,65 x 0,093 |
| 321 3744 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1x92,7x2,4 | 5,24 x 3,65 x 0,093 |
| 321 3793 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85 x 4,24 x 0,102 |
| 324 2311 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5x109,0x2,0 | 6,99 x 4,29x0,079 |
| 324 2312 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,0 | 6,73 x 4,05 x 0,079 |
| 324 2313 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,5 | 6,73 x 4,05 x 0,098 |

| | | | | | | |
|--------------------|--|-----------|----|--------|-----------------|-----------------------|
| 324 2336 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41 x 3,58 x 0,079 |
| 324 2401 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0x258,0x3,0 | 12,05 x 10,16 x 0,118 |
| 324 2402 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7x268,0x3,0 | 12,51 x 10,55 x 0,118 |
| 324 2677 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7x268,0x3,0 | 12,51 x 10,55 x 0,118 |
| 3326442 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 27 | INT TH | 255,0x66,1x10,0 | 10,04 x 2,60 x 0,394 |
| 3326606 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8x66,1x10,0 | 11,96x2,60x0,393 |
| 752 7088 | DISC STEEL INTERMEDIATE | ----- | 67 | INT TH | 290,1x195,1x2,5 | 11,42x7,68x0,098 |
| 752 7089 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6x212,6x4,7 | 12,03x8,37x0,187 |
| BENFORD | | | | | | |
| 800-4025 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 152,0x30,1x4,8 | 5,98x1,18x0,189 |
| 800-4026 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT SL | 167,0x122,0x2,5 | 6,57x4,80x0,098 |
| 800-2048 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 202,0x140,0x2,5 | 7,95x5,51x0,098 |
| 800-2049 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 178,0x36,0x4,8 | 7,00x1,42x0,189 |
| 800-2131 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 224,0x42,8x4,8 | 8,82x1,69x0,189 |
| 800-9092 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1x92,7x2,1 | 5,24x3,65x0,083 |
| 800-9093 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| BENFRA | | | | | | |
| 1420482M1 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 127,0x79,0x1,8 | 5,00x3,11x0,071 |
| 51317 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 138,8x95,2x2,8 | 5,46x3,75x0,110 |
| 52581 | DISC STEEL INTERMEDIATE | ----- | 22 | INT TH | 102,0x60,7x1,5 | 4,02x2,39x0,059 |
| BOMAG | | | | | | |
| 05815571 | CLUTCH DISC SINTER BRONZE | SPIRAL | 22 | INT TH | 188,0x110,0x2,3 | 7,40x4,33x0,089 |
| 05815580 | DISC STEEL INTERMEDIATE | ----- | 38 | EXT TH | 198,6x152,0x1,5 | 7,82x5,98x0,059 |
| 05815727 | CLUTCH DISC SINTER BRONZE | WAFFLE | 51 | EXT TH | 103,7x77,1x1,9 | 4,08x3,04x0,075 |
| 05815728 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 97,5x71,2x1,0 | 3,84x2,80x0,039 |
| 32010075 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9x144,0x2,7 | 8,54x5,67x0,106 |
| 32010076 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0x40,5x4,9 | 7,91x1,59x0,192 |
| H100000143 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41x3,58x0,079 |
| H100000151 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4x90,9x1,6 | 5,41x3,58x0,063 |
| H100002086 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x1,5 | 5,16x3,35x0,059 |
| H100002087 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,5 | 5,16x3,35x0,098 |
| H100002088 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,0 | 5,16x3,35x0,079 |
| H100002201 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,5 | 6,73x4,05x0,098 |
| H100002629 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7x142,0x4,0 | 9,16x5,59x0,157 |
| H100002843 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6x152,1x2,5 | 9,59x5,99x0,098 |
| BONFIGLIOLI | | | | | | |
| 6680700090 | DISC STEEL INTERMEDIATE | HARDENED | 27 | INT TH | 71,0x52,6x1,1 | 2,80x2,07x0,043 |
| 6680900080 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | EXT TH | 75,5x57,4x1,7 | 2,97x2,26x0,065 |
| BRAY | | | | | | |
| B-67013A | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 165,0x95,2x1,8 | 6,49x3,75x0,071 |
| C35433A | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3x87,9x2,5 | 5,05x3,46x0,098 |
| P11294/22 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0x53,3x4,8 | 8,82x2,10x0,190 |
| P11294/23 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6x127,0x2,6 | 9,00x5,00x0,102 |
| P15108/104 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1x103,1x2,8 | 6,46x4,06x0,110 |
| P15306/81 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5x53,3x4,8 | 8,05x2,10x0,190 |
| P15306/82 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3x114,3x2,7 | 8,24x4,50x0,106 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------|---------------------------|-------------------|--------------------|-----------------|-----------------|------------------|
| P20060/136 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1x103,1x2,8 | 6,46x4,06x0,110 |
| BREVINI | | | | | | |
| 386 3083 000 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 266,7x192,4x3,0 | 10,50x7,57x0,118 |
| 386 3073 000 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 36 | INT TH | 249,7x177,5x3,5 | 9,83x6,99x0,138 |
| 389 1050 000 | CLUTCH DISC SINTER BRONZE | WAFFLE | 32 | INT TH | 90,0x64,3x1,6 | 3,54x2,53x0,063 |
| 389 1070 000 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 93,3x71,8x3,0 | 3,67x2,83x0,118 |
| 44100200002 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 127,0x79,0x1,5 | 5,00x3,11x0,059 |
| 44104600005 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 138,8x95,2x2,8 | 5,46x3,75x0,110 |
| ? | CLUTCH DISC SINTER BRONZE | SUN/WAG | 50 | EXT TH | 152,6x109,0x3,0 | 6,00x4,29x0,118 |
| ? | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 141,0x90,0x1,8 | 5,55x3,54x0,071 |
| ? | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 93,3x71,8x1,0 | 3,67x2,80x0,039 |
| BROCKHOUSE | | | | | | |
| F14915/3 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2x96,3x1,5 | 5,40x3,79x0,059 |
| F34413 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 162,6x120,9x2,3 | 6,40x4,76x0,090 |
| G15640 | DISC STEEL INTERMEDIATE | ----- | 33 | EXT TH | 144,0x94,5x1,4 | 5,67x3,72x0,055 |
| G15685 | DISC STEEL INTERMEDIATE | ----- | 79 | EXT TH | 168,7x104,1x1,5 | 6,64x4,10x0,059 |
| G15686 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 163,3x92,7x2,4 | 6,43x3,65x0,095 |
| G16540 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3x87,9x2,5 | 5,05x3,46x0,098 |
| G19130 | DISC STEEL INTERMEDIATE | ----- | 40 | (52)EX TH | 170,9x130,3x1,4 | 6,73x5,13x0,055 |
| G19131 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 162,6x120,9x2,3 | 6,40x4,76x0,090 |
| G33246M | OBSOLETE AFTER STOCK | | 38 | INT TH | 162,6x120,9x2,3 | 6,40x4,76x0,090 |
| G33249 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3x87,9x2,5 | 5,05x3,46x0,098 |
| G33536 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 163,3x92,7x2,5 | 6,43x3,65x0,098 |
| L500032 | OBSOLETE | SUNBURST | 51 | EXT TH | 165,1x127,0x2,4 | 6,50x5,00x0,095 |
| BRODERSON | | | | | | |
| 910700148 | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| 910700149 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| 910700150 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,7 | 5,48x3,87x0,343 |
| 910700163 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8x147,3x3,0 | 7,51x5,80x0,118 |
| 910700164 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| 910700293 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1x92,7x2,1 | 5,24x3,65x0,083 |
| 910700294 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x3,0 | 5,48x3,88x0,118 |
| CARCO WINCHES | | | | | | |
| 30382 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3x158,8x1,6 | 9,50x6,25x0,063 |
| 30383 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0x171,5x4,7 | 10,00x6,75x0,187 |
| 30661-3 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6x212,6x4,7 | 12,03x8,37x0,187 |
| 30661-4 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 289,1x193,8x2,3 | 11,38x7,63x0,090 |
| 46129 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6x212,6x4,7 | 12,03x8,37x0,187 |
| 46131 | OBSOLETE | SUNBURST | 77 | INT TH | 241,0x159,3x4,7 | 9,49x6,27x0,185 |
| 46132 | DISC STEEL INTERMEDIATE | ----- | 119 | EXT TH | 255,0x171,5x2,6 | 10,04x6,75x0,104 |
| 46142 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0x171,5x4,7 | 10,00x6,75x0,187 |
| 46143 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3x158,8x1,6 | 9,50x6,25x0,063 |
| F-29754 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3x158,8x1,6 | 9,50x6,25x0,063 |
| CARRARO | | | | | | |
| 7423 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |

| | | | | | | |
|----------------------|--|-----------|----|-------------|------------------|------------------|
| 65604 | | | | | | |
| 064388 | | | | | | |
| 110642 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x2,8 | 2,82x1,73x0,110 |
| 110643 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0x49,2x1,5 | 3,35x1,94x0,059 |
| 110644 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |
| 112398 | DISC FRICTION FP | 3 PASS | 23 | INT TH | 178,0x44,0x4,8 | 7,01x1,73x0,189 |
| 117166 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 165,0x41,0x4,8 | 6,50x1,61x0,189 |
| 117167 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 172,0x94,0x2,7 | 6,77x3,70x0,104 |
| 119363 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8x66,1x10,0 | 11,96x2,60x0,393 |
| 119682 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0x66,1x10,0 | 10,24x2,60x0,394 |
| 120361 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0x49,2x1,5 | 3,35x1,94x0,059 |
| 121254 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 255,0x66,1x10,0 | 10,04x2,60x0,394 |
| 121656 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0x44,0x10,0 | 8,38x1,73x0,394 |
| 121656 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 15 | INT TH | 213,0x44,0x10,0 | 8,38x1,73x0,394 |
| 126072 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0x32,7x4,8 | 6,69x1,29x0,189 |
| 130402 | DISC FRICTION GRPH | WAFFLE | 28 | INT TH | 169,0x56,0x4,8 | 6,65x2,21x0,189 |
| 130403 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0x110,0x2,6 | 7,68x4,33x0,102 |
| 132690 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 272,0x71,1x4,9 | 10,71x2,80x0,193 |
| 133924 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0x102,0x2,5 | 5,94x3,86x0,098 |
| 133952 | DISC FRICTION GRPH | SUNBURST | 36 | (73)EX TH | 151,5x101,5x3,5 | 5,96x4,00x0,138 |
| 133953 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5x101,5x2,8 | 5,96x4,00x0,108 |
| 133972 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0x93,0x1,8 | 5,24x3,66x0,069 |
| 134100 | DISC STEEL INTERMEDIATE | ----- | 8 | (30) INT TH | 145,0x88,4x3,0 | 5,71x3,48x0,118 |
| 134181 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0x36,5x10,0 | 8,46x1,44x0,394 |
| 134468 | OBSOLETE AFTER STOCK | | 3 | EXT LG | 220,0x139,0x4,2 | 8,66x5,47x0,165 |
| 134740 | END PLATE | ----- | 64 | EXT TH | 230,0x151,0x9,0 | 9,06x5,94x0,354 |
| 136112 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 136112 (ALTERNATIVE) | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 136132 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 136136 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8x207,7x11,3 | 11,09x8,18x0,443 |
| 136137 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8x207,7x9,0 | 11,09x8,18x0,354 |
| 136138 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8x207,7x9,0 | 11,09x8,18x0,354 |
| 136139 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 282,0x207,5x5,0 | 11,10x8,17x0,197 |
| 136155 | END PLATE | ----- | 64 | EXT TH | 230,0x152,5x5,0 | 9,06x6,00x0,197 |
| 136644 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x10,8 | 9,06x6,00x0,397 |
| 136645 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x9,0 | 9,06x6,00x0,354 |
| 136646 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x9,0 | 9,06x6,00x0,354 |
| 137740 | END PLATE | ----- | 64 | EXT TH | 230,0x151,0x9,0 | 9,06x5,94x0,354 |
| 138377 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8x152,4x2,1 | 8,30x6,00x0,083 |
| 138378 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9x138,0x2,8 | 7,75x5,43x0,110 |
| 138574 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0x93,0x1,8 | 5,24x3,66x0,069 |
| 141592 | DISC FRICTION FP | WAFFLE | 55 | INT TH | 260,0 x164,2x4,0 | 10,24x6,46x0,157 |
| 142307 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 302,6x178,2x6,0 | 11,91x7,02x0,236 |
| 143847 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 165,0x41,0x4,7 | 6,50x1,61x0,185 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------|---------------------------------------|--------------------|--------------------|-----------------|------------------|-------------------|
| 143874 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 145139 | OBSOLETE AFTER STOCK | | 12 | INT TH | 274,0x45,0x6,8 | 10,79x1,77x0,268 |
| 146951 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x10,8 | 9,06x6,00x0,397 |
| 148487 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5x188,4x5,0 | 13,21x7,42x0,197 |
| 148488 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5x188,4x8,0 | 13,21x7,42x0,315 |
| 148795 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0x43,0x6,7 | 11,38x1,69x0,262 |
| 149305 | CLUTCH DISC KIT | | | | | |
| 149708 | DISC FRICTION FP | WAFFLE | 29 | INT TH | 259,0x85,0x4,0 | 10,20x3,35x0,157 |
| 149816 | IM6717 X 6 | IM6720MP X 8 | | | | |
| 382114 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 502791 | DISC FRICTION CARBON FP | SUN/RAD | 22 | INT TH | 204,5x53,5x4,9 | 8,05x2,11x0,191 |
| 831428 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4x82,1x1,6 | 4,31x3,23x0,063 |
| 831429 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8x154,0x2,7 | 9,24x6,60x0,106 |
| 831815 | CLUTCH DISC SINTER BRONZE | WAFFLE | 65 | (75)EX TH | 190,5x132,0x1,8 | 7,50x5,20x0,071 |
| 831816 | DISC STEEL INTERMEDIATE | HARDENED | 31 | INT TH | 168,6x122,3x2,0 | 6,64x4,81x0,079 |
| 831946 | DISC STEEL INTERMEDIATE | HARDENED | 48 | EXT TH | 99,5x77,2x1,1 | 3,92x3,04x0,043 |
| 831947 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | INT TH | 93,8x72,5x2,3 | 3,69x2,85x0,091 |
| 831976 | OBSOLETE AFTER STOCK | | 45 | INT TH | 123,9x89,2x2,0 | 4,88x3,51x0,079 |
| 831978 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8x154,0x2,7 | 9,24x6,60x0,106 |
| 831995 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4x82,1x1,6 | 4,31x3,23x0,063 |
| 831996 | DISC STEEL INTERMEDIATE | HARDENED | 52 | INT TH | 102,0x77,2x1,5 | 4,02x3,04x0,059 |
| 831999 | CLUTCH DISC SINTER BRONZE | SUN/WAF | 42 | (48)EX TH | 248,5x164,7x2,6 | 9,78x6,48x0,102 |
| 832785 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 129,5x96,1x1,7 | 5,10x3,78x0,065 |
| 834578 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 265,8x147,0x4,0 | 10,46x5,79x0,157 |
| 834581 | DISC FRICTION DISC FRICTION CARBON FP | 4 PASS | 32 | INT TH | 236,0x94,1x5,5 | 9,29x3,70x0,217 |
| 866225 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 245,6x58,3x4,5 | 9,67x2,30x0,177 |
| ? | DISC FRICTION GRPH | SUNBURST | 23 | INT TH | 143,0x44,0x4,9 | 5,63x1,73x0,191 |
| CASE (DAVID BROWN) | | | | | | |
| A14509 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7x133,4x1,5 | 13,37x5,25x0,059 |
| A14510 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5x132,0x2,1 | 7,34x5,20x0,830 |
| A17919 | END PLATE | ----- | 60 | EXT TH | 154,3x113,5x8,0 | 6,07x4,47x0,315 |
| A17920 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| A17921 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| A41005 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5x99,1x1,6 | 5,61x3,90x0,063 |
| A41355 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| A52252 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 209,2x120,0x3,0 | 8,23x4,72x0,118 |
| A52253 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 19 | INT TH | 203,2x57,2x4,7 | 8,00x2,25x0,185 |
| A64525 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1x82,2x2,5 | 5,00x3,24x0,980 |
| A99132 | CLUTCH DISC SINTER BRONZE | SUNBURST | 73 | INT TH | 371,3x303,0x5,2 | 14,62x11,93x0,205 |
| A133720 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 300,7x49,9x6,3 | 11,84x1,96x0,248 |
| A169583 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 127,0x82,0x2,2 | 5,00x3,23x0,087 |
| A175072 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1x82,2x2,5 | 5,00x3,24x0,980 |
| A175806 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5x89,5x2,2 | 5,65x3,52x0,084 |

| | | | | | | |
|----------|--|-------------|----|--------------|------------------|-------------------|
| A178020 | END PLATE | ----- | 26 | EXT TH | 143,4x89,5x10,9 | 5,65x3,52x0,429 |
| A175686 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 143,0x63,5x6,4 | 5,63x2,50x0,252 |
| A188412 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 300,7x49,9x6,3 | 11,84x1,96x0,248 |
| A188853 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 136,0x68,2x2,1 | 5,35x2,69x0,081 |
| A188868 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 26 | EXT TH | 143,4x89,5x2,5 | 5,65x3,52x0,098 |
| A188869 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 127,0x82,0x2,2 | 5,00x3,23x0,087 |
| A188946 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1x82,2x2,5 | 5,00x3,24x0,980 |
| A190067 | DISC FRICTION FP | 3 PASS | 16 | INT TH | 301,0x54,0x6,3 | 11,85x2,13x0,248 |
| A458320 | CLUTCH DISC SINTER BRONZE | SPIRAL | 32 | EXT TH | 133,2x91,0x2,4 | 5,24x3,58x0,094 |
| D50040 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8x147,3x3,0 | 7,51x5,80x0,118 |
| D50041 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| D50047 | DISC STEEL INTERMEDIATE | SPRING | 8 | INT TH | 134,7x73,6x1,8 | 5,30x2,90x0,071 |
| D50081 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,3 | 5,48x3,87x0,327 |
| D50082 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| D50083 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| D50084 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,7 | 5,48x3,87x0,343 |
| D54830 | DISC STEEL INTERMEDIATE | ----- | 4 | INT LUG/SLOT | 139,4x50,1x1,5 | 5,49x1,97x0,059 |
| D55173 | DISC FRICTION FP | WAFFLE | 12 | EXT LUGS | 152,4x107,9x2,1 | 6,00x4,25x0,083 |
| D55252 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| D56914 | DISC FRICTION ORG | 16 HOLES | 96 | INT TH | 357,9x298,5x20,8 | 14,09x11,75x0,819 |
| D70672 | DISC FRICTION FP | 1 PASS | 43 | (45)INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| D72327 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| D72803 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| D77063 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,9 | 5,85x4,24x0,114 |
| D77576 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| D79944 | OBSOLETE AFTER STOCK | | 32 | (42)EX TH | 184,2x92,7x2,6 | 7,25x3,65x0,102 |
| D80064 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1x74,2x4,0 | 6,50x2,92x0,156 |
| D81592 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5x132,0x2,1 | 7,34x5,20x0,830 |
| D83009 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| D87201 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7x133,4x1,5 | 13,37x5,25x0,059 |
| D106118 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| D131147 | DISC STEEL INTERMEDIATE | ----- | | HOLES | 339,8x133,3x1,5 | 13,38x5,25x0,059 |
| D3145322 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 97,5x71,2x1,0 | 3,84x2,80x0,039 |
| E68704 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| E114383 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| E135004 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41x3,58x0,079 |
| E135005 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5x109,0x2,0 | 6,99x4,29x0,079 |
| E135224 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x1,5 | 5,16x3,35x0,059 |
| E135225 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,5 | 5,16x3,35x0,098 |
| E135226 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1x85,1x2,0 | 5,16x3,35x0,079 |
| E135262 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,5 | 6,73x4,05x0,098 |
| E135271 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,0 | 6,73x4,05x0,079 |
| E135272 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9x102,9x2,5 | 6,73x4,05x0,098 |
| E135797 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0x66,1x10,0 | 10,24x2,60x0,394 |
| E159987 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x3,0 | 5,48x3,88x0,118 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|------------------------------|--------------------|-----------------|-----------------|-------------------|
| E159992 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1x92,7x2,1 | 5,24x3,65x0,083 |
| G103117 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 165,1x46,1x4,6 | 6,50x1,81x0,181 |
| H14510 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5x132,0x2,1 | 7,34x5,20x0,830 |
| J1043150 | CLUTCH DISC SINTER BRONZE | WAFFLE | 51 | EXT TH | 103,7x77,1x1,9 | 4,08x3,04x0,075 |
| K200550 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 182,9x82,6x2,6 | 7,20x3,25x0,102 |
| K202905 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 26 | INT TH | 178,1x63,5x4,8 | 7,01x2,50x0,190 |
| K206041 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 162,0x118,2x1,6 | 6,38x4,65x0,063 |
| K261860 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x2,8 | 2,82x1,73x0,110 |
| K261862 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7x44,0x1,6 | 2,82x1,73x0,063 |
| K261863 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0x49,2x1,5 | 3,35x1,94x0,059 |
| K262537 | CLUTCH DISC SINTER BRONZE | CLUTCH CLUTCH DISC KIT | | | | |
| K262538 | CLUTCH DISC SINTER BRONZE | CLUTCH CLUTCH DISC KIT | | | | |
| K904795A | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 162,0x118,2x1,6 | 6,38x4,65x0,063 |
| K940578/9 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 162,0x118,2x5,0 | 6,38x4,65x0,197 |
| K940877 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 30 | INT TH | 155,7x60,5x2,6 | 6,13x2,38x0,102 |
| K945754 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0x70,1x4,9 | 8,82x2,76x0,193 |
| K945755 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6x127,0x2,7 | 9,00x5,00x0,106 |
| K963646 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0x70,1x4,9 | 8,82x2,76x0,193 |
| K963647 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6x127,0x2,7 | 9,00x5,00x0,106 |
| N4587 | DISC FRICTION FP | 1 PASS | 43 | (45)IN TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| N7022 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7x187,5x3,9 | 9,99x7,38x0,153 |
| N7217 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1x92,7x1,6 | 5,24x3,65x0,063 |
| N7219 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2x98,6x1,8 | 5,48x3,88x0,070 |
| N8738 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1x92,7x2,3 | 5,24x3,65x0,090 |
| N8750 | CLUTCH DISC SINTER BRONZE | SPR/RAD | | | 253,5x74,4x3,9 | 9,98x2,93x0,153 |
| S73416 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8x147,3x3,0 | 7,51x5,80x0,118 |
| S73417 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9x155,7x1,8 | 8,46x6,13x0,070 |
| S73428 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,7 | 5,48x3,87x0,343 |
| S73434 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2x98,2x8,3 | 5,48x3,87x0,327 |
| S73872 | OBSOLETE AFTER STOCK | | 52 | INT TH | 148,6x107,4x1,6 | 5,85x4,23x0,062 |
| S73873 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| S94326 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6x107,7x2,6 | 5,85x4,24x0,102 |
| S301550 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4x90,9x1,6 | 5,41x3,58x0,063 |
| T40018 | CLUTCH DISC SINTER BRONZE | SPIRAL | 12 | EXT LUGS | 152,5x108,0x2,1 | 6,00x4,25x0,083 |
| 66188C1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 139,7x98,6x1,6 | 5,50x3,88x0,062 |
| 81620C1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 36 | INT TH | 71,7x44,8x1,5 | 2,82x1,76x0,059 |
| 81736C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4x90,9x2,0 | 5,41x3,58x0,079 |
| 92934C2 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 158,0x107,2x1,2 | 6,22x4,22x0,047 |
| 92935C3 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 140,8x98,9x2,0 | 5,54x3,89x0,079 |
| 92935C4 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 140,8x98,9x2,0 | 5,54x3,89x0,079 |
| 92935C5 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 140,8x98,9x2,0 | 5,54x3,89x0,079 |
| 100049A1 | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0x342,0x4,0 | 17,91x13,46x0,157 |

| | | | | | | |
|----------|--|----------|-----|-----------|----------------------|----------------------|
| 100050A1 | DISC FRICTION FP | 3 PASS | 104 | INT TH | 437,9x325,1x5,3 | 17,24x12,80x0,209 |
| 103310A1 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| 103310A1 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2x113,8x1,8 | 6,07x4,48x0,070 |
| 114622C1 | YELLOW | 2 PASS | 15 | INT TH | 259,1x51,1x7,6 | 10,20x2,01x0,300 |
| 114622C1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1x51,1x7,6 | 10,20x2,01x0,300 |
| 118421A1 | DISC FRICTION FP | WAFFLE | 6 | INT LG | 222,2x161,2x5,8 | 8,75x6,35x0,226 |
| 119228A1 | END PLATE | STEPPED | 35 | EXT TH | 177,3x109,4x10,9 | 6,98x4,30x0,429 |
| 119229A1 | END PLATE | STEPPED | 35 | EXT TH | 177,3x109,4x10,9 | 6,98x4,30x0,429 |
| 119335A1 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0x66,8x2,2 | 5,12x2,63x0,087 |
| 119336A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5x62,6x2,6 | 4,63x2,46x0,102 |
| 119430A1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,5 | 11,54x7,28x0,177 |
| 119431A1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 119433A1 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0x167,0x4,5 | 10,91x6,57x0,177 |
| 120486C1 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 350,0x192,0x2,8 | 13,78x7,56x0,108 |
| 120488C1 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 305,0x108,0x4,9 | 12,00x4,25x0,193 |
| 120488C2 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 305,0x108,0x4,9 | 12,00x4,25x0,193 |
| 120679C1 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 305,0x187,9x5,1 | 12,00x7,40x0,200 |
| 123773A1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0x185,0x4,0 | 11,54x7,28x0,157 |
| 129658A1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0x142,0x2,5 | 7,72x5,59x0,096 |
| 129659A1 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0x142,0x2,0 | 7,72x5,59x0,077 |
| 146055A1 | OBSOLETE | | 14 | INT TH | 338,0x66,4x4,6 | 13,31x2,61x0,181 |
| 146057A1 | OBSOLETE AFTER STOCK | | 3 | EXT SL | 376,0x260,0x4,5 | 14,80x10,24x0,177 |
| 148903A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8x66,0x1,3 | 4,32x2,60x0,052 |
| 148905A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6x72,2x1,8 | 4,83x2,84x0,071 |
| 148906A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8x66,0x2,9 | 4,32x2,60x0,112 |
| 148962A1 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0x40,5x4,9 | 7,91x1,59x0,192 |
| 148963A1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0x145,5x2,7 | 8,66x5,73x0,105 |
| 175385A1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 51 | EXT TH | 105,6x82,2x1,7 | 4,16x3,24x0,067 |
| 177732A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5x62,6x2,6 | 4,63x2,46x0,102 |
| 181158A1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0x93,0x1,8 | 5,24x3,66x0,069 |
| 181159A1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0x102,0x2,5 | 5,94x3,86x0,098 |
| 181162A1 | END PLATE | ----- | 6 | EXT LG | 146,0x97,0x10,2 | 5,75x3,82x0,402 |
| 190455A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x10,8 | 9,06x6,00x0,397 |
| 190462A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 190474A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0x152,5x9,0 | 9,06x6,00x0,354 |
| 196073A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0x71,0x4,9 | 8,78x2,80x0,191 |
| 196081A1 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8x207,7x9,0 | 11,09x8,18x0,354 |
| 230549A1 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 230550A1 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| 230551A1 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 235031A2 | DISC FRICTION FP | 2 PASS | 25 | INT TH | 113,0 x 51,0 x 3,8 | 4,45 x 2,00 x 0,150 |
| 237017A1 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 272,0 x 71,1 x 4,9 | 10,71 x 2,80 x 0,193 |
| 237018A1 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8 x 207,7 x 11,3 | 11,09 x 8,18 x 0,443 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-------------------------|---|--------------------|--------------------|-----------------|----------------------|----------------------|
| 237019A1 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8 x 207,7 x 9,0 | 11,09 x 8,18 x 0,354 |
| 237020A1 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 281,8 x 207,7 x 9,0 | 11,09 x 8,18 x 0,354 |
| 237021A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 237021A1 (ALTER-NATIVE) | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 237022A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 237023A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 9,0 | 9,06 x 6,00 x 0,354 |
| 237024A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 9,0 | 9,06 x 6,00 x 0,354 |
| 242154A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 242155A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 242156A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| 242157A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| 242158A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 242159A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 244270A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 26 | EXT TH | 143,4 x 89,5 x 2,5 | 5,65 x 3,52 x 0,098 |
| 245297A1 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 247090A1 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 291578A1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 291579A1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 291580A1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 299531A1 | DISC FRICTION FP | WAFFLE | 10 | EXT LG | 211,0 x 149,4 x 2,5 | 8,31 x 5,88 x 0,098 |
| 308029A1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| 308030A1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 310519A1 | END PLATE | ----- | 6 | EXT LG | 146,0 x 97,0 x 10,2 | 5,75 x 3,82 x 0,402 |
| 331386A1 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 331387A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 331388A1 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 331420A1 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| 331421A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 331422A1 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 129,6 x 84,8 x 2,5 | 5,10 x 3,34 x 0,098 |
| 331893A1 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 331894A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 331895A1 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 331896A1 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 331897A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 335165A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 335167A1 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 345334A2 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 40 | INT TH | 134,0 x 81,0 x 3,0 | 5,28 x 3,19 x 0,116 |
| 345335A2 | DISC STEEL INTERMEDIATE | ----- | 66 | EXT TH | 142,0 x 90,0 x 1,9 | 5,59 x 3,54 x 0,075 |

| | | | | | | |
|-----------|--|------------------|-----|-----------|---------------------|-----------------------|
| 351175A1 | DISC FRICTION FP | 3 PASS | 16 | INT TH | 301,0 x 54,0 x 6,3 | 11,85 x 2,13 x 0,248 |
| 351175A2 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 16 | INT TH | 301,0 x 54,0 x 6,3 | 11,85 x 2,13 x 0,248 |
| 352831A1 | DISC FRICTION FP/PLAIN | WAFFLE | 88 | EXT TH | 189,5 x 141,5 x 1,8 | 7,46 x 5,57 x 0,069 |
| 352832A1 | DISC FRICTION FP | 2 PASS | 88 | EXT TH | 189,5 x 141,5 x 2,2 | 7,46 x 5,57 x 0,087 |
| 357534A1 | OBSOLETE | 4 PASS/WAG | 104 | INT TH | 437,9 x 325,1 x 5,0 | 17,24 x 12,80 x 0,197 |
| 362628A1 | DISC STEEL INTERMEDIATE | ----- | 93 | EXT TH | 239,9 x 171,4 x 2,4 | 9,44 x 6,75 x 0,094 |
| 362629A1 | DISC STEEL INTERMEDIATE | ----- | 93 | EXT TH | 240,0 x 171,0 x 2,6 | 9,45 x 6,73 x 0,102 |
| 366999A1 | OBSOLETE AFTER STOCK | | 12 | INT TH | 274,0 x 45,0 x 6,8 | 10,79 x 1,77 x 0,268 |
| 367000A1 | OBSOLETE AFTER STOCK | | 4 | HOLES | 278,0 x 185,0 x 8,1 | 10,94 x 7,28 x 0,319 |
| 370555A1 | DISC FRICTION FP/PLAIN | WAFFLE | 100 | EXT TH | 215,0 x 151,5 x 1,8 | 8,46 x 5,96 x 0,069 |
| 371134A1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 80,3 x 3,5 | 5,08 x 3,16 x 0,138 |
| 371135A1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 25 | (31)IN TH | 115,0 x 61,0 x 1,7 | 4,53 x 2,40 x 0,067 |
| 371136A1 | CLUTCH DISC SINTER BRONZE | WAFFLE/ PLAIN | 25 | (31)IN TH | 115,0 x 61,0 x 3,0 | 4,53 x 2,40 x 0,118 |
| 381489R3 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 145,8 x 103,2 x 1,8 | 5,74 x 4,06 x 0,069 |
| 381490R4 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 51 | INT TH | 134,8 x 95,0 x 2,5 | 5,31 x 3,74 x 0,098 |
| 384322A1 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 384323A1 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 384388A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 387182A1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 387183A1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 387184A1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 387187A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| 399734R1 | YELLOW | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 399734R1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 399736R3 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 258,8 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 401716R3 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,2 x 2,1 | 4,94 x 3,67 x 0,082 |
| 401717R1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 139,7 x 98,6 x 1,6 | 5,50 x 3,88 x 0,062 |
| 413580A1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 80,3 x 3,5 | 5,08 x 3,16 x 0,138 |
| 413582A1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 25 | (31)IN TH | 115,0 x 61,0 x 1,7 | 4,53 x 2,40 x 0,067 |
| 413583A1 | CLUTCH DISC SINTER BRONZE | WAFFLE/ PLAIN | 25 | (31)IN TH | 115,0 x 61,0 x 3,0 | 4,53 x 2,40 x 0,118 |
| 413586A1 | OBSOLETE AFTER STOCK | | 12 | INT TH | 274,0 x 45,0 x 6,8 | 10,79 x 1,77 x 0,268 |
| 423374A1 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 154,7 x 34,2 x 4,9 | 6,09 x 1,35 x 0,193 |
| 452160A1 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 533804R1 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,2 x 2,1 | 4,94 x 3,67 x 0,082 |
| 716556A1 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 40 | INT TH | 134,0 x 81,0 x 3,0 | 5,28 x 3,19 x 0,116 |
| 984439C1 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 258,8 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 1027256C1 | YELLOW | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 1027256C1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 1263329H1 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 1276804H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 1276805H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 1285974C1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 244,0 x 173,0 x 2,3 | 9,61 x 8,81 x 0,091 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|----------------------|
| 1285975C2 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 39 | INT TH | 228,0 x 162,0 x 2,9 | 8,98 x 6,38 x 0,114 |
| 1335324C1 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 99,7 x 68,0 x 1,6 | 3,93 x 2,68 x 0,063 |
| 1341163C3 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 175,0 x 90,7 x 5,4 | 6,89 x 3,57 x 0,213 |
| 1341170C1 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 143,0 x 63,5 x 6,4 | 5,63 x 2,50 x 0,252 |
| 1342285C1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 19 | INT TH | 203,2 x 57,2 x 4,7 | 8,00 x 2,25 x 0,185 |
| 1345726C1 | IRON | 2 PASS | 16 | INT TH | 143,0 x 63,5 x 6,3 | 5,63 x 2,50 x 0,248 |
| 1362618A1 | DISC FRICTION FP | WAFFLE | 62 | INT TH | 228,5 x 155,0 x 2,2 | 9,00 x 6,10 x 0,087 |
| 1966154C1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 1966155C1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 1966156C1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 1995264C1 / C2 | DISC FRICTION FP | 2 PASS | 25 | INT TH | 113,0 x 51,0 x 3,0 | 4,45 x 2,01 x 0,118 |
| 1997122C1 | END PLATE | ----- | 26 | EXT TH | 143,4 x 89,5 x 10,9 | 5,65 x 3,52 x 0,429 |
| 1997129C1 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 1997907C1 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 141,0 x 99,0 x 2,0 | 5,55 x 3,90 x 0,079 |
| 3125147R1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 139,7 x 98,6 x 2,0 | 5,50 x 3,88 x 0,780 |
| 3125322R2 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,2 x 2,1 | 4,94 x 3,67 x 0,082 |
| 3145546R91 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 226,7 x 48,3 x 8,9 | 8,92 x 1,90 x 0,350 |
| 3220450R91 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 255,4 x 48,3 x 8,9 | 10,05 x 1,90 x 0,350 |
| 3380997H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 3380999H1 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 370556A1 | DISC FRICTION FP | 2 PASS | 100 | EXT TH | 215,0 x 151,5 x 2,2 | 8,46 x 5,96 x 0,087 |
| 8603203 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 152402252 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 127,0 x 79,0 x 1,8 | 5,00 x 3,11 x 0,071 |
| 152402253 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 138,8 x 95,2 x 2,8 | 5,46 x 3,75 x 0,110 |
| 153317478 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 153318841 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 8900126635 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 8900126636 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 8900126637 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 8900126638 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 8900126641 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 8900126642 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 8900126648 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 8900130483 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| 8900130484 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 8900130485 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 8900130488 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 8900120489 | BRNZ/PLN | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,0 | 6,95 x 5,51 x 0,077 |
| 133000340016 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 133000340022 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 288,0 x 156,0 x 3,0 | 11,34 x 6,14 x 0,118 |
| 133000341001 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |

| | | | | | | |
|--------------------|---------------------------|----------|-----|------------|---------------------|-----------------------|
| 133100270067 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 189,0 x 136,2 x 3,2 | 7,44 x 5,36 x 0,124 |
| 133100270044 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | EXT LG | 193,7 x 136,3 x 3,0 | 7,63 x 5,37 x 0,098 |
| 133100270178 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | EXT LG | 193,7 x 136,3 x 3,0 | 7,63 x 5,37 x 0,098 |
| 133100320056 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 189,0 x 136,2 x 3,2 | 7,44 x 5,36 x 0,124 |
| 133100320168 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 189,0 x 136,2 x 3,2 | 7,44 x 5,36 x 0,124 |
| 133100340013 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 135700220127 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,09 |
| 135700220299 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,09 |
| 135700220300 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 140,0 x 90,0 x 2,4 | 5,51 x 3,54 x 0,09 |
| 135700220302 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 140,0 x 90,0 x 2,4 | 5,51 x 3,54 x 0,09 |
| 1377002279108 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 140,0 x 90,0 x 2,4 | 5,51 x 3,54 x 0,09 |
| 137700279109 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,09 |
| 155700220140 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,09 |
| 33-1518-T2 | DISC FRICTION FP | 2 PASS | 88 | EXT TH | 189,5 x 141,7 x 3,1 | 7,46 x 5,58 x 0,120 |
| S2080 S00F | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,0 x 130,0 x 2,4 | 6,97 x 5,12 x 0,094 |
| S2090 S00F | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 178,0 x 129,6 x 2,1 | 7,01 x 5,10 x 0,083 |
| S4070 S00F | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 204,0 x 139,8 x 2,4 | 8,03 x 5,50 x 0,094 |
| S4110 S00F | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 204,0 x 139,8 x 2,1 | 8,03 x 5,50 x 0,083 |
| S5120 S00F | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 229,0 x 155,0 x 2,6 | 9,02 x 6,10 x 0,102 |
| S5130 S00F | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 229,0 x 155,0 x 2,4 | 9,02 x 6,10 x 0,094 |
| EW205 0S02F | DISC FRICTION FP | 2 PASS | 88 | EXT TH | 189,5 x 141,7 x 3,1 | 7,46 x 5,58 x 0,120 |
| EW208 0S00F | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,0 x 130,0 x 2,4 | 6,97 x 5,12 x 0,094 |
| EW209 0S00F | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 178,0 x 129,6 x 2,1 | 7,01 x 5,10 x 0,083 |
| EW407 0S00F | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 204,0 x 139,8 x 2,4 | 8,03 x 5,50 x 0,094 |
| EW411 0S00F | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 204,0 x 139,8 x 2,1 | 8,03 x 5,50 x 0,083 |
| EW512 0S00F | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 229,0 x 155,0 x 2,6 | 9,02 x 6,10 x 0,102 |
| EW513 0S00F | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 229,0 x 155,0 x 2,4 | 9,02 x 6,10 x 0,094 |
| PS205 AA00A | DISC FRICTION FP | 2 PASS | 88 | EXT TH | 189,5 x 141,5 x 2,2 | 7,46 x 5,57 x 0,087 |
| PS206 AA00A | DISC FRICTION FP/PLAIN | WAFFLE | 88 | EXT TH | 189,5 x 141,5 x 1,8 | 7,46 x 5,57 x 0,069 |
| PS408 AA01B | DISC FRICTION FP | WAFFLE | 62 | INT TH | 228,5 x 155,0 x 2,2 | 9,00 x 6,10 x 0,087 |
| PS411 AA00A | DISC STEEL INTERMEDIATE | ----- | 93 | EXT TH | 239,9 x 171,4 x 2,4 | 9,44 x 6,75 x 0,094 |
| PS412 AA00A | DISC STEEL INTERMEDIATE | ----- | 93 | EXT TH | 240,0 x 171,0 x 2,6 | 9,45 x 6,73 x 0,102 |
| PS508 AA00A | DISC FRICTION FP | 2 PASS | 100 | EXT TH | 215,0 x 151,5 x 2,2 | 8,46 x 5,96 x 0,087 |
| PS573 AA00A | DISC FRICTION FP/PLAIN | WAFFLE | 100 | EXT TH | 215,0 x 151,5 x 1,8 | 8,46 x 5,96 x 0,069 |
| CATERPILLAR | | | | | | |
| 1A3987 | DISC STEEL INTERMEDIATE | ----- | 88 | INT TH | 365,8 x 273,1 x 2,3 | 14,40 x 10,75 x 0,090 |
| 6A6486 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 110,0 x 54,0 x 5,2 | 4,33 x 2,13 x 0,205 |
| 1B9746 | DISC STEEL INTERMEDIATE | ----- | 88 | INT TH | 393,7 x 273,1 x 2,3 | 15,50 x 10,75 x 0,090 |
| 2B5199 | OBSOLETE | ----- | 104 | EXT TH | 335,8 x 215,9 x 5,8 | 13,22 x 8,50 x 0,230 |
| 2B8955 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 289,1 x 193,8 x 2,3 | 11,38 x 7,63 x 0,090 |
| 3B7974 | OBSOLETE | ----- | 128 | EXT TH | 412,2 x 292,1 x 4,7 | 16,23 x 11,50 x 0,187 |
| 4B3532 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3 x 158,8 x 1,6 | 9,50 x 6,25 x 0,630 |
| 4B3533 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0 x 171,5 x 4,7 | 10,00 x 6,75 x 0,187 |
| 4B4982 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 8B2864 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 5C0857 | DISC STEEL INTERMEDIATE | ----- | 37 | EXT TH | 119,6 x 69,9 x 2,8 | 4,71 x 2,75 x 0,110 |
| 8C7448 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------|-------------------------|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 8C7448 | GREEN PA | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 9C6329 | PISTON | ----- | | | | |
| 5D6327 | DISC STEEL INTERMEDIATE | ----- | 100 | EXT TH | 514,9 x 328,7 x 2,4 | 20,27 x 12,94 x 0,095 |
| 5D6328 | DISC DAMPER | ----- | 100 | EXT TH | 514,9 x 328,7 x 6,9 | 20,27 x 12,94 x 0,270 |
| 5D6329 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 495,3 x 308,1 x 5,1 | 19,50 x 12,13 x 0,200 |
| 5D8526 | DISC STEEL INTERMEDIATE | ----- | 44 | EXT TH | 113,5 x 86,1 x 0,8 | 4,47 x 3,39 x 0,032 |
| 6D2348 | DISC DAMPER | SPIRAL | 64 | INT TH | 381,0 x 197,6 x 5,5 | 15,00 x 7,78 x 0,215 |
| 6D2358 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 105,9 x 43,4 x 2,5 | 4,17 x 1,71 x 0,100 |
| 6D4535 | DISC STEEL INTERMEDIATE | ----- | 46 | INT TH | 118,7 x 74,7 x 0,8 | 4,67 x 2,94 x 0,031 |
| 6D4536 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 112,0 x 70,0 x 2,1 | 4,41 x 2,76 x 0,083 |
| 6D8977 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 106,0 x 46,2 x 2,5 | 4,17 x 1,82 x 0,980 |
| 7D3012 | DISC STEEL INTERMEDIATE | ----- | 144 | EXT TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 7D3013 | DISC DAMPER | ----- | 144 | EXT TH | 737,9 x 539,8 x 6,9 | 29,05 x 21,25 x 0,270 |
| 7D3014 | DISC FRICTION FP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 7D7504 | DISC STEEL INTERMEDIATE | ----- | 100 | EXT TH | 514,9 x 328,7 x 2,4 | 20,27 x 12,94 x 0,095 |
| 7D7671 | DISC STEEL INTERMEDIATE | ----- | 144 | EXT TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 7D8185 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 232,6 x 170,0 x 1,5 | 9,16 x 6,69 x 0,059 |
| 7D8434 | DISC STEEL INTERMEDIATE | ----- | 100 | EXT TH | 322,8 x 226,6 x 1,9 | 12,71 x 8,92 x 0,075 |
| 8D1647 | DISC FRICTION FP | 2 PASS | 88 | INT TH | 407,9 x 274,1 x 3,8 | 16,06 x 10,79 x 0,150 |
| 8D1648 | DISC STEEL INTERMEDIATE | ----- | 132 | EXT TH | 422,7 x 302,5 x 2,3 | 16,64 x 11,91 x 0,091 |
| 8D2421 | DISC FRICTION FP | 2 PASS | 64 | INT TH | 306,6 x 198,4 x 3,5 | 12,07 x 7,81 x 0,136 |
| 8D3879 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 300,0 x 227,0 x 1,9 | 11,81 x 8,94 x 0,075 |
| 8D3888 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 294,0 x 161,0 x 3,5 | 11,57 x 6,34 x 0,138 |
| 8D4236 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 225,7 x 155,9 x 2,9 | 8,89 x 6,14 x 0,114 |
| 8D8794 | DISC STEEL INTERMEDIATE | ----- | 86 | EXT TH | 276,9 x 187,5 x 1,5 | 10,90 x 7,38 x 0,059 |
| 8D8796 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 255,5 x 168,4 x 2,8 | 10,06 x 6,63 x 0,112 |
| 8D9718 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 199,2 x 137,0 x 1,4 | 7,84 x 5,39 x 0,055 |
| 8D9719 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 192,9 x 124,1 x 2,9 | 7,59 x 4,89 x 0,114 |
| 4E7519 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 379,2 x 209,5 x 6,7 | 14,93 x 8,25 x 0,266 |
| 8E0401 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 200,5 x 140,0 x 4,0 | 7,89 x 5,51 x 0,157 |
| 8E0682 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0 x 99,0 x 4,0 | 5,47 x 3,90 x 0,157 |
| 8E0684 | OBSOLETE AFTER STOCK | | 114 | INT TH | 412,0 x 285,0 x 4,9 | 16,22 x 11,22 x 0,193 |
| 8E0985 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 8E0985 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 8E1204 | DISC FRICTION FP | 2 PASS | 40 | EXT TH | 280,4 x 200,0 x 4,3 | 11,04 x 7,87 x 0,169 |
| 8E1459 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,079 |
| 8E2153 | ELASTOMER | SPR/RAD | 52 | INT TH | 160,0 x 108,0 x 4,0 | 6,30 x 4,25 x 0,157 |
| 8E2183 | DISC FRICTION FP | 3 PASS | 80 | INT TH | 540,0 x 400,0 x 5,1 | 21,26 x 15,74 x 0,200 |
| 8E2729 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 8E2729 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 8E3980 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 8E4075 | DISC FRICTION ORG | ----- | 71 | EXT TH | 303,5 x 213,0 x 4,9 | 11,95 x 8,38 x 0,193 |

| | | | | | | |
|----------------------|--|--------------|-----|-----------|---------------------|-----------------------|
| 8E4526 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 8E5556 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 168,0 x 98,6 x 3,0 | 6,61 x 3,88 x 0,118 |
| 8E5621 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 606,0 x 454,0 x 6,4 | 23,86 x 17,87 x 0,250 |
| 8E5622 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 607,0 x 454,0 x 6,4 | 23,90 x 17,87 x 0,250 |
| 8E5707 | END PLATE | STEPPED | 54 | EXT TH | 138,8 x 99,1 x 12,0 | 5,46 x 3,90 x 0,472 |
| 8E5820 | DISC FRICTION ORG | ----- | | LINING | 137,2 x 31,8 x 4,7 | 5,40 x 1,25 x 0,185 |
| 8E6115 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 170,0 x 117,5 x 2,2 | 6,69 x 4,63 x 0,087 |
| 8E6931 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 8E6937 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 8E6938 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 8E6942 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,2 x 190,6 x 1,9 | 10,13 x 7,50 x 0,075 |
| 8E6961 | DISC FRICTION GRPH | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 8E6961 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 8E7628 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0 x 171,5 x 4,7 | 10,00 x 6,75 x 0,187 |
| 8E8328 | DISC FRICTION FP | 2 PASS | 114 | INT TH | 412,0 x 286,0 x 4,8 | 16,22 x 11,26 x 0,189 |
| 8E8832 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 8E9846 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 336,0 x 233,4 x 3,2 | 13,23 x 9,19 x 0,125 |
| 8E9849 | ELASTOMER | SPE/RAD/WAG | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 8E9849 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 2F8621 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 3F5504 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6 x 212,6 x 4,7 | 12,03 x 8,37 x 0,187 |
| 3F9073 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 289,1 x 193,8 x 2,3 | 11,38 x 7,63 x 0,090 |
| 4F1856 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0 x 171,5 x 4,7 | 10,00 x 6,75 x 0,187 |
| 8F4453 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 393,7 x 273,8 x 2,4 | 15,50 x 10,78 x 0,094 |
| 2G0475 | DISC FRICTION FP | ----- | 74 | INT TH | 178,0 x 116,4 x 2,9 | 7,01 x 4,58 x 0,114 |
| 2G0478 | DISC STEEL INTERMEDIATE | ----- | 44 | EXT TH | 189,0 x 124,0 x 1,5 | 7,44 x 4,88 x 0,057 |
| 2G9908 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 255,5 x 168,4 x 2,8 | 10,06 x 6,63 x 0,112 |
| 2G9909 | DISC FRICTION FP | 2 PASS | 64 | INT TH | 306,6 x 198,4 x 3,5 | 12,07 x 7,81 x 0,136 |
| 2G9911 | DISC FRICTION FP | 2 PASS | 88 | INT TH | 407,9 x 274,1 x 3,8 | 16,06 x 10,79 x 0,150 |
| 6G0387 | DISC STEEL INTERMEDIATE | ----- | 90 | EXT TH | 306,0 x 220,0 x 1,6 | 12,05 x 8,66 x 0,063 |
| 6G6500 | DISC DAMPER | ----- | 176 | EXT TH | 900,7 x 692,2 x 6,9 | 35,46 x 27,25 x 0,270 |
| 7G0437 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 336,0 x 233,4 x 3,2 | 13,23 x 9,19 x 0,125 |
| 7G0824 | DISC STEEL INTERMEDIATE | ----- | 51 | EXT TH | 357,0 x 283,0 x 5,0 | 14,06 x 11,14 x 0,197 |
| 7G0825 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 415,4 x 320,0 x 6,4 | 16,35 x 12,60 x 0,250 |
| 7G1252 | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 452,0 x 344,0 x 2,3 | 17,80 x 13,54 x 0,090 |
| 7G1968 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 7G1969 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 7G2828 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 329,0 x 186,0 x 5,0 | 12,95 x 7,32 x 0,197 |
| 7G3129 | DISC FRICTION FP | RAD / 4 PASS | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 7G5377 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 3,1 | 6,07 x 4,48 x 0,123 |
| 7G8107 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 7G8542 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 8G3420 | DISC FRICTION FP | 3 PASS | 58 | INT TH | 266,2 x 181,6 x 4,8 | 10,48 x 7,15 x 0,190 |
| 8G4510 | DISC STEEL INTERMEDIATE | ----- | 86 | EXT TH | 275,6 x 192,0 x 2,3 | 10,85 x 7,56 x 0,091 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 8G4511 | DISC STEEL INTERMEDIATE | ----- | 126 | EXT TH | 402,0 x 338,0 x 2,3 | 15,83 x 13,30 x 0,091 |
| 9G1303 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 9G2407 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9G2407 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9G2408 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9G2408 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9G4400 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 9G5287 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9G5287 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9G5288 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9G5288 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9G7403 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 9G7403 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 9G7463 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 595,0 x 454,0 x 6,4 | 23,43 x 17,87 x 0,250 |
| 9G8542 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 9G9883 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 584,2 x 453,4 x 6,4 | 23,00 x 17,85 x 0,250 |
| 1H8379 | DISC FRICTION ORG | ----- | | LINING | 137,2 x 31,8 x 4,7 | 5,40 x 1,25 x 0,185 |
| 2H6121 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 2H6936 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 289,1 x 194,1 x 2,3 | 11,38 x 7,64 x 0,090 |
| 3H2725 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 468,1 x 311,0 x 6,4 | 18,43 x 12,24 x 0,250 |
| 4H2922 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 4H2923 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 5H0047 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 400,1 x 241,3 x 6,4 | 15,75 x 9,50 x 0,250 |
| 5H0048 | DISC DAMPER | SPIRAL | 64 | INT TH | 381,0 x 197,6 x 5,5 | 15,00 x 7,78 x 0,215 |
| 5H8530 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 255,5 x 171,5 x 4,7 | 10,06 x 6,75 x 0,187 |
| 6H2839 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 577,9 x 452,1 x 6,4 | 22,75 x 17,80 x 0,250 |
| 7H2060 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 393,7 x 273,8 x 2,4 | 15,50 x 10,78 x 0,094 |
| 7H2118 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 412,2 x 292,1 x 4,7 | 16,23 x 11,50 x 0,187 |
| 8H1331 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 412,2 x 292,1 x 4,7 | 16,23 x 11,50 x 0,187 |
| 9H9705 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 9H9709 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 368,3 x 273,1 x 2,3 | 14,50 x 10,75 x 0,090 |
| 5I8629 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 163,6 x 140,0 x 1,6 | 6,44 x 5,51 x 0,063 |
| 5I8630 | DISC FRICTION FP | 2 PASS | 36 | (43)INT TH | 156,0 x 129,0 x 1,8 | 6,14 x 5,08 x 0,071 |
| 6I8028 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 6I8029 | DISC FRICTION FP | 2 PASS | 35 | INT TH | 184,7 x 125,7 x 4,9 | 7,27 x 4,95 x 0,193 |
| 6I8030 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 422,0 x 88,0 x 9,1 | 16,61 x 3,46 x 0,358 |

| | | | | | | |
|----------------------|--|---------|-----|--------|---------------------|-----------------------|
| 6I8500 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 380,0 x 284,0 x 5,0 | 14,96 x 11,18 x 0,197 |
| 6I8597 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 101 | INT TH | 533,2 x 418,3 x 5,6 | 20,99 x 16,47 x 0,220 |
| 6I8911 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 216,0 x 128,0 x 4,0 | 8,50 x 5,04 x 0,157 |
| 6I8912 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 190,0 x 128,0 x 4,0 | 7,48 x 5,04 x 0,157 |
| 6I8915 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 142 | EXT TH | 457,2 x 342,9 x 4,7 | 18,00 x 13,50 x 0,185 |
| 6I8916 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 412,2 x 292,1 x 4,7 | 16,23 x 11,50 x 0,187 |
| 6I9255 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 6I9255 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 6I9502 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 202,0 x 138,3 x 3,0 | 7,95 x 5,44 x 0,118 |
| 6I9509 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 297,4 x 175,5 x 2,5 | 11,71 x 6,91 x 0,098 |
| 6I9510 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 371,0 x 203,2 x 2,5 | 14,61 x 9,06 x 0,096 |
| 8I3880 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 199,0 x 130,0 x 2,6 | 7,83 x 5,12 x 0,102 |
| 8I3881 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 8I4482 | END PLATE | STEPPED | 4 | EXT LG | 129,0 x 74,0 x 5,0 | 5,08 x 2,91 x 0,197 |
| 8I4483 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| 8I4484 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 2J5262 | OBSOLETE | WAGON | 136 | EXT TH | 435,6 x 321,6 x 4,7 | 17,15 x 12,66 x 0,184 |
| 2J5513 | CLUTCH DISC SINTER BRONZE | WAGON | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 3J1151 | OBSOLETE | WAGON | 122 | EXT TH | 359,0 x 269,2 x 4,7 | 14,13 x 10,60 x 0,185 |
| 1K8953 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 326,4 x 233,0 x 6,4 | 12,85 x 8,78 x 0,250 |
| 2K5706 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 66 | INT TH | 285,6 x 204,5 x 5,0 | 11,24 x 8,05 x 0,197 |
| 3K1385 | OBSOLETE AFTER STOCK | | 5 | EXT LG | 386,1 x 263,4 x 6,4 | 15,20 x 10,37 x 0,250 |
| 3K2299 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | INT TH | 331,5 x 244,9 x 5,0 | 13,05 x 9,64 x 0,196 |
| 3K3825 | OBSOLETE AFTER STOCK | SPR/RAD | 56 | INT TH | 265,2 x 173,0 x 4,1 | 10,44 x 6,81 x 0,161 |
| 4K1317 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 288,5 x 194,1 x 2,0 | 11,36 x 7,64 x 0,080 |
| 4K1333 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 4K4587 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 5K4587 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 305,0 x 156,0 x 7,1 | 12,01 x 6,14 x 0,280 |
| 5K8616 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 288,5 x 194,1 x 2,0 | 11,36 x 7,64 x 0,080 |
| 5K8617 | DISC FRICTION FP | 2 PASS | 95 | EXT TH | 304,8 x 212,9 x 3,5 | 12,00 x 8,38 x 0,138 |
| 6K6466 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 305,0 x 156,0 x 7,1 | 12,01 x 6,14 x 0,280 |
| 8K0507 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 177,6 x 73,3 x 5,2 | 6,99 x 2,88 x 0,205 |
| 8K0509 | DISC STEEL INTERMEDIATE | ----- | 44 | EXT TH | 189,0 x 83,0 x 4,7 | 7,44 x 3,27 x 0,185 |
| 2L1752 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 203,2 x 122,8 x 2,3 | 8,00 x 4,83 x 0,091 |
| 2L1753 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 12 | EXT LG | 236,0 x 139,7 x 3,1 | 9,29 x 5,50 x 0,122 |
| 3L8440 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 12 | EXT LG | 236,0 x 139,7 x 3,1 | 9,29 x 5,50 x 0,122 |
| 4L9785 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 6L2179 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,6 | 6,00 x 3,64 x 0,063 |
| 6L9719 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 101,6 x 64,8 x 1,5 | 4,00 x 2,55 x 0,063 |
| 6L9720 | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,1 | 4,42 x 2,81 x 0,083 |
| 7L5123 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,5 x 117,6 x 3,1 | 7,46 x 4,63 x 0,122 |
| 7L7782 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 9L2179 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,5 | 6,00 x 3,64 x 0,060 |
| 2M2179 | OBSOLETE | ----- | 6 | EXT LG | 407,9 x 247,0 x 6,4 | 16,06 x 9,72 x 0,250 |
| 2M8911 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 142 | EXT TH | 457,2 x 342,9 x 4,7 | 18,00 x 13,50 x 0,185 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 2M8912 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 438,2 x 325,1 x 2,3 | 17,25 x 12,80 x 0,090 |
| 4M1625 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 529,6 x 407,5 x 6,7 | 20,85 x 16,04 x 0,265 |
| 4M5863 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 142 | INT TH | 533,4 x 445,8 x 5,6 | 21,00 x 17,55 x 0,220 |
| 4M7098 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 4M7124 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 124 | INT TH | 482,6 x 388,6 x 5,6 | 19,00 x 15,30 x 0,219 |
| 4M8914 | OBSOLETE AFTER STOCK | | 5 | EXT LG | 305,8 x 189,1 x 6,4 | 12,04 x 7,44 x 0,250 |
| 5M1199 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 384,0 x 291,3 x 4,7 | 15,12 x 11,47 x 0,185 |
| 5M2096 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 577,9 x 464,3 x 6,4 | 22,75 x 18,28 x 0,250 |
| 5M6122 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 7M1385 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 7M5713 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 7M5745 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 7M5760 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 7M5781 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 8M2476 | OBSOLETE AFTER STOCK | SPR/RAD | 56 | INT TH | 265,2 x 173,0 x 4,1 | 10,44 x 6,81 x 0,161 |
| 8M5046 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8M5047 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 8M5070 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 142 | INT TH | 533,4 x 445,8 x 5,6 | 21,00 x 17,55 x 0,220 |
| 8M5136 | OBSOLETE AFTER STOCK | | 56 | INT TH | 265,2 x 173,0 x 4,6 | 10,44 x 6,81 x 0,180 |
| 8M6357 | OBSOLETE AFTER STOCK | SPR/RAD | 56 | INT TH | 265,2 x 173,0 x 4,1 | 10,44 x 6,81 x 0,161 |
| 8M6358 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8M6458 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8M8550 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8M8610 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 477,0 x 355,6 x 6,7 | 18,78 x 14,00 x 0,265 |
| 8M8651 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 317,5 x 6,4 | 16,20 x 12,50 x 0,250 |
| 9M2176 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 9M7471 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 369,8 x 222,3 x 6,4 | 14,56 x 8,75 x 0,250 |
| 2N2428 | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,1 | 4,42 x 2,81 x 0,083 |
| 5N6137 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 203,2 x 122,9 x 4,7 | 8,00 x 4,84 x 0,185 |
| 5N1884 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 203,2 x 122,8 x 2,3 | 8,00 x 4,83 x 0,091 |
| 9N4325 | OBSOLETE | | 51 | (55)INT TH | 267,0 x 172,0 x 4,6 | 10,51 x 6,77 x 0,181 |
| 9N4331 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 595,0 x 454,0 x 6,4 | 23,43 x 17,87 x 0,250 |
| 9N4332 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 584,2 x 453,4 x 6,4 | 23,00 x 17,85 x 0,250 |
| 9N4333 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 529,6 x 407,5 x 6,7 | 20,85 x 16,04 x 0,265 |
| 9N4617 | DISC FRICTION FP | 3 PASS | 58 | INT TH | 266,2 x 181,6 x 4,8 | 10,48 x 7,15 x 0,190 |
| 1P4110 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 1P6996 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 412,2 x 292,1 x 4,7 | 16,23 x 11,50 x 0,187 |
| 1P9256 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 224,5 x 177,8 x 3,0 | 8,84 x 7,00 x 0,120 |
| 2P2903 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 306,3 x 213,4 x 6,4 | 12,06 x 8,40 x 0,250 |
| 2P3719 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 2P3747 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 120,4 x 73,4 x 3,0 | 4,74 x 2,89 x 0,118 |
| 2P4370 | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 268,0 x 173,5 x 3,2 | 10,55 x 6,83 x 0,126 |
| 2P4371 | DISC FRICTION FP | 2 PASS | 75 | EXT TH | 277,6 x 189,0 x 3,3 | 10,93 x 7,44 x 0,129 |
| 2P4472 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 317,5 x 6,4 | 16,20 x 12,50 x 0,250 |
| 2P5698 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 371,0 x 203,2 x 2,5 | 14,61 x 9,06 x 0,096 |

| | | | | | | |
|----------------------|--|-------------|-----|--------|---------------------|-----------------------|
| 2P5725 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 297,4 x 175,5 x 2,5 | 11,71 x 6,91 x 0,098 |
| 2P9314 | DISC FRICTION DISC FRICTION CARBON FP FP | SPR/RAD | 12 | EXT LG | 361,9 x 241,6 x 6,2 | 14,25 x 9,51 x 0,242 |
| 2P9336 | DISC FRICTION FP | SPR/RAD | 12 | EXT LG | 420,0 x 254,0 x 6,3 | 16,54 x 10,00 x 0,248 |
| 2P9343 | DISC FRICTION FP | 2 PASS | 75 | EXT TH | 277,6 x 189,0 x 3,3 | 10,93 x 7,44 x 0,129 |
| 3P0337 | DISC STEEL INTERMEDIATE | ----- | 24 | INT TH | 215,9 x 155,7 x 2,8 | 8,50 x 6,13 x 0,110 |
| 3P0340 | DISC FRICTION FP | 2 PASS | 32 | EXT TH | 224,8 x 165,1 x 4,3 | 8,85 x 6,50 x 0,170 |
| 3P0392 | DISC FRICTION FP | 2 PASS | 40 | EXT TH | 280,4 x 200,0 x 4,3 | 11,04 x 7,87 x 0,169 |
| 3P0801 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT LG | 224,8 x 177,8 x 4,8 | 8,85 x 7,00 x 0,189 |
| 3P0805 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 3P0818 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 296,5 x 222,0 x 4,7 | 11,67 x 8,74 x 0,185 |
| 3P0819 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 296,5 x 222,0 x 9,5 | 11,67 x 8,74 x 0,374 |
| 3P1686 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 577,9 x 452,1 x 6,4 | 22,75 x 17,80 x 0,250 |
| 3P1687 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 577,9 x 464,3 x 6,4 | 22,75 x 18,28 x 0,250 |
| 3P2346 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 477,0 x 355,6 x 6,7 | 18,78 x 14,00 x 0,265 |
| 3P2855 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 268,2 x 191,1 x 2,8 | 10,56 x 7,52 x 0,110 |
| 3P3241 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 369,8 x 222,3 x 6,4 | 14,56 x 8,75 x 0,250 |
| 3P3561 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 3P4057 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 529,6 x 407,5 x 6,7 | 20,85 x 16,04 x 0,265 |
| 3P5431 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 3P5431 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 3P5955 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 101 | INT TH | 311,2 x 252,5 x 5,0 | 12,25 x 9,94 x 0,195 |
| 3P6076 | ELASTOMER | SPR/RAD/WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 3P6076 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 3P6077 | ELASTOMER | SPR/RAD/WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 3P6077 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 3P6183 | ELASTOMER | SPR/RAD/WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 3P6183 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 3P7447 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 477,0 x 355,6 x 6,7 | 18,78 x 14,00 x 0,265 |
| 3P7489 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 297,9 x 223,3 x 3,2 | 11,73 x 8,79 x 0,125 |
| 3P7584 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 584,2 x 438,7 x 6,4 | 23,00 x 17,27 x 0,250 |
| 3P8160 | DISC STEEL INTERMEDIATE | ----- | 39 | EXT TH | 273,0 x 213,4 x 4,7 | 10,75 x 8,40 x 0,185 |
| 3P8393 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 306,3 x 213,4 x 6,4 | 12,06 x 8,40 x 0,250 |
| 3P9403 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 81 | INT TH | 264,9 x 201,8 x 4,6 | 10,43 x 7,95 x 0,183 |
| 3P9405 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 306,3 x 213,4 x 6,4 | 12,06 x 8,40 x 0,250 |
| 6P3089 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 144,0 x 87,9 x 3,0 | 5,67 x 3,46 x 0,118 |
| 6P5404 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT LG | 410,0 x 292,1 x 2,3 | 16,14 x 11,50 x 0,090 |
| 6P5615 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 577,9 x 452,1 x 6,4 | 22,75 x 17,80 x 0,250 |
| 6P7968 | DISC STEEL INTERMEDIATE | ----- | 28 | EXT TH | 196,9 x 138,9 x 3,2 | 7,75 x 5,47 x 0,125 |
| 7P3106 | DISC FRICTION FP | 2 PASS | 56 | EXT TH | 239,0 x 157,0 x 4,0 | 9,41 x 6,18 x 0,157 |
| 7P4673 | DISC STEEL INTERMEDIATE | ----- | 50 | INT TH | 229,0 x 77,0 x 2,3 | 9,02 x 3,03 x 0,091 |
| 8P1656 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 353,1 x 263,1 x 6,4 | 13,90 x 10,36 x 0,250 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------|---------------------------|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 8P1964 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 252,2 x 186,2 x 4,0 | 9,93 x 7,33 x 0,157 |
| 8P2051 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 380,0 x 284,0 x 5,0 | 14,96 x 11,18 x 0,197 |
| 8P4316 | CLUTCH DISC SINTER BRONZE | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 8P4736 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 8P5646 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8P5687 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 482,0 x 355,6 x 6,7 | 19,00 x 14,00 x 0,265 |
| 8P8360 | DISC FRICTION FP | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 8P8679 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 8P8680 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,2 x 253,0 x 5,1 | 12,25 x 9,96 x 0,200 |
| 8P8681 | DISC FRICTION FP | 2 PASS | 87 | EXT TH | 277,9 x 209,6 x 5,0 | 10,94 x 8,25 x 0,196 |
| 8P8682 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 8P8683 | DISC FRICTION FP | RAD/WAG | 81 | INT TH | 264,9 x 201,8 x 4,6 | 10,43 x 7,95 x 0,183 |
| 8P8921 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 326,4 x 233,0 x 6,4 | 12,85 x 8,78 x 0,250 |
| 8P9293 | DISC FRICTION FP | 2 PASS | 35 | INT TH | 184,7 x 125,7 x 4,9 | 7,27 x 4,95 x 0,193 |
| 8P9294 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 8P9558 | DISC FRICTION FP | SUNBURST | 104 | INT TH | 440,0 x 326,0 x 4,8 | 17,32 x 12,83 x 0,189 |
| 8P9559 | OBSOLETE AFTER STOCK | | 104 | INT TH | 440,0 x 326,0 x 4,7 | 17,32 x 12,83 x 0,185 |
| 9P1861 | DISC FRICTION FP | RAD / 4 PASS | 48 | INT TH | 240,0 x 172,7 x 5,1 | 9,45 x 6,80 x 0,200 |
| 9P3242 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 284,0 x 146,0 x 3,2 | 11,18 x 5,75 x 0,126 |
| 9P3664 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P3664 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P3665 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P3665 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P3667 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P3667 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P4251 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 9P4253 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 62 | INT TH | 311,2 x 192,5 x 5,0 | 12,25 x 7,58 x 0,197 |
| 9P4254 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 9P4878 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | INT TH | 331,5 x 244,9 x 5,0 | 13,05 x 9,64 x 0,196 |
| 9P5083 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P5083 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P5084 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P5084 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9P5254 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 9P5499 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P5499 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |

| | | | | | | |
|----------------------|--|-------------|-----|-------------|----------------------|-----------------------|
| 9P5500 | ELASTOMER | SPR/RAD/WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P5500 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9P6082 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 9P6082 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 9P6903 | DISC STEEL INTERMEDIATE | ----- | 22 | EXT TH | 155,0 x 98,8 x 2,0 | 6,10 x 3,89 x 0,078 |
| 9P7101 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 265,9 x 178,1 x 3,2 | 10,47 x 7,01 x 0,125 |
| 9P7390 | ELASTOMER | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 9P7390 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 9P9382 | DISC FRICTION FP | SUNBURST | 120 | EXT TH | 384,6 x 291,3 x 4,6 | 15,14 x 11,47 x 0,180 |
| 4Q1246 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 8Q2445 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 8R6941 | DISC STEEL INTERMEDIATE | ----- | 189 | (203)EXT TH | 1038,4 x 810,3 x 4,1 | 40,88 x 31,90 x 0,161 |
| 8R8733 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 3,9 | 8,31 x 4,03 x 0,154 |
| 8R8734 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 4,0 | 8,31 x 4,03 x 0,157 |
| 8R8735 | OBSOLETE AFTER STOCK | | 4 | EXT LG | 211,2 x 102,3 x 4,1 | 8,31 x 4,03 x 0,161 |
| 8R8736 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/RAD | 44 | INT TH | 191,3 x 94,2 x 4,1 | 7,53 x 3,71 x 0,161 |
| 8R9300 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 8R9301 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 8R9302 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 190,0 x 92,3 x 3,1 | 7,48 x 3,63 x 0,122 |
| 8R9303 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 9R2476 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 9R2477 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 9R9401 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 209,2 x 124,0 x 4,5 | 8,24 x 4,88 x 0,177 |
| 1S0057 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 343,0 x 210,0 x 6,4 | 13,50 x 8,27 x 0,250 |
| 1S1361 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 368,3 x 273,0 x 3,6 | 14,50 x 10,75 x 0,142 |
| 1S3736 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 124 | INT TH | 482,6 x 388,6 x 5,6 | 19,00 x 15,30 x 0,219 |
| 1S3739 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 1S8183 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 1S8184 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 1S8491 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 62 | INT TH | 311,2 x 192,5 x 5,0 | 12,25 x 7,58 x 0,197 |
| 2S1456 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 66 | INT TH | 285,6 x 204,5 x 5,0 | 11,24 x 8,05 x 0,197 |
| 2S4983 | DISC FRICTION FP | 2 PASS | 87 | EXT TH | 277,9 x 209,6 x 5,0 | 10,94 x 8,25 x 0,196 |
| 2S4983 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 87 | EXT TH | 277,6 x 209,5 x 5,0 | 10,94 x 8,25 x 0,196 |
| 2S5735 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 485,9 x 355,6 x 6,7 | 19,13 x 14,00 x 0,265 |
| 2S5736 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 482,0 x 355,6 x 6,7 | 19,00 x 14,00 x 0,265 |
| 2S9018 | OBSOLETE AFTER STOCK | | 5 | EXT LG | 369,8 x 263,1 x 6,4 | 14,56 x 10,36 x 0,250 |
| 3S0040 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 432,2 x 316,2 x 6,4 | 17,02 x 12,45 x 0,250 |
| 3S0044 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 342,2 x 223,0 x 6,4 | 13,47 x 8,78 x 0,250 |
| 3S1168 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 353,1 x 263,1 x 6,4 | 13,90 x 10,36 x 0,250 |
| 3S1188 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 101 | INT TH | 311,2 x 252,5 x 5,0 | 12,25 x 9,94 x 0,195 |
| 3S1691 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 368,3 x 273,1 x 2,3 | 14,50 x 10,75 x 0,090 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 3S7978 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 306,3 x 213,4 x 6,4 | 12,06 x 8,40 x 0,250 |
| 3S7981 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 81 | INT TH | 264,9 x 201,8 x 4,6 | 10,43 x 7,95 x 0,183 |
| 4S5891 | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 268,2 x 199,6 x 2,8 | 10,56 x 7,86 x 0,110 |
| 4S8694 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 4S8695 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 4S8724 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 4S9072 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 4S9073 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 4S9074 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 4S9075 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 5S0071 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 384,0 x 291,3 x 4,7 | 15,12 x 11,47 x 0,185 |
| 5S7830 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 6S3183 | DISC FRICTION ORG | ----- | 71 | EXT TH | 303,5 x 213,0 x 4,9 | 11,95 x 8,38 x 0,193 |
| 7S3992 | IRON | RADIAL | 62 | INT TH | 311,2 x 192,9 x 5,0 | 12,25 x 7,59 x 0,197 |
| 8S2174 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 142 | EXT TH | 457,2 x 342,9 x 4,7 | 18,00 x 13,50 x 0,185 |
| 8S3522 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 353,1 x 263,1 x 6,4 | 13,90 x 10,36 x 0,250 |
| 8S6324 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | INT TH | 331,5 x 244,9 x 5,0 | 13,05 x 9,64 x 0,196 |
| 8S6325 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | INT TH | 331,5 x 244,9 x 5,0 | 13,05 x 9,64 x 0,196 |
| 8S6326 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 8S9000 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 62 | INT TH | 311,2 x 192,5 x 5,0 | 12,25 x 7,58 x 0,197 |
| 8S9077 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 9S5209 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 128,8 x 83,1 x 3,2 | 5,07 x 3,27 x 0,125 |
| 9S5211 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 235,0 x 178,3 x 3,2 | 9,25 x 7,02 x 0,125 |
| 9S5244 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 477,0 x 355,6 x 6,7 | 18,78 x 14,00 x 0,265 |
| 9S5261 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 254,0 x 178,3 x 3,2 | 10,00 x 7,02 x 0,125 |
| 9S8789 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 317,5 x 6,4 | 16,20 x 12,50 x 0,250 |
| 9S8792 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 306,3 x 213,4 x 6,4 | 12,06 x 8,40 x 0,250 |
| 9S9922 | OBSOLETE AFTER STOCK | | 5 | EXT LG | 386,1 x 263,4 x 6,4 | 15,20 x 10,37 x 0,250 |
| 9S9923 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 108 | INT TH | 431,8 x 337,8 x 5,6 | 17,00 x 13,30 x 0,220 |
| 1T0886 | DISC STEEL INTERMEDIATE | ----- | 141 | EXT TH | 362,0 x 254,0 x 3,5 | 14,25 x 10,00 x 0,136 |
| 1T0887 | CLUTCH DISC SINTER BRONZE | 3 PASS | 96 | INT TH | 347,7 x 240,0 x 4,9 | 13,69 x 9,45 x 0,191 |
| 1T1239 | DISC STEEL INTERMEDIATE | ----- | 166 | EXT TH | 426,6 x 299,0 x 3,4 | 16,80 x 11,77 x 0,134 |
| 1T1240 | OBSOLETE AFTER STOCK | | 114 | INT TH | 412,0 x 285,0 x 4,9 | 16,22 x 11,22 x 0,193 |
| 1T1315 | DISC STEEL INTERMEDIATE | ----- | 141 | EXT TH | 362,0 x 254,0 x 3,5 | 14,25 x 10,00 x 0,136 |
| 1T1835 | OBSOLETE AFTER STOCK | | 114 | INT TH | 412,0 x 285,0 x 4,9 | 16,22 x 11,22 x 0,193 |
| 1T1897 | DISC STEEL INTERMEDIATE | ----- | 166 | EXT TH | 426,6 x 299,0 x 3,4 | 16,80 x 11,77 x 0,134 |
| 3T0618 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 3T0618 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 3T1407 | DISC FRICTION FP | SUN/RAD | 48 | INT TH | 282,0 x 172,0 x 5,0 | 11,10 x 6,77 x 0,196 |
| 3T2466 | DISC FRICTION GRPH | SPR/RAD/ WAG | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 3T2466 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 3T2567 | DISC STEEL INTERMEDIATE | ----- | 43 | (64)EX TH | 205,5 x 145,4 x 3,5 | 8,09 x 5,72 x 0,138 |
| 3T3065 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 390,7 x 320,3 x 6,4 | 15,38 x 12,61 x 0,250 |

| | | | | | | |
|---------------------|---------------------------|-----------------|-----|--------|---------------------|-----------------------|
| 3T3089 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 584,2 x 453,4 x 6,4 | 23,00 x 17,85 x 0,250 |
| 3T3400 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| 3T4026 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 3T6220 | DISC FRICTION FP | SUN/RAD | 54 | INT TH | 235,0 x 133,0 x 5,0 | 9,25 x 5,24 x 0,197 |
| 3T6338 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 225,7 x 155,9 x 2,9 | 8,89 x 6,14 x 0,114 |
| 3T6339 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 294,0 x 161,0 x 3,5 | 11,57 x 6,34 x 0,138 |
| 3T6340 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 192,9 x 124,1 x 2,9 | 7,59 x 4,89 x 0,114 |
| 3T6620 | DISC FRICTION FP | SUN/RAD | 54 | INT TH | 235,0 x 133,0 x 5,0 | 9,25 x 5,24 x 0,197 |
| 3T9293 | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,1 | 4,42 x 2,81 x 0,083 |
| 3T9960 | DISC FRICTION FP | 2 PASS | 35 | INT TH | 184,7 x 125,7 x 4,9 | 7,27 x 4,95 x 0,193 |
| 3T9961 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 6T0473 | CLUTCH DISC SINTER BRONZE | SUNBURST | 104 | INT TH | 464,0 x 325,7 x 4,7 | 18,27 x 12,82 x 0,185 |
| 6T0548 | DISC FRICTION FP | SUNBURST | 104 | INT TH | 464,0 x 325,7 x 4,8 | 18,27 x 12,82 x 0,189 |
| 6T0871 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,3 x 341,3 x 3,2 | 18,87 x 13,44 x 0,126 |
| 6T1996 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 320,0 x 6,4 | 16,20 x 12,60 x 0,250 |
| 6T2696 | DISC FRICTION FP | SUNBURST | 88 | INT TH | 393,7 x 273,4 x 4,7 | 15,50 x 10,76 x 0,185 |
| 6T2697 | DISC FRICTION GRPH | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 6T2698 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 6T2699 | DISC FRICTION GRPH | SPR/RAD/ WAG | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 6T2699 ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 6T3080 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT LG | 410,0 x 292,1 x 2,3 | 16,14 x 11,50 x 0,090 |
| 6T4943 | DISC FRICTION FP | SUN/RAD | 54 | INT TH | 235,0 x 133,0 x 5,0 | 9,25 x 5,24 x 0,197 |
| 6T4944 | DISC FRICTION FP | 2 PASS | 75 | EXT TH | 277,6 x 189,0 x 3,3 | 10,93 x 7,44 x 0,129 |
| 6T5099 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 6T6277 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 6T6283 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 6T6481 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 6T6482 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 6T7013 | DISC FRICTION FP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 6T7014 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 495,3 x 308,1 x 5,1 | 19,50 x 12,13 x 0,200 |
| 6T7015 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 462,5 x 299,7 x 5,1 | 18,21 x 11,80 x 0,200 |
| 6T7016 | DISC FRICTION FP | 3 PASS | 68 | INT TH | 462,5 x 340,6 x 5,1 | 18,21 x 13,41 x 0,200 |
| 6T7467 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 6T8533 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 6T8686 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 6T8687 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 144,0 x 87,9 x 3,0 | 5,67 x 3,46 x 0,118 |
| 6T8886 | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 393,7 x 273,8 x 2,4 | 15,50 x 10,78 x 0,094 |
| 6T9194 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 6T9456 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 3,1 | 6,07 x 4,48 x 0,123 |
| 6T9486 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 6T9487 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 7T2336 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 7T2476 | DISC FRICTION GRPH | SPR/RAD | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 7T2476 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 65 | INT TH | 283,3 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 7T2629 | DISC FRICTION FP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 7T2742 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 7T2815 | DISC FRICTION FP | 3 PASS | 120 | INT TH | 874,5 x 603,0 x 5,1 | 34,43 x 23,74 x 0,200 |
| 7T3126 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 7T3302 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 7T3303 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 7T3326 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 7T3343 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 333,5 x 237,0 x 3,2 | 13,13 x 9,33 x 0,126 |
| 7T3456 | DISC FRICTION FP | 2 PASS | 63 | INT TH | 287,0 x 226,0 x 5,0 | 11,30 x 8,90 x 0,195 |
| 7T3861 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 200,0 x 140,0 x 3,0 | 7,87 x 5,51 x 0,118 |
| 7T4998 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 190,0 x 128,0 x 4,0 | 7,48 x 5,04 x 0,157 |
| 7T5367 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 7T5368 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 7T5726 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 7T6218 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 7T6219 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 168,0 x 117,5 x 3,0 | 6,61 x 4,63 x 0,118 |
| 7T6994 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT TH | 410,0 x 292,1 x 3,2 | 16,14 x 11,50 x 0,125 |
| 7T7067 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 495,3 x 308,1 x 5,1 | 19,50 x 12,13 x 0,200 |
| 7T7772 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 7U4134 | DISC FRICTION ORG | RADIAL | 17 | INT TH | 204,0 x 51,0 x 12,8 | 8,03 x 2,00 x 0,500 |
| 8U2375 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 8U2376 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 8U2545 | DISC FRICTION FP | 2 PASS | 51 | INT TH | 134,8 x 95,0 x 2,1 | 5,31 x 3,74 x 0,087 |
| 8U2546 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 156,7 x 103,2 x 1,7 | 6,17 x 4,06 x 0,067 |
| 8U5700 | DISC STEEL INTERMEDIATE | ----- | 87 | (90)EX TH | 189,1 x 130,6 x 3,0 | 7,44 x 5,14 x 0,118 |
| 8U5985 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 8U5987 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| 8U5988 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 8U9507 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 8U9508 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 8U9509 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 8U9543 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 9U1738 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 62 | INT TH | 462,0 x 192,0 x 6,2 | 18,19 x 7,56 x 0,244 |
| 9U1739 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,0 x 296,0 x 7,3 | 19,13 x 11,65 x 0,287 |
| 9U9829 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 491,7 x 356,0 x 6,8 | 19,36 x 14,02 x 0,268 |
| 9U9844 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 625,2 x 453,8 x 6,4 | 24,61 x 17,83 x 0,252 |
| 9U9845 | DISC STEEL INTERMEDIATE | END PLATE | 6 | EXT LG | 625,3 x 454,0 x 6,4 | 24,62 x 17,87 x 0,252 |
| 9U9995 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 225,0 x 138,0 x 3,0 | 8,86 x 5,43 x 0,118 |
| 9U9999 | DISC FRICTION GRPH | SPR/RAD/WAG | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 1V8279 | IRON | RADIAL | 62 | INT TH | 311,2 x 192,9 x 5,0 | 12,25 x 7,59 x 0,197 |
| 1V8280 | DISC STEEL INTERMEDIATE | ----- | 102 | EXT TH | 327,9 x 209,4 x 6,4 | 12,89 x 8,24 x 0,251 |

| | | | | | | |
|----------------------|---------------------------|-----------------|-----|------------|---------------------|-----------------------|
| 1V8281 | DISC STEEL INTERMEDIATE | ----- | 102 | EXT TH | 327,9 x 209,4 x 6,4 | 12,89 x 8,24 x 0,251 |
| 2V7268 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 462,5 x 299,7 x 5,1 | 18,21 x 11,80 x 0,200 |
| 2V7269 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 318,3 x 2,4 | 19,17 x 12,53 x 0,095 |
| 5V0009 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 318,3 x 2,4 | 19,17 x 12,53 x 0,095 |
| 5V0021 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 357,6 x 2,4 | 19,17 x 14,08 x 0,094 |
| 5V0593 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 5V5208 | DISC FRICTION FP | 3 PASS | 68 | INT TH | 462,5 x 340,6 x 5,1 | 18,21 x 13,41 x 0,200 |
| 5V5209 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 357,6 x 2,4 | 19,17 x 14,08 x 0,094 |
| 5V7657 | DISC STEEL INTERMEDIATE | ----- | 102 | EXT TH | 327,9 x 209,4 x 6,4 | 12,89 x 8,24 x 0,251 |
| 9V6164 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 357,6 x 2,4 | 19,17 x 14,08 x 0,094 |
| 9V6165 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 486,9 x 318,3 x 2,4 | 19,17 x 12,53 x 0,095 |
| 3W4329 | DISC FRICTION FP | RAD/WAG | 104 | INT TH | 393,0 x 328,0 x 4,7 | 15,47 x 12,91 x 0,185 |
| 3W5159 | DISC STEEL INTERMEDIATE | ----- | 50 | INT TH | 229,0 x 77,0 x 2,3 | 9,02 x 3,03 x 0,091 |
| 5W5688 | DISC STEEL INTERMEDIATE | ----- | 87 | (90)EX TH | 189,1 x 130,6 x 2,0 | 7,44 x 5,14 x 0,079 |
| 5W5690 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 5W5737 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 5W5743 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 5W5744 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 5W5747 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 5W8310 | DISC STEEL INTERMEDIATE | ----- | 87 | (90)EX TH | 189,1 x 130,6 x 2,5 | 7,44 x 5,14 x 0,098 |
| 8W0212 | DISC STEEL INTERMEDIATE | ----- | 176 | EXT TH | 900,7 x 692,2 x 2,4 | 35,46 x 27,25 x 0,094 |
| 8W9707 | DISC DAMPER | ----- | 94 | EXT TH | 486,7 x 357,6 x 6,9 | 19,16 x 14,08 x 0,272 |
| 9W0473 | DISC FRICTION ORG | ----- | | LINING | 137,2 x 31,8 x 4,7 | 5,40 x 1,25 x 0,185 |
| 9W1735 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 9W2473 | DISC FRICTION GRPH | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 9W2697 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 216,0 x 135,0 x 4,6 | 8,50 x 5,31 x 0,181 |
| 9W4662 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 65 | INT TH | 286,0 x 204,0 x 4,9 | 11,26 x 8,03 x 0,193 |
| 9W4954 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 9W4954 | GREEN PA | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 9W7017 | DISC FRICTION FP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 9W7018 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 495,3 x 308,1 x 5,1 | 19,50 x 12,13 x 0,200 |
| 9W7019 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 462,5 x 299,7 x 5,1 | 18,21 x 11,80 x 0,200 |
| 9W7020 | DISC FRICTION FP | 3 PASS | 68 | INT TH | 462,5 x 340,6 x 5,1 | 18,21 x 13,41 x 0,200 |
| 9W7032 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 9W7032 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 9W7077 | DISC FRICTION GRPH | SPR/RAD/ WAG | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 9W7088 | DISC FRICTION GRPH | SPR/RAD/ WAG | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 9W7089 | DISC FRICTION GRPH | SPR/RAD/ WAG | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 9W7090 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 9W7464 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT TH | 410,0 x 292,1 x 3,2 | 16,14 x 11,50 x 0,125 |
| 9W8901 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 9W9856 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 9W9856 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 8X4435 | DISC DAMPER | ----- | 110 | EXT TH | 565,9 x 426,0 x 6,9 | 22,28 x 16,77 x 0,270 |
| 8X4437 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 565,9 x 426,0 x 2,4 | 22,28 x 16,77 x 0,095 |
| 8X7876 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 4,0 | 8,31 x 4,03 x 0,157 |
| 8X7882 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 3,9 | 8,31 x 4,03 x 0,154 |
| 8X7883 | OBSOLETE AFTER STOCK | | 4 | EXT LG | 211,2 x 102,3 x 4,1 | 8,31 x 4,03 x 0,161 |
| 9X0511 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 2Y4654 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 2Y5134 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 2Y8267 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 317,5 x 6,4 | 16,20 x 12,50 x 0,250 |
| 3Y7363 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 4Y0709 | DISC FRICTION FP | SUNBURST | 120 | EXT TH | 384,6 x 291,3 x 4,6 | 15,14 x 11,47 x 0,180 |
| 6Y0063 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 6Y0063 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 6Y1268 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,3 x 341,3 x 3,2 | 18,87 x 13,44 x 0,126 |
| 6Y1300 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 160,0 x 92,7 x 4,0 | 6,30 x 3,65 x 0,157 |
| 6Y1320 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 380,0 x 284,0 x 5,0 | 14,96 x 11,18 x 0,197 |
| 6Y1363 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,220 |
| 6Y1697 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 6Y2024 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,3 x 341,3 x 3,2 | 18,87 x 13,44 x 0,126 |
| 6Y2027 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,2 x 253,0 x 5,1 | 12,25 x 9,96 x 0,200 |
| 6Y2082 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 18 | INT TH | 379,0 x 79,3 x 9,1 | 14,92 x 3,12 x 0,358 |
| 6Y2083 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 270,0 x 60,0 x 7,0 | 10,63 x 2,36 x 0,276 |
| 6Y2084 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 18 | INT TH | 401,3 x 83,3 x 9,0 | 15,83 x 3,26 x 0,358 |
| 6Y2085 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 299,5 x 65,3 x 7,0 | 11,79 x 2,57 x 0,276 |
| 6Y2089 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 18 | INT TH | 422,0 x 88,0 x 9,1 | 16,61 x 3,46 x 0,358 |
| 6Y2197 | DISC FRICTION ORG | ----- | | LINING | 137,2 x 31,8 x 4,7 | 5,40 x 1,25 x 0,185 |
| 6Y2441 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 482,0 x 355,6 x 6,7 | 19,00 x 14,00 x 0,265 |
| 6Y3934 | DISC FRICTION FP | 2 PASS | 56 | EXT TH | 239,0 x 157,0 x 4,0 | 9,41 x 6,18 x 0,157 |
| 6Y4250 | CLUTCH DISC SINTER BRONZE | SUNBURST | 104 | INT TH | 464,0 x 325,7 x 4,7 | 18,27 x 12,82 x 0,185 |
| 6Y4912 | DISC FRICTION ORG | ----- | 71 | EXT TH | 303,5 x 213,0 x 4,9 | 11,95 x 8,38 x 0,193 |
| 6Y5348 | DISC FRICTION FP | 2 PASS | 87 | EXT TH | 277,9 x 209,6 x 5,0 | 10,94 x 8,25 x 0,196 |
| 6Y5352 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 6Y5631 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 6Y5632 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 200,0 x 140,0 x 3,0 | 7,87 x 5,51 x 0,118 |
| 6Y5692 | DISC STEEL INTERMEDIATE | ----- | 126 | EXT TH | 402,0 x 338,0 x 2,3 | 15,83 x 13,30 x 0,091 |
| 6Y5911 | DISC FRICTION FP | RAD / 4 PASS | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 6Y5912 | DISC FRICTION FP | RAD / 4 PASS | 48 | INT TH | 240,0 x 172,7 x 5,1 | 9,45 x 6,80 x 0,200 |
| 6Y5913 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 333,5 x 70,0 x 8,3 | 13,13 x 2,75 x 0,325 |
| 6Y5914 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 6Y5915 | DISC FRICTION FP | RAD/WAG | 81 | INT TH | 264,9 x 201,8 x 4,6 | 10,43 x 7,95 x 0,183 |

| | | | | | | |
|----------------------|---------------------------|-----------------|-----|--------|---------------------|-----------------------|
| 6Y5916 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 6Y7160 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 6Y7198 | DISC STEEL INTERMEDIATE | ----- | 130 | EXT TH | 555,4 x 435,1 x 6,4 | 21,87 x 17,13 x 0,250 |
| 6Y7218 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 6Y7218 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 6Y7219 | DISC FRICTION GRPH | SPR/RAD/ WAG | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 6Y7220 | DISC FRICTION GRPH | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 6Y7857 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 6Y7909 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 110,0 x 54,0 x 5,2 | 4,33 x 2,13 x 0,205 |
| 6Y7914 | DISC FRICTION FP | 2 PASS | 95 | EXT TH | 304,8 x 212,9 x 3,5 | 12,00 x 8,38 x 0,138 |
| 6Y7915 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 255,5 x 168,4 x 2,8 | 10,06 x 6,63 x 0,112 |
| 6Y7916 | DISC FRICTION FP | 2 PASS | 64 | INT TH | 306,6 x 198,4 x 3,5 | 12,07 x 7,81 x 0,136 |
| 6Y7917 | DISC FRICTION FP | 2 PASS | 88 | INT TH | 407,9 x 274,1 x 3,8 | 16,06 x 10,79 x 0,150 |
| 6Y7919 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 120,4 x 73,4 x 3,0 | 4,74 x 2,89 x 0,118 |
| 6Y7920 | DISC FRICTION FP | 2 PASS | 75 | EXT TH | 277,6 x 189,0 x 3,3 | 10,93 x 7,44 x 0,129 |
| 6Y7921 | DISC FRICTION FP | 2 PASS | 32 | EXT TH | 224,8 x 165,1 x 4,3 | 8,85 x 6,50 x 0,170 |
| 6Y7922 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 160,0 x 108,0 x 4,0 | 6,30 x 4,25 x 0,157 |
| 6Y7923 | DISC FRICTION FP | 2 PASS | 40 | EXT TH | 280,4 x 200,0 x 4,3 | 11,04 x 7,87 x 0,169 |
| 6Y7925 | DISC FRICTION FP | SUN/RAD | 54 | INT TH | 235,0 x 133,0 x 5,0 | 9,25 x 5,24 x 0,197 |
| 6Y7929 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 6Y7932 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 190,0 x 128,0 x 4,0 | 7,48 x 5,04 x 0,157 |
| 6Y7933 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 6Y7934 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 144,0 x 87,9 x 3,0 | 5,67 x 3,46 x 0,118 |
| 6Y7935 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 6Y7946 | DISC FRICTION FP | SUNBURST | 88 | INT TH | 393,7 x 273,4 x 4,7 | 15,50 x 10,76 x 0,185 |
| 6Y7950 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 216,0 x 135,0 x 4,6 | 8,50 x 5,31 x 0,181 |
| 6Y7952 | DISC FRICTION FP | 3 PASS | 58 | INT TH | 266,2 x 181,6 x 4,8 | 10,48 x 7,15 x 0,190 |
| 6Y7953 | DISC FRICTION FP | ----- | 74 | INT TH | 178,0 x 116,4 x 2,9 | 7,01 x 4,58 x 0,114 |
| 6Y7954 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 225,7 x 155,9 x 2,9 | 8,89 x 6,14 x 0,114 |
| 6Y7955 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 192,9 x 124,1 x 2,9 | 7,59 x 4,89 x 0,114 |
| 6Y7956 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 177,6 x 73,3 x 5,2 | 6,99 x 2,88 x 0,205 |
| 6Y7957 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 6Y7958 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 294,0 x 161,0 x 3,5 | 11,57 x 6,34 x 0,138 |
| 6Y7961 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 106,0 x 46,2 x 2,5 | 4,17 x 1,82 x 0,0980 |
| 6Y7962 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 105,9 x 43,4 x 2,5 | 4,17 x 1,71 x 0,100 |
| 6Y7964 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 112,0 x 70,0 x 2,1 | 4,41 x 2,76 x 0,083 |
| 6Y7965 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 6Y7968 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,0 x 93,0 x 4,0 | 5,24 x 3,66 x 0,157 |
| 6Y7970 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 270,0 x 60,0 x 7,0 | 10,63 x 2,36 x 0,276 |
| 6Y7977 | CLUTCH DISC SINTER BRONZE | WAGON | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 6Y7981 | DISC FRICTION FP | 2 PASS | 32 | EXT TH | 224,8 x 165,1 x 4,3 | 8,85 x 6,50 x 0,170 |
| 6Y8043 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 168,0 x 117,5 x 2,0 | 6,61 x 4,63 x 0,079 |
| 6Y8512 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 170,0 x 117,5 x 3,0 | 6,69 x 4,63 x 0,118 |
| 6Y8514 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 170,5 x 117,5 x 8,0 | 6,71 x 4,63 x 0,315 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------|--|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 6Y8813 | AFP | 4 PASS | 153 | INT TH | 1010,4 x 768,4 x 5,1 | 39,78 x 30,25 x 0,200 |
| 6Y9354 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,3 x 341,3 x 3,2 | 18,87 x 13,44 x 0,126 |
| 6Y9372 | DISC FRICTION FP | RAD/WAG | 104 | INT TH | 393,0 x 328,0 x 4,7 | 15,47 x 12,91 x 0,185 |
| 6Y9373 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 6Y9432 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,3 x 341,3 x 3,2 | 18,87 x 13,44 x 0,126 |
| 6Y9807 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 6Y9808 | DISC FRICTION GRPH | SPR/RAD/ WAG | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 7Y4214 | DISC FRICTION FP | 2 PASS | 9 | INT LG | 165,0 x 129,7 x 3,2 | 6,50 x 5,11 x 0,124 |
| 7Y4292 | DISC FRICTION FP | 2 PASS | 56 | (60)IN TH | 180,0 x 145,0 x 4,0 | 7,09 x 5,71 x 0,157 |
| 7Y4293 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| 9Y3666 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9Y3666 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9Y5083 | ELASTOMER | SPR/RAD/ WAG | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 9Y5083 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 101 | INT TH | 534,0 x 417,0 x 5,6 | 21,02 x 16,42 x 0,220 |
| 0066782 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 0215296 | DISC STEEL INTERMEDIATE | ----- | 20 | (28)EX TH | 191,3 x 117,3 x 2,0 | 7,53 x 4,62 x 0,079 |
| 0216163 | OBSOLETE AFTER STOCK | | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 0216173 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 0369775 | DISC FRICTION FP | 2 PASS | 12 | HOLES | 253,8 x 60,6 X 3,9 | 9,99 x 2,39 x 0,154 |
| 0375033 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 0642971 | DISC STEEL INTERMEDIATE | FLEXI PLATE | | | | |
| 0642973 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 0642974 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,083 |
| 0643847 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 0643848 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 0695724 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 0909258 | DISC STEEL INTERMEDIATE | ----- | 53 | EXT TH | 226,0 x 142,9 x 2,5 | 8,90 x 5,63 x 0,098 |
| 0971076 | CLUTCH DISC SINTER BRONZE | SPIRAL | 25 | INT TH | 147,5 x 74,3 x 4,0 | 5,81 x 2,93 x 0,157 |
| 0971077 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 0972534 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 155,7 x 115,8 x 1,7 | 6,13 x 4,56 x 0,066 |
| 0972668 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,4 x 88,1 x 1,2 | 5,37 x 3,47 x 0,047 |
| 0972669 | DISC STEEL INTERMEDIATE | DISHED | 8 | EXT LG | 136,4 x 88,1 x 1,2 | 5,37 x 3,47 x 0,047 |
| 0972673 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,6 | 5,88 x 4,24 x 0,102 |
| 0973587 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 20 | INT TH | 168,9 x 78,5 x 3,3 | 6,65 x 3,09 x 0,130 |
| 0973826 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 0977076 | OBSOLETE | | 51 | (55)EX TH | 284,1 x 196,3 x 2,5 | 11,19 x 7,73 x 0,098 |
| 0982751 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 0982774 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,5 x 117,6 x 3,1 | 7,46 x 4,63 x 0,122 |
| 1004910 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT SL | 434,0 x 305,9 x 5,4 | 17,09 x 12,04 x 0,213 |
| 1014838 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,7 x 80,0 x 2,2 | 5,42 x 3,15 x 0,087 |
| 1015141 | DISC FRICTION FP | 3 PASS | 58 | INT TH | 266,2 x 181,6 x 4,8 | 10,48 x 7,15 x 0,190 |

| | | | | | | |
|---------|---|------------------|-----|-----------|---------------------|-----------------------|
| 1015144 | DISC FRICTION FP | RAD/WAG | 104 | INT TH | 393,0 x 328,0 x 4,7 | 15,47 x 12,91 x 0,185 |
| 1015162 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 3,6 | 4,92 x 2,70 x 0,142 |
| 1027179 | DISC STEEL INTERMEDIATE | ----- | 37 | EXT TH | 75,5 x 57,2 x 1,1 | 2,97 x 2,25 x 0,042 |
| 1027180 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 71,1 x 52,7 x 1,7 | 2,80 x 2,07 x 0,065 |
| 1028458 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 1028671 | DISC FRICTION GRPH | SPR/RAD/ WAG | 85 | INT TH | 381,0 x 307,3 x 5,6 | 15,00 x 12,10 x 0,220 |
| 1033348 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 1033349 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 1038580 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 1038585 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 1058750 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 30 | INT TH | 324,6 x 112,1 x 7,2 | 12,78 x 4,42 x 0,283 |
| 1060477 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT TH | 408,9 x 292,1 x 5,5 | 16,10 x 11,50 x 0,215 |
| 1060478 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | INT TH | 393,7 x 273,3 x 5,6 | 15,50 x 10,76 x 0,220 |
| 1063117 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 479,5 x 342,2 x 3,2 | 18,88 x 13,47 x 0,126 |
| 1067438 | DISC STEEL INTERMEDIATE | SLOTS | 128 | EXT TH | 410,0 x 292,1 x 3,2 | 16,14 x 11,50 x 0,125 |
| 1076954 | DISC FRICTION FP | 2 PASS | 9 | INT LG | 165,0 x 129,7 x 3,2 | 6,50 x 5,11 x 0,124 |
| 1076955 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 177,5 x 150,2 x 1,4 | 6,99 x 5,91 x 0,055 |
| 1085751 | DISC FRICTION FP | 2 PASS/ PLAIN | 52 | INT TH | 216,0 x 128,0 x 4,0 | 8,50 x 5,04 x 0,157 |
| 1090063 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT TH | 408,9 x 292,1 x 5,5 | 16,10 x 11,50 x 0,215 |
| 1102631 | CLUTCH DISC SINTER BRONZE | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 1107723 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 200,0 x 140,0 x 3,0 | 7,87 x 5,51 x 0,118 |
| 1147273 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 1155571 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 396,0 x 284,0 x 5,0 | 15,59 x 11,18 x 0,197 |
| 1155572 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 396,0 x 284,0 x 5,0 | 15,59 x 11,18 x 0,197 |
| 1157261 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 1162387 | CLUTCH DISC SINTER BRONZE | WAGON | 89 | INT TH | 405,3 x 278,1 x 7,3 | 15,96 x 10,94 x 0,287 |
| 1163936 | DISC STEEL INTERMEDIATE | ----- | 144 | EXT TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 1170019 | DISC FRICTION FP | WAFFLE | 64 | INT TH | 357,0 x 200,0 x 7,2 | 14,06 x 7,87 x 0,283 |
| 1173321 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 333,0 x 65,3 x 8,4 | 13,11 x 2,57 x 0,331 |
| 1186606 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 356,9 x 166,6 x 6,4 | 14,05 x 6,56 x 0,250 |
| 1200843 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 1210669 | CLUTCH DISC SINTER BRONZE | SUNBURST | 67 | INT TH | 612,4 x 496,6 x 5,6 | 24,11 x 19,55 x 0,222 |
| 1210670 | DISC STEEL INTERMEDIATE | ----- | 84 | EXT TH | 627,1 x 509,0 x 6,0 | 24,69 x 20,04 x 0,236 |
| 1210677 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 450,3 x 342,1 x 3,2 | 17,73 x 13,47 x 0,125 |
| 1217632 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 1217633 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 1217634 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 1217635 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 1221880 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 1221881 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 1221882 | END PLATE | ----- | 26 | EXT TH | 143,4 x 89,5 x 10,9 | 5,65 x 3,52 x 0,429 |
| 1267924 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 299,5 x 65,3 x 7,0 | 11,79 x 2,57 x 0,276 |
| 1299248 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 479,3 x 341,3 x 4,0 | 18,87 x 13,44 x 0,157 |
| 1305860 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 478,0 x 106,0 x 5,4 | 18,82 x 4,17 x 0,213 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------------|---|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 1305866 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 562,0 x 353,5 x 8,0 | 22,13 x 13,92 x 0,313 |
| 1305867 | DISC STEEL INTERMEDIATE | PISTON | | | | |
| 1337234 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 1348360 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 215,0 x 149,2 x 4,0 | 8,46 x 5,87 x 0,157 |
| 1348361 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 224,7 x 158,0 x 4,0 | 8,85 x 6,22 x 0,157 |
| 1366324 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 225,0 x 116,0 x 3,3 | 8,86 x 4,57 x 0,128 |
| 1366325 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 265,0 x 116,0 x 3,9 | 10,43 x 4,57 x 0,154 |
| 1368064 | CLUTCH DISC SINTER BRONZE | WAFFLE | 28 | INT TH | 102,0 x 55,5 x 1,8 | 4,02 x 2,19 x 0,071 |
| 1368068 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 115,0 x 65,0 x 1,5 | 4,53 x 2,56 x 0,059 |
| 1371620 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 360,0 x 263,3 x 4,0 | 14,17 x 10,37 x 0,157 |
| 1400262 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/RAD | 44 | INT TH | 191,3 x 94,2 x 4,1 | 7,53 x 3,71 x 0,161 |
| 1402371 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,2 x 253,0 x 5,2 | 12,25 x 9,96 x 0,204 |
| 1407160 | DISC STEEL INTERMEDIATE | END PLATE | 6 | EXT LG | 625,3 x 454,0 x 6,4 | 24,62 x 17,87 x 0,252 |
| 142995 | DISC STEEL INTERMEDIATE | | 3 | EXT LG | 265,5 X 162,9 X 5,0 | 10,45 X 6,41 X 0,197 |
| 1455189 | DISC STEEL INTERMEDIATE | ----- | 214 | EXT TH | 1094,0 x 837,0 x 4,0 | 43,07 x 32,95 x 0,157 |
| 1455192 | DISC DAMPER | ----- | 214 | EXT TH | 1094,0 x 837,0 x 8,5 | 43,07 x 32,95 x 0,335 |
| 1457001 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,2 x 190,6 x 1,9 | 10,13 x 7,50 x 0,075 |
| 1518274 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT SL | 256,0 x 168,0 x 2,0 | 10,08 x 6,61 x 0,077 |
| 1518275 | DISC STEEL INTERMEDIATE | END PLATE | 9 | EXT SL | 256,0 x 168,0 x 5,0 | 10,08 x 6,61 x 0,197 |
| 1518281 | DISC STEEL INTERMEDIATE | END PLATE | 10 | EXT SL | 297,0 x 190,0 x 6,0 | 11,69 x 7,48 x 0,236 |
| 1518282 | DISC STEEL INTERMEDIATE | ----- | 10 | EXT SL | 297,0 x 190,0 x 2,0 | 11,69 x 7,48 x 0,077 |
| 1545613 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 385,5 x 283,8 x 5,0 | 15,18 x 11,17 x 0,197 |
| 1553866 | DISC STEEL INTERMEDIATE | ----- | 100 | EXT TH | 518,0 x 328,8 x 3,4 | 20,39 x 12,94 x 0,132 |
| 1578412 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 75 | INT TH | 345,0 x 271,1 x 5,6 | 13,58 x 10,67 x 0,220 |
| 1583750 | ELASTOMER | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1583750 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1583752 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 1590927 | DISC FRICTION FP | 2 PASS/ PLAIN | 52 | INT TH | 190,0 x 128,6 x 3,0 | 7,48 x 5,06 x 0,118 |
| 1630342 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 160,0 x 108,0 x 4,0 | 6,30 x 4,25 x 0,157 |
| 1630343 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 190,0 x 128,0 x 4,0 | 7,48 x 5,04 x 0,157 |
| 1638838 | DISC FRICTION FP | 2 PASS | 56 | EXT TH | 239,0 x 157,0 x 4,0 | 9,41 x 6,18 x 0,157 |
| 1639366 | DISC STEEL INTERMEDIATE | ----- | 144 | EXT TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 1644221 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 108 | INT TH | 409,6 x 337,6 x 5,6 | 16,13 x 13,29 x 0,220 |
| 1657067 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| 1671261 | DISC DAMPER | ----- | 6 | EXT LG | 356,8 x 185,4 x 10,8 | 14,05 x 7,30 x 0,425 |
| 1697055 | DISC FRICTION GRPH | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1697055 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1698398 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |

| | | | | | | |
|-----------------------|--|-------------|-----|-------------|----------------------|-----------------------|
| 1701208 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 18 | INT TH | 298,0 x 65,3 x 7,8 | 11,73 x 2,57 x 0,307 |
| 1702108 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,2 x 253,0 x 5,1 | 12,25 x 9,96 x 0,200 |
| 1708714 | DISC FRICTION FP | 2 PASS | 56 | EXT TH | 239,0 x 157,0 x 4,0 | 9,41 x 6,18 x 0,157 |
| 1720844 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 379,2 x 209,5 x 6,7 | 14,93 x 8,25 x 0,266 |
| 1733270 | ELASTOMER | SPR/RAD/WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1733270 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 1733271 | ELASTOMER | SPR/RAD/WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 1733271 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 1733272 | ELASTOMER | SPR/RAD/WAG | 138 | INT TH | 556,8 x 435,1 x 5,6 | 21,92 x 17,13 x 0,220 |
| 1733272 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 138 | INT TH | 556,8 x 435,1 x 5,6 | 21,92 x 17,13 x 0,220 |
| 1733450 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| 1733451 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| 1744641 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 265,5 X 162,9 X 5,0 | 10,45 X 6,41 X 0,197 |
| 1843677 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 351,8 x 209,9 x 6,4 | 13,85 x 8,26 x 0,252 |
| 1884172 | DISC FRICTION FP | WAFFLE | 60 | INT TH | 180,0 x 148,1 x 2,0 | 7,09 x 5,83 x 0,079 |
| 1884173 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 188,4 x 158,0 x 1,6 | 7,42 x 6,22 x 0,063 |
| 1903532 | AFP | 3 PASS | 120 | INT TH | 874,5 x 603,0 x 5,1 | 34,43 x 23,74 x 0,200 |
| 1943811 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 605,0 x 438,0 x 6,4 | 23,82 x 17,24 x 0,250 |
| 1953722 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 356,8 x 166,6 x 3,2 | 14,05 x 6,56 x 0,126 |
| 1967866 | AFP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 1967866 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 102 | INT TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 1981137 | DISC FRICTION FP | 3 PASS | 102 | INT TH | 874,5 x 635,6 x 5,1 | 34,43 x 25,03 x 0,200 |
| 1981202 | DISC DAMPER | ----- | 189 | EXT TH | 967,0 x 744,0 x 7,3 | 38,07 x 29,29 x 0,287 |
| 1981203 | DISC STEEL INTERMEDIATE | ----- | 189 | EXT TH | 967,0 x 744,0 x 2,7 | 38,07 x 29,29 x 0,106 |
| 1990750 | DISC FRICTION FP | WAFFLE | 55 | INT TH | 260,0 x 164,2 x 4,0 | 10,24 x 6,46 x 0,157 |
| 1990786 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 302,6 x 178,2 x 6,0 | 11,91 x 7,02 x 0,236 |
| 2010737 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 30 | INT TH | 324,6 x 112,1 x 7,1 | 12,78 x 4,42 x 0,280 |
| 2018476 | DISC STEEL INTERMEDIATE | ----- | 9 | (12) EXT LG | 228,6 x 145,0 x 2,0 | 9,00 x 5,71 x 0,079 |
| 2018477 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 199,0 x 137,0 x 2,9 | 7,83 x 5,40 x 0,114 |
| 2043091 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 2043092 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 2043093 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 2071266 | AFP | 3 PASS | 111 | INT TH | 939,4 x 693,0 x 5,1 | 36,98 x 27,28 x 0,201 |
| 2087905 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 2087906 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 2087907 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 20R2819 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 336,0 x 233,4 x 3,2 | 13,23 x 9,19 x 0,125 |
| 2137928 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 30 | INT TH | 355,0 x 112,0 x 6,1 | 13,98 x 4,41 x 0,240 |
| 2158140 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | INT TH | 393,7 x 273,3 x 5,6 | 15,50 x 10,76 x 0,220 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 2172895 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 2174541 | DISC FRICTION FP | 2 PASS | 57 | INT TH | 239,7 x 178,3 x 2,9 | 9,44 x 7,02 x 0,114 |
| 2180268 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 411,0 x 251,5 x 6,4 | 16,18 x 9,90 x 0,250 |
| 2200189 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 478,8 x 106,0 x 5,4 | 18,85 x 4,17 x 0,213 |
| 2200190 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 62 | INT TH | 462,0 x 192,0 x 6,2 | 18,19 x 7,56 x 0,244 |
| 2210775 | AFP | 3 PASS | 80 | INT TH | 540,0 x 400,0 x 5,1 | 21,26 x 15,74 x 0,200 |
| 2210775 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 80 | INT TH | 540,0 x 400,0 x 5,1 | 21,26 x 15,74 x 0,200 |
| 2219685 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 2222333 | AFP | 3 PASS | 62 | INT TH | 495,3 x 308,1 x 5,1 | 19,50 x 12,13 x 0,200 |
| 2225203 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,2 x 253,0 x 5,2 | 12,25 x 9,96 x 0,204 |
| 2234311 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 2237519 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 215,0 x 149,2 x 4,0 | 8,46 x 5,87 x 0,157 |
| 2262826 | AFP | 3 PASS | 102 | INT TH | 874,5 x 635,6 x 5,1 | 34,43 x 25,03 x 0,200 |
| 2262826 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 102 | INT TH | 874,5 x 635,6 x 5,1 | 34,43 x 25,03 x 0,200 |
| 2304017 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 2312236 | ELASTOMER | SPR/RAD | 52 | INT TH | 160,0 x 108,0 x 4,0 | 6,30 x 4,25 x 0,157 |
| 2327575 | END PLATE | ----- | 6 | EXT LG | 482,5 x 355,5 x 6,4 | 19,00 x 14,00 x 0,252 |
| 2339748 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 80 | INT TH | 431,0 x 337,8 x 5,6 | 16,97 x 13,30 x 0,220 |
| 2346707 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 65 | INT TH | 285,8 x 204,2 x 5,0 | 11,15 x 8,04 x 0,197 |
| 2368675 | CLUTCH DISC SINTER BRONZE | RADIAL | 62 | INT TH | 311,2 x 192,9 x 5,0 | 12,25 x 7,59 x 0,197 |
| 2381867 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 486,2 x 355,7 x 6,8 | 18,38 x 14,00 x 0,266 |
| 2383307 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| 2383308 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| 2383309 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| 2384684 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 34 | INT TH | 104,0 x 68,0 x 1,6 | 4,09 x 2,68 x 0,063 |
| 2384686 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,4 | 4,38 x 3,31 x 0,055 |
| 2385095 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 605,0 x 438,0 x 8,0 | 23,82 x 17,24 x 0,315 |
| 2385291 | DISC FRICTION FP | WAFFLE | 29 | INT TH | 259,0 x 85,0 x 4,0 | 10,20 x 3,35 x 0,157 |
| 2399956 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 2414890 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 2418470 | DISC STEEL INTERMEDIATE | ----- | 128 | EXT TH | 409,4 x 292,5 x 7,3 | 16,12 x 11,52 x 0,287 |
| 2468779 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 324,2 x 220,3 x 5,0 | 17,76 x 8,67 x 0,197 |
| 2468780 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 370,0 x 234,0 x 6,3 | 14,57 x 9,21 x 0,248 |
| 2482226 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 224,8 x 138,3 x 4,0 | 8,85 x 5,44 x 0,157 |
| 2501844 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 18 | INT TH | 298,0 x 65,3 x 7,8 | 11,73 x 2,57 x 0,307 |
| 2501845 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 333,0 x 65,5 x 9,1 | 13,11 x 2,58 x 0,358 |
| 2559265 | DISC FRICTION FP | SUNBURST | 104 | INT TH | 440,0 x 326,0 x 4,8 | 17,32 x 12,83 x 0,189 |
| 2559266 | DISC FRICTION FP | SUNBURST | 104 | INT TH | 464,0 x 325,7 x 4,8 | 18,27 x 12,82 x 0,189 |

| | | | | | | |
|----------|--|-------------|-----|-----------|----------------------|-----------------------|
| 2559267 | DISC FRICTION FP | SUNBURST | 88 | INT TH | 393,7 x 273,3 x 4,7 | 15,50 x 10,76 x 0,185 |
| 2559268 | DISC FRICTION FP | SUNBURST | 120 | EXT TH | 384,6 x 291,3 x 4,6 | 15,14 x 11,47 x 0,180 |
| 2596836 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 356,0 x 135,0 x 3,6 | 14,02 x 5,31 x 0,142 |
| 2627319 | DISC FRICTION GRPH | SPR/RAD/WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 2627320 | DISC FRICTION GRPH | SPR/RAD/WAG | 138 | INT TH | 553,6 x 436,9 x 5,6 | 21,80 x 17,20 x 0,220 |
| 2633704 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| 2679169 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,0 | 8,19 x 4,69 x 0,079 |
| 2679170 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,5 | 8,19 x 4,69 x 0,098 |
| 2679171 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 3,0 | 8,19 x 4,69 x 0,118 |
| 2694750 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 18 | INT TH | 298,0 x 65,3 x 7,8 | 11,73 x 2,57 x 0,307 |
| 2701778 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT TH | 276,4 x 188,0 x 2,5 | 10,88 x 7,40 x 0,098 |
| 2709292 | DISC FRICTION FP | 3 PASS | 81 | INT TH | 715,3 x 503,0 x 5,1 | 28,16 x 19,80 x 0,201 |
| 2760017 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 360,0 x 263,3 x 4,0 | 14,17 x 10,37 x 0,157 |
| 2744553 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 2755308 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 108 | INT TH | 409,6 x 337,6 x 3,8 | 16,13 x 13,29 x 0,150 |
| 2849557 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 438,8 x 252,1 x 1,9 | 17,28 x 9,93 x 0,075 |
| 2864365 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 114 | INT TH | 412,0 x 286,0 x 4,8 | 16,22 x 11,26 x 0,189 |
| 2887301 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 5,0 | 13,21 x 7,42 x 0,197 |
| 2887302 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 8,0 | 13,21 x 7,42 x 0,315 |
| 2887303 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0 x 43,0 x 6,7 | 11,38 x 1,69 x 0,262 |
| 2893614 | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 2912901 | AFP | 3 PASS | 81 | INT TH | 715,3 x 503,0 x 5,1 | 28,16 x 19,80 x 0,201 |
| 2912902 | DISC FRICTION DISC FRICTION CARBON FP FP | 4 PASS | 128 | INT TH | 1067,0 x 800,0 x 6,0 | 42,00 x 31,50 x 0,236 |
| 2974956 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 88 | INT TH | 393,0 x 273,6 x 4,7 | 15,47 x 10,77 x 0,185 |
| 2977231C | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 333,5 x 237,0 x 3,2 | 13,13 x 9,33 x 0,126 |
| 3013676 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 75 | INT TH | 345,0 x 271,1 x 5,6 | 13,58 x 10,67 x 0,220 |
| 3022705C | DISC STEEL INTERMEDIATE | ----- | 8 | INT LG | 368,3 x 273,1 x 2,3 | 14,50 x 10,75 x 0,090 |
| 3022712C | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 411,5 x 317,5 x 6,4 | 16,20 x 12,50 x 0,250 |
| 3135544 | DISC FRICTION FP | SPR/RAD/WAG | 45 | INT TH | 133,1 x 92,7 x 2,2 | 5,24 x 3,83 x 0,085 |
| 3154128 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 96 | INT TH | 348,0 x 240,8 x 4,9 | 13,70 x 9,48 x 0,191 |
| 3167320 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 3167330 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 3207379 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 3217367 | DISC STEEL INTERMEDIATE | ----- | 94 | EXT TH | 301,0 x 227,0 x 3,2 | 11,85 x 8,94 x 0,126 |
| 3219609 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 495,0 x 308,0 x 5,1 | 19,49 x 12,13 x 0,200 |
| 3222250 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 3232945 | DISC STEEL INTERMEDIATE | ----- | 141 | EXT TH | 362,0 x 254,0 x 3,5 | 14,25 x 10,00 x 0,136 |
| 3256166C | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 268,0 x 173,5 x 3,2 | 10,55 x 6,83 x 0,126 |
| 3256167C | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 369,8 x 222,3 x 6,4 | 14,56 x 8,75 x 0,250 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 3256168C | DISC STEEL INTERMEDIATE | ----- | 128 | EXT LG | 410,0 x 292,1 x 2,3 | 16,14 x 11,50 x 0,090 |
| 3256170C | DISC STEEL INTERMEDIATE | ----- | 128 | EXT LG | 410,0 x 292,1 x 2,3 | 16,14 x 11,50 x 0,090 |
| 3256171C | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 329,0 x 186,0 x 5,0 | 12,95 x 7,32 x 0,197 |
| 3256172C | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 284,0 x 146,0 x 3,2 | 11,18 x 5,75 x 0,126 |
| 3284374 | DISC FRICTION FP | RAD 4 / PASS | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 3284375 | DISC FRICTION FP | RAD 4 / PASS | 48 | INT TH | 240,0 x 172,7 x 5,1 | 9,45 x 6,80 x 0,200 |
| 3341031 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 30 | INT TH | 355,0 x 112,0 x 6,1 | 13,98 x 4,41 x 0,240 |
| 3341032 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 422,0 x 88,0 x 9,1 | 16,61 x 3,46 x 0,358 |
| 3341033 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 379,1 x 79,2 x 9,1 | 14,93 x 3,12 x 0,358 |
| 3341034 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 18 | INT TH | 401,3 x 83,3 x 9,0 | 15,80 x 3,27 x 0,358 |
| 3347845 | DISC STEEL INTERMEDIATE | END PLATE | 6 | EXT LG | 626,7 x 454,9 x 6,4 | 24,67 x 17,91 x 0,252 |
| 3353094 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 561,7 x 406,5 x 6,8 | 22,11 x 16,00 x 0,268 |
| 3369313 | CLUTCH DISC SINTER BRONZE | 3 PASS | 96 | INT TH | 347,7 x 240,0 x 4,9 | 13,69 x 9,45 x 0,191 |
| 3369314 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 108 | INT TH | 409,6 x 337,6 x 5,6 | 16,13 x 13,29 x 0,220 |
| 3369315 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 101 | INT TH | 533,2 x 418,3 x 5,6 | 20,99 x 16,47 x 0,220 |
| 3369318 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 114 | INT TH | 412,0 x 286,0 x 4,8 | 16,22 x 11,26 x 0,189 |
| 3373530 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 3373942 | DISC DAMPER | ----- | 6 | EXT LG | 356,8 x 185,4 x 10,8 | 14,05 x 7,30 x 0,425 |
| 3376763 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 239,7 x 186,5 x 3,6 | 9,44 x 7,34 x 0,140 |
| 3376800 | DISC FRICTION GRPH | SPR/RAD/ WAG | 80 | INT TH | 432,1 x 337,8 x 5,6 | 17,01 x 13,30 x 0,220 |
| 3376801 | DISC FRICTION GRPH | SPR/RAD/ WAG | 124 | INT TH | 482,6 x 388,4 x 5,6 | 19,00 x 15,29 x 0,220 |
| 3393206 | CLUTCH DISC SINTER BRONZE | WAGON | 89 | INT TH | 405,3 x 278,1 x 7,3 | 15,96 x 10,94 x 0,287 |
| 3438739 | DISC FRICTION FP | 2 PASS | 61 | INT TH | 324,2 x 220,3 x 5,0 | 17,76 x 8,67 x 0,197 |
| 3465691C | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 3465693C | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 3470475C | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 3470485C | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 3510925 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 356,0 x 135,0 x 3,6 | 14,02 x 5,31 x 0,142 |
| 3544032 | DISC FRICTION FP | 2 PASS | 36 | EXT TH | 170,4 x 163,5 x 2,7 | 6,71 x 6,44 x 0,106 |
| 3558920 | DISC FRICTION FP ONE SIDE | 2 PASS | 36 | EXT H | 170,4 x 163,5 x 2,1 | 6,71 x 6,44 x 0,083 |
| 3558990 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 265,0 x 116,0 x 3,9 | 10,43 x 4,57 x 0,154 |
| 3570450 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,0 x 93,0 x 4,0 | 5,24 x 3,66 x 0,157 |
| 3578939 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 190,0 x 137,5 x 3,0 | 7,48 x 5,41 x 0,188 |
| 3653964 | DISC DAMPER | | 10 | EXT LG | 438,8 x 296,5 x 8,5 | 17,28 x 11,67 x 0,335 |
| 3653965 | DISC STEEL INTERMEDIATE | | 10 | EXT LUG | 438,9 x 292,0 x 4,0 | 17,28 x 11,50 x 0,157 |
| 3662523 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 566,0 x 426,0 x 3,7 | 22,28 x 16,77 x 0,146 |
| 3667826 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 225,5 x 116,0 x 3,3 | 8,86 x 4,57 x 0,128 |
| 3676070C | DISC STEEL INTERMEDIATE | ----- | 132 | EXT TH | 422,7 x 302,5 x 2,3 | 16,64 x 11,91 x 0,091 |

| | | | | | | |
|-----------------------|--|--------------|-----|------------|----------------------|-----------------------|
| 3676071C | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 353,1 x 263,1 x 6,4 | 13,90 x 10,36 x 0,250 |
| 3680297 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 425,0 x 318,0 x 6,4 | 16,73 x 8,58 x 0,250 |
| 3708590R | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 486,2 x 355,7 x 6,8 | 18,38 x 14,00 x 0,266 |
| 3708592R | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 297,9 x 223,3 x 3,2 | 11,73 x 8,79 x 0,125 |
| 3709775 | DISC FRICTION FP | RAD / 4 PASS | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 3709778 | DISC FRICTION FP | RAD / 4 PASS | 48 | INT TH | 240,0 x 172,7 x 5,1 | 9,45 x 6,80 x 0,200 |
| 3744676C | DISC FRICTION FP | WAFFLE | 18 | INT TH | 110,0 x 54,0 x 5,2 | 4,33 x 2,13 x 0,205 |
| 3744677C | DISC FRICTION FP | 2 PASS | 24 | INT TH | 177,6 x 73,3 x 5,2 | 6,99 x 2,88 x 0,205 |
| 3750273 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 479,5 x 102,0 x 5,4 | 18,88 x 4,02 x 0,213 |
| 3777404C | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 343,0 x 210,0 x 6,4 | 13,50 x 8,27 x 0,250 |
| 3777423C | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 297,9 x 223,3 x 3,2 | 11,73 x 8,79 x 0,125 |
| 3781879 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 68 | INT TH | 462,5 x 340,5 x 5,1 | 18,21 x 13,40 x 0,200 |
| 3781879 | AFP | WAFFLE | 68 | INT TH | 462,5 x 340,9 x 5,2 | 18,21 x 13,42 x 0,205 |
| 3781880 | AFP | 4 PASS | 153 | INT TH | 1010,4 x 768,4 x 5,1 | 39,78 x 30,25 x 0,200 |
| 3791820 | DISC DAMPER | ----- | 136 | (144)EX TH | 739,1 x 539,8 x 6,9 | 29,10 x 21,25 x 0,271 |
| 3791822 | DISC STEEL INTERMEDIATE | ----- | 136 | (144)EX TH | 739,1 x 539,8 x 2,5 | 29,10 x 21,25 x 0,096 |
| 3793908 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 443,9 x 292,0 x 8,0 | 17,48 x 11,50 x 0,315 |
| 3801493C | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 235,0 x 178,3 x 3,2 | 9,25 x 7,02 x 0,125 |
| 3807473C | DISC FRICTION FP | 3 PASS | 58 | INT TH | 266,2 x 181,6 x 4,8 | 10,48 x 7,15 x 0,190 |
| 3807489C | DISC DAMPER | SPIRAL | 64 | INT TH | 381,0 x 197,6 x 5,5 | 15,00 x 7,78 x 0,215 |
| 3807516C | DISC FRICTION FP | RAD/WAG | 104 | INT TH | 393,0 x 328,0 x 4,7 | 15,47 x 12,91 x 0,185 |
| 3810836 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 480,0 x 292,5 x 4,0 | 18,90 x 11,52 x 0,157 |
| 3813629 | DISC FRICTION DISC FRICTION CARBON FP FP | 4 PASS | 128 | INT TH | 1067,0 x 800,0 x 6,0 | 42,00 x 31,50 x 0,236 |
| 3826889C | DISC STEEL INTERMEDIATE | ----- | 102 | EXT TH | 327,9 x 209,4 x 6,4 | 12,89 x 8,24 x 0,251 |
| 3832119C | DISC STEEL INTERMEDIATE | ----- | 32 | EXT LG | 224,8 x 177,8 x 4,8 | 8,85 x 7,00 x 0,189 |
| 3832121C | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 3832734 | DISC FRICTION FP | 3 PASS | 90 | (102)IN TH | 715,0 x 511,0 x 5,1 | 28,15 x 20,12 x 0,200 |
| 3832735 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 90 | (102)IN TH | 715,0 x 511,0 x 5,1 | 28,15 x 20,12 x 0,200 |
| 3844791C | DISC FRICTION DISC FRICTION CARBON FP FP | SPR/RAD | 12 | EXT LG | 361,9 x 241,6 x 6,2 | 14,25 x 9,51 x 0,242 |
| 3844801C | DISC FRICTION FP | SUNBURST | 88 | INT TH | 393,7 x 273,4 x 4,7 | 15,50 x 10,76 x 0,185 |
| 3844827C | DISC FRICTION FP | 2 PASS | 87 | EXT TH | 277,9 x 209,6 x 5,0 | 10,94 x 8,25 x 0,196 |
| 3845966C | DISC FRICTION FP | RAD / 4 PASS | 75 | INT TH | 344,9 x 271,0 x 5,6 | 13,58 x 10,67 x 0,222 |
| 3856116C | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 380,0 x 284,0 x 5,0 | 14,96 x 11,18 x 0,197 |
| 3905264C | DISC FRICTION FP | 2 PASS | 95 | EXT TH | 304,8 x 212,9 x 3,5 | 12,00 x 8,38 x 0,138 |
| 3905265C | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 3914044 | DISC FRICTION GRPH | SPR/RAD/WAG | 85 | INT TH | 381,0 x 307,3 x 6,4 | 15,00 x 12,10 x 0,252 |
| 3914044 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 85 | INT TH | 381,0 x 307,3 x 6,4 | 15,00 x 12,10 x 0,252 |
| 3914047 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 390,8 x 320,3 x 5,2 | 15,38 x 12,61 x 0,203 |
| 3948242C | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 18 | INT TH | 379,1 x 79,2 x 9,1 | 14,93 x 3,12 x 0,358 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 4179487C | DISC FRICTION FP | 2 PASS | 35 | INT TH | 184,7 x 125,7 x 4,9 | 7,27 x 4,95 x 0,193 |
| 4240896 | DISC FRICTION FP | 2 PASS | 54 | EXT TH | 200,5 x 193,0 x 2,7 | 7,89 x 7,60 x 0,106 |
| 4287204C | DISC FRICTION FP | 2 PASS | 64 | INT TH | 306,6 x 198,4 x 3,5 | 12,07 x 7,81 x 0,136 |
| 4287205C | CLUTCH DISC SINTER BRONZE | SPR/RAD | 101 | INT TH | 311,2 x 252,5 x 5,0 | 12,25 x 9,94 x 0,195 |
| 4339478 | AFP | 3 PASS | 111 | INT TH | 939,4 x 693,0 x 5,1 | 36,98 x 27,28 x 0,201 |
| 4339858C | CLUTCH DISC SINTER BRONZE | SPR/RAD | 96 | INT TH | 381,0 x 300,0 x 5,6 | 15,00 x 11,81 x 0,220 |
| 4430663 | DISC FRICTION GRPH | SPR/RAD/ WAG | 85 | INT TH | 381,0 x 307,3 x 6,4 | 15,00 x 12,10 x 0,252 |
| 3914044 (ALTER- NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 85 | INT TH | 381,0 x 307,3 x 6,4 | 15,00 x 12,10 x 0,252 |
| 4431922C | DISC FRICTION FP | RAD / 4 PASS | 48 | INT TH | 240,0 x 172,7 x 5,1 | 9,45 x 6,80 x 0,200 |
| 4476802 | DISC FRICTION GRPH | SPR/RAD/ WAG | 138 | INT TH | 533,4 x 435,1 x 5,6 | 21,00 x 17,13 x 0,220 |
| 4569193 | DISC FRICTION FP | 2 PASS | 56 | EXT TH | 239,0 x 157,0 x 4,0 | 9,41 x 6,18 x 0,157 |
| 4701447 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 160,0 x 115,0 x 3,0 | 6,30 x 4,53 x 0,118 |
| 4923486C | DISC FRICTION FP | 2 PASS | 61 | INT TH | 281,7 x 220,0 x 4,9 | 11,09 x 8,66 x 0,193 |
| 4933796 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 62 | INT TH | 462,0 x 192,0 x 6,2 | 18,19 x 7,56 x 0,244 |
| 5204220C | DISC FRICTION FP | 2 PASS | 50 | INT TH | 225,7 x 155,9 x 2,9 | 8,89 x 6,14 x 0,114 |
| 5352742 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 5352747 | DISC STEEL INTERMEDIATE | HARDENED | 52 | INT TH | 102,0 x 77,2 x 1,5 | 4,02 x 3,04 x 0,059 |
| 5609542 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 233,5 x 59,2 x 5,5 | 9,20 x 2,33 x 0,217 |
| 5609543 | DISC FRICTION FP | WAFFLE | 20 | INT TH | 233,5 x 141,3 x 5,5 | 9,20 x 5,56 x 0,217 |
| 5780304 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 216,1 x 128,0 x 4,0 | 8,51 x 5,04 x 0,157 |
| 91K24-04400 | DISC STEEL INTERMEDIATE | END PLATE | 4 | EXT LG | 150,0 x 80,0 x 1,5 | 5,91 x 3,15 x 0,059 |
| CESAB | | | | | | |
| 0993242 | DISC FRICTION GRPH | SUNBURST | 36 | (73)EX TH | 151,5 x 101,5 x 3,5 | 5,96 x 4,00 x 0,138 |
| 0993244 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5 x 101,5 x 2,8 | 5,96 x 4,00 x 0,108 |
| 0993247 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| CHAMPION (ALSO SEE CLARK AND ALLISON) | | | | | | |
| 11299 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5 x 99,1 x 1,6 | 5,61 x 3,90 x 0,063 |
| 11300 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 14742 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 14743 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 14748 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 19435 | CLUTCH DISC SINTER BRONZE | SUNBRST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 19436 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8 x 152,4 x 2,1 | 8,30 x 6,00 x 0,083 |
| 28304 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 28305 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 28310 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 28311 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 37170 | DISC FRICTION FP | 2 PASS | 53 | INT TH | 342,9 x 220,5 x 5,2 | 13,50 x 8,68 x 0,204 |
| 37171 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,38 x 0,247 |
| 37934 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 358,6 x 226,8 x 3,5 | 14,12 x 8,93 x 0,136 |
| 37935 | DISC STEEL INTERMEDIATE | ----- | 89 | EXT TH | 378,5 x 254,0 x 3,2 | 14,90 x 10,00 x 0,123 |
| 41092 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |

| | | | | | | |
|-------------------|---------------------------|-----------|----|-----------|----------------------|----------------------|
| 41112 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 41113 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 180,1 x 129,5 x 2,1 | 7,09 x 5,10 x 0,083 |
| 42269 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 316,5 x 198,5 x 3,1 | 12,46 x 7,81 x 0,122 |
| 48524 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 278,0 x 169,7 x 6,0 | 10,94 x 6,68 x 0,236 |
| 49987 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,38 x 0,247 |
| 53950 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 53951 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 55272 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 180,1 x 129,5 x 2,1 | 7,09 x 5,10 x 0,083 |
| 63167 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 278,0 x 169,7 x 6,0 | 10,94 x 6,68 x 0,236 |
| 66314 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 278,0 x 169,7 x 6,0 | 10,94 x 6,68 x 0,236 |
| 66315 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 316,5 x 198,5 x 3,1 | 12,46 x 7,81 x 0,122 |
| 87537 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 3,5 | 13,98 x 9,39 x 0,137 |
| CHELSEA | | | | | | |
| 379488 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 379489 | GREEN PA. | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 379776 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| CHINA GEAR | | | | | | |
| MB242-01-006 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 156,0 x 102,4 x 2,0 | 6,14 x 4,03 x 0,079 |
| MB242-01-007 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | EXT TH | 165,0 x 110,0 x 3,0 | 6,50 x 4,33 x 0,118 |
| 1201-0007 | CLUTCH DISC SINTER BRONZE | SUNBURST | 50 | EXT TH | 179,6 x 116,3 x 3,0 | 7,07 x 4,58 x 0,118 |
| 1201-0018 | CLUTCH DISC SINTER BRONZE | SUN/PLAIN | 50 | EXT TH | 179,6 x 116,3 x 2,5 | 7,07 x 4,58 x 0,098 |
| 1201-0019 | DISC STEEL INTERMEDIATE | DISHED | 36 | INT TH | 169,8 x 90,4 x 3,0 | 6,69 x 3,56 x 0,118 |
| 120C-01-008 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 143,0 x 85,0 x 2,6 | 5,63 x 3,35 x 0,102 |
| 120C-01-009 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 132,0 x 77,7 x 1,8 | 5,20 x 3,03 x 0,079 |
| 300-01-009 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | EXT TH | 213,5 x 150,0 x 3,0 | 8,41 x 5,90 x 0,118 |
| 300-01-010 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 200,0 x 141,0 x 3,0 | 7,87 x 5,55 x 0,118 |
| ZL20-032103 | DISC STEEL INTERMEDIATE | DISHED | 36 | INT TH | 169,8 x 103,2 x 3,0 | 6,69 x 4,06 x 0,118 |
| CLAAS | | | | | | |
| 0316732.0 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 0319648.0 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 0319649.0 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 0319650.0 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 0321528.0 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 0321529.0 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 0321530.0 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 0322225.0 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 0323994.0 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0 x 110,0 x 2,6 | 7,68 x 4,33 x 0,102 |
| 0323995.0 | DISC FRICTION GRPH | WAFFLE | 28 | INT TH | 169,0 x 56,0 x 4,8 | 6,65 x 2,21 x 0,189 |
| 0011125290 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 124,9 x 89,1 x 1,5 | 4,92 x 3,51 x 0,059 |
| 0011125300 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 124,1 x 89,2 x 3,0 | 4,89 x 3,51 x 0,118 |
| 0011317680 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| 0011317690 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| 6000104638 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| 6000104639 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 6005023516 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 334,5 x 218,8 x 4,0 | 13,17 x 8,61 x 0,156 |
| 7700026887 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | INT LG | 172,8 x 140,4 x 2,0 | 6,80 x 5,53 x 0,078 |
| 7700026888 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | INT LG | 112,8 x 81,3 x 2,0 | 4,44 x 3,20 x 0,078 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|-------------------|--------------------|-----------------|----------------------|-----------------------|
| 7700037434 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 167,0 x 111,7 x 3,3 | 6,57 x 4,40 x 0,130 |
| 7700060850 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 190,6 x 147,6 x 1,5 | 7,50 x 5,81 x 0,059 |
| CLARK / DANA | | | | | | |
| 122069 | DISC STEEL INTERMEDIATE | SUNBURST | 32 | (36)IN TH | 156,8 x 89,0 x 6,4 | 6,17 x 3,50 x 0,250 |
| 208772 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 208773 | OBSOLETE AFTER STOCK | | 32 | (42)EX TH | 184,2 x 92,7 x 2,6 | 7,25 x 3,65 x 0,102 |
| 209669 | DISC STEEL INTERMEDIATE | DISHED | 35 | (47)EX TH | 204,5 x 113,2 x 2,7 | 8,05 x 4,46 x 0,106 |
| 209928 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 209929 | OBSOLETE AFTER STOCK | | 24 | INT TH | 187,5 x 95,3 x 4,0 | 7,38 x 3,75 x 0,157 |
| 215178 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 215222 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 215255 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 216050 | OBSOLETE AFTER STOCK | SUNBURST | 34 | INT TH | 205,0 x 114,8 x 3,9 | 8,07 x 4,52 x 0,154 |
| 216084 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 216677 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 217140 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 217162 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 217163 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 217163 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 217757 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 218714 | DISC STEEL INTERMEDIATE | ----- | 106 | EXT TH | 341,0 x 267,5 x 4,8 | 13,43 x 10,53 x 0,189 |
| 218715 | DISC FRICTION GRPH | SUNBURST | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 218716 | DISC STEEL INTERMEDIATE | ----- | 106 | EXT TH | 341,0 x 267,5 x 12,5 | 13,43 x 10,53 x 0,492 |
| 219393 | DISC STEEL INTERMEDIATE | DISHED | 42 | (49)EX TH | 160,9 x 103,3 x 1,5 | 6,33 x 4,07 x 0,059 |
| 222171 | OBSOLETE AFTER STOCK | SUNBURST | 34 | INT TH | 205,0 x 114,8 x 3,9 | 8,07 x 4,52 x 0,154 |
| 222173 | DISC STEEL INTERMEDIATE | ----- | 17 | (34)EX TH | 225,0 x 133,6 x 2,7 | 8,86 x 5,26 x 0,106 |
| 222391 | CLUTCH DISC SINTER BRONZE | SPIRAL | 25 | INT TH | 147,5 x 74,3 x 4,0 | 5,81 x 2,93 x 0,157 |
| 222605 | DISC STEEL INTERMEDIATE | DISHED | 42 | (49)EX TH | 160,9 x 103,3 x 1,5 | 6,33 x 4,07 x 0,059 |
| 224246 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 155,7 x 115,8 x 1,7 | 6,13 x 4,56 x 0,066 |
| 224338 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 224339 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 224772 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 224774 | END PLATE | ----- | 60 | EXT TH | 154,3 x 113,5 x 8,0 | 6,07 x 4,47 x 0,315 |
| 226595 | ASB FREE | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 226595GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 227495 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 227496 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 227496 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 227497 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 228114 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 230594 | BACKPLATE | 24 HOLES | | | 457,0 x 393,0 x 4,0 | 17,99 x 15,47 x 0,157 |
| 230911 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 232155 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 232159 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 232285 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |

| | | | | | | |
|----------------------|---------------------------|------------------|----|-----------|----------------------|-----------------------|
| 232316 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 232394 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 232395 | DISC STEEL INTERMEDIATE | ----- | 21 | (28)EX TH | 314,2 x 227,3 x 2,6 | 12,37 x 8,95 x 0,102 |
| 232584 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 232628 | DISC FRICTION GRPH | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 232628 (ALTERNATIVE) | DISC FRICTION CARBON FP | WAFFLE | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 232635 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 232778 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 232779 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 232780 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 233089 | DISC FRICTION ORG | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 233089GSM | NYLON | 16HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 233166 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 234108 | CLUTCH DISC SINTER BRONZE | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,094 |
| 234109 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 234324 | END PLATE | STEPPED | 54 | EXT TH | 139,2 x 98,6 x 9,0 | 5,48 x 3,88 x 0,354 |
| 234336 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 234727 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 235161 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 236847 | END PLATE | STEPPED | 54 | EXT TH | 139,2 x 98,6 x 9,0 | 5,48 x 3,88 x 0,354 |
| 236936 | ASB FREE | 32HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 236936GSM | NYLON | 32HOLES 5/16" | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 236937 | BACKPLATE | 32HOLES | | | 354,0 x 314,0 x 4,0 | 13,94 x 12,36 x 0,157 |
| 236989 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 237016 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 238174 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 238310 | DISC STEEL INTERMEDIATE | ----- | 7 | (28)EX TH | 314,2 x 227,3 x 2,6 | 12,37 x 8,95 x 0,102 |
| 238313 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 238609 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 242101 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 242530 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 242716 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 212,6 x 145,0 x 4,0 | 8,37 x 5,71 x 0,156 |
| 242717 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 228,1 x 159,0 x 2,7 | 8,98 x 6,26 x 0,105 |
| 243099 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 243329 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 243330 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 260,0 x 191,0 x 2,6 | 10,24 x 7,52 x 0,100 |
| 243497 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,6 x 4,0 | 12,05 x 10,18 x 0,156 |
| 243691 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 243737 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 175,0 x 107,0 x 2,9 | 6,89 x 4,21 x 0,114 |
| 243765 | OBSOLETE | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |
| 243765GSM | NYLON | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |
| 243767 | BACKPLATE | 16 HOLES | | | 354,0 x 314,0 x 4,0 | 13,94 x 12,36 x 0,157 |
| 244133 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 244134 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 244846 | DISC STEEL INTERMEDIATE | ----- | 74 | EXT TH | 317,5 x 266,8 x 4,7 | 12,50 x 10,50 x 0,185 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------|--|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 244979 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 244980 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 245238 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 245239 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| 245268 | END PLATE | STEPPED | 4 | EXT LG | 129,0 x 74,0 x 5,0 | 5,08 x 2,91 x 0,197 |
| 245741 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,3 x 92,6 x 2,4 | 5,25 x 3,65 x 0,095 |
| 245917 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 245935 | DISC FRICTION GRPH | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 245935 (ALTER-NATIVE) | DISC FRICTION CARBON FP | WAFFLE | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 246744 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| 247041 | ASB FREE | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 247041GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 247273 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 247274 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 247274 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 249440 | DISC FRICTION FP | SUNBURST | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 250421 | OBSOLETE AFTER STOCK | | 7 | (28)EX TH | 314,2 x 227,3 x 2,0 | 12,37 x 8,95 x 0,079 |
| 251393 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 260,0 x 191,0 x 2,0 | 10,24 x 7,52 x 0,079 |
| 251691 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 251692 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 251702 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 251703 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 60 | INT TH | 292,0 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 251704 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 52 | INT TH | 175,3 x 106,7 x 3,0 | 6,90 x 4,20 x 0,116 |
| 251708 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 801780 | DISC FRICTION ORG | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 801780GSM | NYLON | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 801874 | ASB FREE | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 801874BP/GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 801874GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 802051 | 8XIM2029 | 8XIM1216MP | | | | |
| 802183 | OBSOLETE | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802183GSM | NYLON | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802392 | OBSOLETE | 16HOLES | 96 | INT TH | 357,9 x 298,5 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802392GSM | NYLON | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802495BP/GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 802495GSM | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 802539 | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 802544GSM | OBSOLETE | 32HOLES | 96 | INT TH | 357,9 x 298,5 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802553P | NYLON | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 802643 | NYLON | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 17,5 | 14,09 x 11,75 x 0,689 |
| 802647 | OBSOLETE | 16 HOLES | 96 | INT TH | 357,8 x 298,4 x 17,5 | 14,09 x 11,75 x 0,689 |

| | | | | | | |
|---------|--|-------------|----|------------|---------------------|-----------------------|
| 878366 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 878372 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 878373 | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 878374 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 884369 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 887983 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 887984 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| 888027 | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 907566 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 907567 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 927618 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 152,5 x 95,0 x 4,0 | 6,00 x 3,74 x 0,157 |
| 927619 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 134,0 x 87,8 x 2,3 | 5,28 x 3,46 x 0,093 |
| 927620 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 152,5 x 95,0 x 2,0 | 6,00 x 3,74 x 0,079 |
| 927707 | DISC FRICTION FP | 2 PASS | 62 | INT TH | 204,0 x 152,7 x 3,7 | 8,03 x 6,01 x 0,148 |
| 927708 | DISC STEEL INTERMEDIATE | ----- | 70 | (74)EX TH | 209,0 x 161,0 x 2,5 | 8,23 x 6,34 x 0,100 |
| 1239226 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 247,0 x 162,0 x 3,4 | 9,72 x 6,38 x 0,134 |
| 1239227 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 228,5 x 60,0 x 3,2 | 9,00 x 2,36 x 0,126 |
| 2106605 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 2106606 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 2108352 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 2108427 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 2108428 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 2108994 | DISC STEEL INTERMEDIATE | ----- | 30 | (55)EX TH | 474,0 x 338,6 x 4,7 | 18,66 x 13,33 x 0,185 |
| 2110446 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 176,2 x 103,5 x 3,9 | 6,94 x 4,07 x 0,155 |
| 2110747 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 15 | INT TH | 185,4 x 64,9 x 4,9 | 7,30 x 2,56 x 0,191 |
| 2110750 | DISC STEEL INTERMEDIATE | ----- | 27 | (45)EXT TH | 213,1 x 95,2 x 2,6 | 8,39 x 3,75 x 0,102 |
| 2110852 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 2110857 | OBSOLETE | ----- | | | | |
| 2110864 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 2111835 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 457,2 x 313,4 x 6,8 | 18,00 x 12,34 x 0,268 |
| 2111847 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 2114524 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPIRAL | 22 | (37)IN TH | 128,4 x 76,5 x 4,7 | 5,06 x 3,01 x 0,185 |
| 2114639 | DISC STEEL INTERMEDIATE | SUNB/HARD | 12 | EXT LG | 144,0 x 84,4 x 4,8 | 5,67 x 3,32 x 0,189 |
| 2114873 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 327,5 x 198,3 x 4,8 | 12,89 x 7,81 x 0,189 |
| 2114880 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 305,0 x 56,5 x 5,4 | 12,01 x 2,22 x 0,211 |
| 2115238 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 34 | (38)IN TH | 456,7 x 313,7 x 6,8 | 17,98 x 12,35 x 0,268 |
| 2115239 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 2115240 | DISC STEEL INTERMEDIATE | ----- | 30 | (55)EX TH | 474,0 x 338,6 x 4,7 | 18,66 x 13,33 x 0,185 |
| 2115856 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,205 |
| 2115857 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 2115913 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 2115978 | DISC FRICTION CARBON FP | 3 PASS | 34 | INT TH | 573,0 x 313,8 x 6,8 | 22,56 x 12,55 x 0,268 |
| 2115980 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT LG | 590,5 x 416,2 x 4,8 | 23,25 x 16,39 x 0,189 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 2116295 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 501,0 x 338,0 x 4,8 | 19,72 x 13,31 x 0,189 |
| 2787359 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 2787362 | END PLATE | ----- | 26 | EXT TH | 143,4 x 89,5 x 10,9 | 5,65 x 3,52 x 0,429 |
| 2787368 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 2794675 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,7 | 5,00 x 3,24 x 0,108 |
| 2810118 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 148,6 x 107,7 x 3,0 | 5,85 x 4,24 x 0,118 |
| 2821953 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,7 | 5,00 x 3,24 x 0,108 |
| 2822116 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 3734356 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 4204265 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 4204266 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 4204267 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 4206373 | DISC FRICTION FP | WAFFLE | 52 | EXT TH | 167,5 x 114,0 x 2,6 | 6,59 x 4,49 x 0,102 |
| 4206374 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 161,0 x 107,0 x 2,0 | 6,34 x 4,21 x 0,079 |
| 4206417 | DISC FRICTION FP | WAFFLE/ PLAIN | 52 | EXT TH | 167,5 x 114,0 x 2,0 | 6,59 x 4,49 x 0,077 |
| 4207140 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 167,5 x 114,0 x 2,5 | 6,59 x 4,49 x 0,098 |
| 4207141 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 161,0 x 107,6 x 2,8 | 6,34 x 4,24 x 0,110 |
| 4207419 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 4207444 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 4207445 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 4207446 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 4207455 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 2,3 | 7,87 x 4,49 x 0,089 |
| 4207620 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,079 |
| 4207621 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,3 x 92,8 x 2,6 | 5,25 x 3,65 x 0,102 |
| 4208111 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 4209872 | DISC FRICTION GRPH | SUNB/HARD- ENED | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 4210570 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 4211245 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 4211394 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 4211395 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 4211499 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 212,6 x 145,0 x 4,0 | 8,37 x 5,71 x 0,156 |
| 4211500 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 4212130 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,2 | 6,07 x 4,48 x 0,087 |
| 4213141 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 52 | INT TH | 148,6 x 107,6 x 3,0 | 5,85 x 4,24 x 0,118 |
| 4213591 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 4214248 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 4215359 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 4215360 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |

| | | | | | | |
|--------------------------------------|--|---|-----|-----------|---------------------|-----------------------|
| 4215606 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 4215607 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 4215608 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 4216956 | DISC STEEL INTERMEDIATE | ----- | 74 | EXT TH | 317,5 x 266,8 x 2,5 | 12,50 x 10,50 x 0,100 |
| 4219873 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 52 | INT TH | 175,3 x 106,7 x 3,0 | 6,90 x 4,20 x 0,116 |
| 4220557 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 4220558 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,8 x 118,0 x 2,5 | 7,20 x 4,65 x 0,100 |
| 4220686 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 161,0 x 107,6 x 2,8 | 6,34 x 4,24 x 0,110 |
| 4220687 | DISC FRICTION FP | WAFFLE | 52 | EXT TH | 167,5 x 114,0 x 2,6 | 6,59 x 4,49 x 0,102 |
| 4220895 | DISC FRICTION FP | WAFFLE/ PLAIN | 52 | EXT TH | 167,5 x 114,0 x 2,0 | 6,59 x 4,49 x 0,077 |
| 4324200 | DISC STEEL INTERMEDIATE | HARDENED | 54 | EXT TH | 139,2 x 98,6 x 1,0 | 5,48 x 3,88 x 0,039 |
| 4344394 | OBSOLETE | ----- | 51 | EXT TH | 103,8 x 77,5 x 1,0 | 4,09 x 3,05 x 0,039 |
| 4345396 | DISC FRICTION FP | 2 PASS | 28 | INT TH | 107,6 x 54,2 x 2,4 | 4,24 x 2,13 x 0,094 |
| 7000727 | END PLATE | STEPPED | 54 | EXT TH | 139,2 x 98,6 x 9,0 | 5,48 x 3,88 x 0,354 |
| 8027046 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 134,0 x 87,8 x 2,3 | 5,28 x 3,46 x 0,093 |
| 113.04.610.01 | CLUTCH DISC KIT | IM5407 x 4 IM5409 x 1 IM6922MP x 5 | | | | |
| CLEARING | | | | | | |
| A94693 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 569,0 x 444,2 x 4,7 | 22,40 x 17,49 x 0,185 |
| A94694 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 84 | INT TH | 540,0 x 420,4 x 4,7 | 21,26 x 16,55 x 0,185 |
| CLIMAX | | | | | | |
| 106-136 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 106-138 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 106-157 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 106-158 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| COLES CRANES | | | | | | |
| 8992283 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 152,3 x 110,0 x 2,2 | 6,00 x 4,33 x 0,087 |
| 8992294 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | INT TH | 146,0 x 102,5 x 3,0 | 4,57 x 4,04 x 0,118 |
| CROWN | | | | | | |
| 124776 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 200,0 x 53,8 x 8,5 | 7,87 x 2,12 x 0,335 |
| DAEWOO / DOOSAN (also see ZF) | | | | | | |
| 3T2567S | DISC STEEL INTERMEDIATE | ----- | 43 | (64)EX TH | 205,5 x 145,4 x 3,5 | 8,09 x 5,72 x 0,138 |
| 3T3400S | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| 6T9456 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 3,1 | 6,07 x 4,48 x 0,123 |
| 7T2742 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| A153115 | CLUTCH DISC SINTER BRONZE | SUNBURST | 65 | EXT TH | 137,0 x 105,2 x 1,8 | 5,39 x 4,14 x 0,071 |
| A153116 | DISC STEEL INTERMEDIATE | HARDENED | 36 | INT TH | 129,7 x 90,0 x 1,8 | 5,11 x 3,54 x 0,071 |
| A153155 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 130,0 x 90,0 x 2,6 | 5,12 x 3,54 x 0,102 |
| A153156 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT SL | 172,0 x 100,0 x 1,5 | 6,77 x 3,94 x 0,059 |
| A188853 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 136,0 x 68,2 x 2,1 | 5,35 x 2,69 x 0,081 |
| A213070 | DISC STEEL INTERMEDIATE | ----- | 24 | INT TH | 122,0 x 60,0 x 3,0 | 4,80 x 2,36 x 0,118 |
| A213071 | DISC FRICTION FP | WAFFLE | 50 | EXT TH | 128,9 x 80,0 x 2,3 | 5,07 x 3,15 x 0,091 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| A213073 | DISC STEEL INTERMEDIATE | ----- | 24 | INT TH | 122,0 x 60,0 x 7,0 | 4,80 x 2,36 x 0,276 |
| A213498 | DISC STEEL INTERMEDIATE | ----- | 24 | INT TH | 122,0 x 60,0 x 5,0 | 4,80 x 2,36 x 0,197 |
| A233400 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 228,0 x 48,0 x 3,2 | 8,98 x 1,89 x 0,126 |
| A243353 | DISC FRICTION GRPH | SUNBURST | 36 | (73)EX TH | 151,5 x 101,5 x 3,5 | 5,96 x 4,00 x 0,138 |
| A243354 | DISC STEEL INTERMEDIATE | ----- | 8 | (30) INT TH | 145,0 x 88,4 x 3,0 | 5,71 x 3,48 x 0,118 |
| A243356 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5 x 101,5 x 2,8 | 5,96 x 4,00 x 0,108 |
| A243359 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| A250539 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| A250596 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| A252423 | DISC FRICTION FP | 2 PASS | 22 | INT TH | 185,5 x 53,3 x 3,2 | 7,30 x 2,10 x 0,126 |
| A252425 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 212,5 x 115,8 x 2,5 | 8,37 x 4,56 x 0,096 |
| A273051 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| A373219 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,7 | 4,92 x 2,70 x 0,106 |
| A373220 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |
| A403027 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 220,0 x 90,5 x 4,0 | 8,66 x 3,56 x 0,157 |
| A403028 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 235,0 x 153,0 x 2,5 | 9,25 x 6,02 x 0,098 |
| A453374 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| A453375 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| A608549 | DISC STEEL INTERMEDIATE | HARDENED | 54 | EXT TH | 139,2 x 98,6 x 1,0 | 5,48 x 3,88 x 0,039 |
| D141112 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 216,0 x 135,0 x 4,6 | 8,50 x 5,31 x 0,181 |
| D141113 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| D161368 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| D180320 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| D180339 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| D700251 | DISC STEEL INTERMEDIATE | ----- | 53 | EXT TH | 226,0 x 142,9 x 2,5 | 8,90 x 5,63 x 0,098 |
| D700497 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| K9000013 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 3,4 | 7,72 x 5,59 x 0,132 |
| K9000036 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| K9000037 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| K9000257 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| K9000258 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| K9000264 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| K9000265 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| K9000266 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| K9000267 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| K9000268 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,2 | 7,47 x 3,63 x 0,126 |
| K9000270 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| K9000287 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| K9000327 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| K9000501 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| K9000525 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |

| | | | | | | |
|--------------|---|------------|----|-----------|----------------------|-----------------------|
| K9000665 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| K9000746 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| K9000750 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| K9001542 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,0 | 8,19 x 4,69 x 0,079 |
| K9001543 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,5 | 8,19 x 4,69 x 0,098 |
| K9001585 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 34 | INT TH | 104,0 x 68,0 x 1,6 | 4,09 x 2,68 x 0,063 |
| K9001586 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,4 | 4,38 x 3,31 x 0,055 |
| K9001887 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| K9001888 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0 x 262,0 x 2,4 | 14,72 x 10,31 x 0,094 |
| K9002025 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| K9002026 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| K9002702 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| K9004084 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| K9004158 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| K9004159 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| K9004160 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| K9004327 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| K9004328 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| MX508790 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| MX508790 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| MX508791 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| MX508792 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| MX508792 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| MX508793 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| MX508795 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| MX508796 | BRNZ/PLN | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,0 | 6,95 x 5,51 x 0,077 |
| MX510818 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 1021-666-005 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 352-00014 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| 355-00019 | OBSOLETE | ----- | 75 | EXT TH | 383,0 x 253,0 x 2,5 | 15,08 x 9,96 x 0,098 |
| 355-00020 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,3 | 15,08 x 9,96 x 0,128 |
| 355-00022 | OBSOLETE | ----- | 75 | EXT TH | 345,0 x 243,0 x 2,5 | 13,58 x 9,57 x 0,098 |
| 355-00023 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,3 | 13,58 x 9,57 x 0,128 |
| 412-00013 | ELASTOMER | RADIAL | 56 | (60)IN TH | 180,0 x 145,0 x 4,0 | 7,09 x 5,71 x 0,157 |
| 1222-2001 | OBSOLETE AFTER STOCK | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 1222-2018 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 1222-2019 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 146,1 x 78,5 x 1,6 | 5,75 x 3,09 x 0,063 |
| 4355-7002 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 250,0 x 170,0 x 4,5 | 9,84 x 6,69 x 0,177 |
| 4355-7005 | DISC STEEL INTERMEDIATE | ----- | 77 | EXT TH | 274,0 x 182,0 x 4,0 | 10,79 x 7,17 x 0,157 |
| 4355-7006 | OBSOLETE AFTER STOCK | | 77 | EXT TH | 274,0 x 182,0 x 4,25 | 10,79 x 7,17 x 0,167 |
| 4355-7010 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 4355-7011 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 4355-7012 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 4355-7013 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,5 | 13,58 x 9,57 x 0,177 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|----------------------|
| 4355-7014 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 4355-7015 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 4355-7016 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,157 |
| 4355-7017 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,3 | 15,08 x 9,96 x 0,167 |
| 4355-7018 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 7123-32360 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 250,0 x 170,0 x 4,5 | 9,84 x 6,69 x 0,177 |
| 7124-22540 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 7124-52500 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 0501 208 435 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 0501 314 381 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 4474 308 082 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4474 308 083 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 4474 308 084 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 4645 251 022 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 4645 351 023 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 4656 251 021 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 3146363 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 3146743 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3146763 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3146793 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 3,9 | 12,40 x 8,90 x 0,154 |
| 3146803 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 3146813 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 5,0 | 12,40 x 8,90 x 0,197 |
| 3146823 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 3146833 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,5 | 13,58 x 9,57 x 0,177 |
| 3146843 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 3146853 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,154 |
| 3146863 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 3146873 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 5,0 | 15,08 x 9,96 x 0,197 |
| 3154543 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,3 | 12,40 x 8,90 x 0,167 |
| 3200513 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 3200523 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,3 | 15,08 x 9,96 x 0,167 |
| 3243233 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 1.114-00173 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 1.114-00174 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 1.114-00175 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 1.222-00001 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 1.222-00002 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 1.222-00003 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 1.222-00004 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 1.222-00020 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 1.222-00021 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 1.222-00022 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 1.222-00023 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |

| | | | | | | |
|--------------|--|------------------|----|--------|---------------------|-----------------------|
| 1.222-00024 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 1.222-00042 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 1.222-00025 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 1.222-00026 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 1.222-00028 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 1.222.00029 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 1.222-00031 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 1.222-00043 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 1.222-00046 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 1.222-00048 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 2.114-00621 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 2.114-00622 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,0 | 7,32 x 5,22 x 0,077 |
| 2.222-00001 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| 2.222-00002 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |
| 2.222-00003 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |
| 2.222-00012 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 2.222-00013 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 2.222-00017 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 2.222-00020 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 2.222-00029 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 2.222-00046 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 2.222-00047 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 2.222-00048 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 2.222-00080 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 2.222-00082 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 2.222-00083 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 2.222-00084 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 2.222-00085 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 4,0 | 6,69 x 5,22 x 0,157 |
| 2.222-00086 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0 x 111,0 x 2,7 | 7,09 x 4,37 x 0,105 |
| 2.222-00087 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 2.222-00088 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| 2.222-00089 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 2.222-00090 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 2.222-00091 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 130106-00001 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 220,0 x 90,5 x 4,0 | 8,66 x 3,56 x 0,157 |
| 130106-00004 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 362,0 X 195,0 X 4,6 | 14,25 x 7,68 x 0,179 |
| 130106-00022 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 130106-00063 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 130107-00003 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 8 | EXT LG | 240,0 x 140,0 x 4,5 | 9,45 x 5,51 x 0,177 |
| 130107-00037 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 78 | INT TH | 445,5 x 312,3 x 4,0 | 17,54 x 12,30 x 0,157 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 130107-00038 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 479,0 x 322,0 x 2,7 | 18,86 x 12,68 x 0,106 |
| 13011300009 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 380,0 x 254,0 x 4,0 | 14,96 x 10,00 x 0,157 |
| DAF | | | | | | |
| 1342752 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,6 x 107,0 x 1,8 | 6,36 x 4,21 x 0,071 |
| 1342753 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 34 | INT TH | 146,7 x 99,7 x 2,1 | 5,78 x 3,93 x 0,083 |
| DAIMLER | | | | | | |
| 554179 | OBSOLETE | RADIAL | 82 | EXT TH | 213,4 x 142,2 x 3,2 | 8,40 x 5,60 x 0,125 |
| 25C132098 | OBSOLETE | RADIAL | 82 | EXT TH | 213,4 x 142,2 x 3,2 | 8,40 x 5,60 x 0,125 |
| 25271543 | OBSOLETE | ----- | 52 | INT TH | 197,9 x 127,0 x 3,2 | 7,79 x 5,00 x 0,125 |
| DANFOSS | | | | | | |
| 1545967 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | (27) IN TH | 88,0 x 53,2 x 1,6 | 3,46 x 2,09 x 0,063 |
| 154B2832 | DISC STEEL INTERMEDIATE | HARD/BLACK | 6 | EXT LG | 99,7 x 60,3 x 1,5 | 3,93 x 2,37 x 0,059 |
| 154B2833 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 123,7 x 72,0 x 1,5 | 4,87 x 2,83 x 0,059 |
| 154B5970 | DISC STEEL INTERMEDIATE | ----- | 19 | INT TH | 107,0 x 62,5 x 1,5 | 4,21 x 2,46 x 0,059 |
| DANTRUCK | | | | | | |
| 09217039 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| DEUTZ | | | | | | |
| 04416412 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 04416413 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 04416760 | CLUTCH DISC SINTER BRONZE | SUNBURST | 30 | EXT TH | 118,3 x 77,3 x 2,2 | 4,66 x 3,04 x 0,087 |
| 04416795 | DISC STEEL INTERMEDIATE | SINEWAVED | 47 | (48)IN TH | 198,0 x 131,6 x 2,8 | 7,80 x 5,18 x 0,110 |
| 04416967 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 110,9 x 70,7 x 1,5 | 4,37 x 2,78 x 0,059 |
| 04417527 | DISC FRICTION FP | WAFFLE | 28 | INT TH | 223,0 x 56,0 x 4,4 | 8,78 x 2,20 x 0,173 |
| 04417528 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 253,0 x 150,0 x 2,6 | 9,96 x 5,91 x 0,102 |
| 04417601 | DISC STEEL INTERMEDIATE | HARDENED | 41 | INT TH | 177,7 x 119,5 x 2,0 | 7,00 x 4,70 x 0,079 |
| 04417633 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | EXT LG | 193,7 x 136,3 x 3,0 | 7,63 x 5,37 x 0,098 |
| 04419769 | DISC FRICTION FP | WAFFLE | 10 | EXT LG | 211,0 x 149,4 x 2,5 | 8,31 x 5,88 x 0,098 |
| 04426602 | DISC FRICTION GRPH | SUNBURST | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 04433619 | DISC STEEL INTERMEDIATE | SINEWAVED | 40 | (41)IN TH | 233,0 x 160,2 x 2,8 | 9,17 x 6,31 x 0,110 |
| 04434228 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 04434229 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 04433623 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| 84300615 | DISC STEEL INTERMEDIATE | HARDENED | 12 | INT LG | 178,0 x 117,2 x 2,0 | 7,01 x 4,61 x 0,079 |
| 0.900.0019.3 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | EXT LG | 193,7 x 136,3 x 3,0 | 7,63 x 5,37 x 0,098 |
| 0.900.1131.6 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| 0.900.0116.1 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 0.900.0504.0 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 0.900.0706.1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 0.900.0706.2 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 0.900.0706.3 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 0.900.0801.2 | DISC FRICTION GRPH | SUNBURST | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 0.900.0801.3 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 288,0 x 156,0 x 3,0 | 11,34 x 6,14 x 0,118 |
| 0.900.0946.6 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 248,0 x 156,0 x 5,0 | 9,76 x 6,14 x 0,197 |
| 0.900.1163.2 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 242,5 x 72,0 x 5,2 | 9,55 x 2,83 x 0,205 |

| | | | | | | |
|---------------------|---------------------------|-------------|-----|-----------|----------------------|-----------------------|
| 0.900.1362.9 | DISC FRICTION FP | WAFFLE | 50 | EXT TH | 204,7 x 149,0 x 2,5 | 8,06 x 5,87 x 0,098 |
| 0.900.1377.2 | DISC STEEL INTERMEDIATE | HARDENED | 41 | INT TH | 177,7 x 119,5 x 2,0 | 7,00 x 4,70 x 0,079 |
| DITCH WITCH | | | | | | |
| 501-890 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 501-891 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 501-891 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| DONGI MARINE | | | | | | |
| 170107 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 142,3 x 94,0 x 2,5 | 5,60 x 3,70 x 0,098 |
| 170108 | DISC STEEL INTERMEDIATE | ----- | 56 | INT TH | 134,0 x 81,2 x 2,0 | 5,27 x 3,20 x 0,078 |
| DRESSER | | | | | | |
| PB7600-2 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |
| PB7601-2 | DISC STEEL INTERMEDIATE | ----- | 226 | EXT TH | 681,0 x 509,8 x 2,4 | 26,81 x 20,07 x 0,094 |
| PB7602-2 | DISC DAMPER | ----- | 226 | EXT TH | 681,0 x 509,8 x 6,9 | 26,81 x 20,07 x 0,270 |
| DRESSTA | | | | | | |
| 325-01-0047 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 193,5 x 101,3 x 4,0 | 7,62 x 3,99 x 0,157 |
| 325-01-1369 | DISC STEEL INTERMEDIATE | ----- | 34 | (46)EX TH | 216,0 x 119,0 x 2,7 | 8,50 x 4,69 x 0,104 |
| 376-04-1004 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 244,0 x 173,0 x 3,2 | 9,61 x 6,81 x 0,126 |
| 386-07-0117 | DISC FRICTION GRPH | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 386-07-0123 | DISC FRICTION GRPH | SUNBURST | 45 | INT TH | 266,7 x 187,2 x 2,8 | 10,50 x 7,37 x 0,110 |
| 386-07-0264 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 420,9 x 323,9 x 4,29 | 16,57 x 12,75 x 0,169 |
| 386-07-1033 | DISC STEEL INTERMEDIATE | ----- | 41 | EXT TH | 210,1 x 152,4 x 2,1 | 8,27 x 6,00 x 0,083 |
| 386-07-1066 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 276,0 x 200,7 x 2,3 | 10,87 x 7,90 x 0,090 |
| 386-07-2562 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,29 | 12,44 x 8,75 x 0,168 |
| 391-05-0016 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 316,0 x 222,3 x 4,27 | 17,25 x 13,50 x 0,090 |
| 391-05-1037 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,0 x 240,0 x 2,35 | 12,99 x 9,45 x 0,093 |
| 395-07-0131 | DISC FRICTION CARBON FP | SUNBURST | 39 | INT TH | 228,1 x 161,8 x 2,8 | 8,98 x 6,37 x 0,112 |
| 395-07-0133 | OBSOLETE | SUNBURST | 36 | INT TH | 316,0 x 222,5 x 2,8 | 12,44 x 8,76 x 0,112 |
| 395-07-0261 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 329,0 x 240,0 x 2,4 | 12,95 x 9,45 x 0,093 |
| 395-07-1212 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,0 x 173,0 x 2,4 | 9,72 x 6,81 x 0,093 |
| 395-07-1213 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,0 x 173,0 x 2,4 | 9,72 x 6,81 x 0,093 |
| 576-07-1105 | OBSOLETE | SUNBURST | 48 | INT TH | 162,0 x 120,0 x 2,6 | 6,38 x 4,72 x 0,102 |
| 585-07-0255 | DISC STEEL INTERMEDIATE | RUBBER PINS | 6 | EXT LG | 437,0 x 343,0 x 2,4 | 17,20 x 13,50 x 0,093 |
| 588-07-0255 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,3 | 17,25 x 13,50 x 0,090 |
| 588-32-1011 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 198,2 x 133,4 x 2,3 | 7,80 x 5,25 x 0,091 |
| 778-32-0201 | OBSOLETE | WAFFLE | 36 | INT TH | 316,0 x 222,5 x 4,3 | 12,44 x 8,76 x 0,168 |
| 852-011-352 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| 852-04-1335 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 852-04-1336 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 852-05-0120 | OBSOLETE | | | | | |
| 852-05-0121 | DISC FRICTION GRPH | SUNBURST | 45 | INT TH | 266,7 x 187,2 x 2,8 | 10,50 x 7,37 x 0,110 |
| 852-12-1353 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| DYNAHOE | | | | | | |
| 62901014 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 62901015 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| DYNAPAC | | | | | | |
| 421231 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 122,0 x 72,0 x 2,4 | 4,80 x 2,83 x 0,094 |
| 49600254 | DISC STEEL INTERMEDIATE | ----- | 37 | EXT TH | 75,5 x 57,2 x 1,1 | 2,97 x 2,25 x 0,042 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--|--|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 49600255 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 71,1 x 52,7 x 1,7 | 2,80 x 2,07 x 0,065 |
| 4700939027 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 4700939033 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| EDER | | | | | | |
| 711207 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 711208 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 711759 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| EUCLID (also see ALLISON and HITACHI) | | | | | | |
| 0209929 | OBSOLETE AFTER STOCK | | 24 | INT TH | 187,5 x 95,3 x 4,0 | 7,38 x 3,75 x 0,157 |
| 0216050 | OBSOLETE AFTER STOCK | SUNBURST | 34 | INT TH | 205,0 x 114,8 x 3,9 | 8,07 x 4,52 x 0,154 |
| 0222173 | DISC STEEL INTERMEDIATE | ----- | 17 | (34)EX TH | 225,0 x 133,6 x 2,7 | 8,86 x 5,26 x 0,106 |
| 0232395 | DISC STEEL INTERMEDIATE | ----- | 21 | (28)EX TH | 314,2 x 227,3 x 2,6 | 12,37 x 8,95 x 0,102 |
| 0242716 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 212,6 x 145,0 x 4,0 | 8,37 x 5,71 x 0,156 |
| 0242717 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 228,1 x 159,0 x 2,7 | 8,98 x 6,26 x 0,105 |
| 1528774 | DISC STEEL INTERMEDIATE | ----- | 14 | EXT TH | 244,6 x 182,9 x 2,6 | 9,63 x 7,20 x 0,103 |
| 1528786 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 335,0 x 273,1 x 2,6 | 13,19 x 10,75 x 0,103 |
| 1528787 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT TH | 335,0 x 272,9 x 3,0 | 13,19 x 10,75 x 0,120 |
| 2108352 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 4050720 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0 x 259,1 x 3,8 | 12,56 x 10,20 x 0,148 |
| 4050728 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 4050741 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 4058551 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 4058554 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 4095205 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 4095206 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4095310 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,2 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 4095311 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 4096383 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| EU4059006 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT TH | 670,6 x 468,4 x 3,1 | 26,40 x 18,44 x 0,122 |
| EU4059008 | DISC FRICTION FP | 3 PASS | 52 | INT TH | 648,0 x 432,6 x 5,2 | 25,51 x 17,03 x 0,205 |
| 6830293 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 57 | INT TH | 303,8 x 235,2 x 3,9 | 11,96 x 9,26 x 0,153 |
| 12577948 | DISC STEEL INTERMEDIATE | ----- | 84 | EXT TH | 863,9 x 606,6 x 3,0 | 34,01 x 23,88 x 0,118 |
| 12579204 | DISC DAMPER | ----- | 84 | EXT TH | 863,9 x 606,6 x 7,4 | 34,01 x 23,88 x 0,290 |
| 12579870 | DISC FRICTION FP | 3 PASS | 84 | INT TH | 830,1 x 558,8 x 5,6 | 32,68 x 22,00 x 0,220 |
| 12612897 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 112 | INT TH | 1069,0 x 750,0 x 5,5 | 42,09 x 29,53 x 0,217 |
| 12613548 | DISC STEEL INTERMEDIATE | ----- | 108 | EXT TH | 1102,4 x 806,7 x 4,5 | 43,40 x 31,76 x 0,177 |
| 12613550 | DISC DAMPER | ----- | 108 | EXT TH | 1102,4 x 806,7 x 9,0 | 43,40 x 31,76 x 0,354 |
| 12671032 | DISC STEEL INTERMEDIATE | ----- | 84 | EXT TH | 863,9 x 606,6 x 3,0 | 34,01 x 23,88 x 0,118 |
| 12671034 | DISC FRICTION FP | 3 PASS | 84 | INT TH | 830,1 x 558,8 x 5,6 | 32,68 x 22,00 x 0,220 |
| F&S | | | | | | |
| 0787-035-500 | AFP | 3 PASS | 66 | INT TH | 378,0 x 326,0 x 3,1 | 14,88 x 12,83 x 0,120 |
| Torque Converter | CLUTCH DISC SINTER BRONZE | SPIRAL | 71 | INT TH | 393,0 x 350,0 x 3,3 | 15,47 x 13,78 x 0,130 |
| Torque Converter | DISC STEEL INTERMEDIATE | ----- | 80 | EXT TH | 402,0 x 363,0 x 2,0 | 15,83 x 14,29 x 0,079 |

| | | | | | | |
|----------------------|---------------------------|----------|-----|-----------|----------------------|-----------------------|
| Torque Converter | CLUTCH DISC SINTER BRONZE | SPR/RAD | 53 | INT TH | 302,8 x 261,1 x 3,3 | 11,92 x 10,28 x 0,130 |
| Torque Converter | DISC STEEL INTERMEDIATE | ----- | 62 | EXT TH | 312,2 x 272,0 x 2,0 | 12,29 x 10,71 x 0,079 |
| FAI (KOMATSU) | | | | | | |
| CA0110642 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| CA0110643 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| CA0110644 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| CA0119363 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| CA0119682 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| CA0121656 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| CA0132690 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 272,0 x 71,1 x 4,9 | 10,71 x 2,80 x 0,193 |
| CA0133924 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| CA0133972 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| CA0134740 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| CA0136112 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| CA0136139 | DISC STEEL INTERMEDIATE | ----- | 32 | (80)EX TH | 282,0 x 207,5 x 5,0 | 11,10 x 8,17 x 0,197 |
| CA0136155 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| CA0136644 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| CA0138377 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8 x 152,4 x 2,1 | 8,30 x 6,00 x 0,083 |
| CA0138378 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| CA0138574 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| CA0143874 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| CA0148487 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 5,0 | 13,21 x 7,42 x 0,197 |
| CA0148488 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 8,0 | 13,21 x 7,42 x 0,315 |
| CA0148795 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0 x 43,0 x 6,7 | 11,38 x 1,69 x 0,262 |
| CK0245238 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| CK0245239 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| HU1127061 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| HU1127612 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| HU7347402 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| HU7347612 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| MI3148073 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 304,0 x 57,0 x 10,0 | 11,97 x 2,24 x 0,394 |
| FANTUZZI | | | | | | |
| DO1.186046 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 214,0 x 145,2 x 2,0 | 8,43 x 5,72 x 0,079 |
| DO2.126367 | OBSOLETE | | 64 | INT TH | 355,5 x 200,0 x 7,3 | 14,00 x 7,87 x 0,285 |
| DO2.186045 | OBSOLETE AFTER STOCK | | 45 | INT TH | 195,0 x 130,0 x 3,8 | 7,68 x 5,12 x 0,150 |
| AC4.125242 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 300,0 x 127,0 x 4,6 | 11,81 x 5,00 x 0,181 |
| AC4.125368 | DISC FRICTION GRPH | SUNBURST | 25 | INT TH | 223,5 x 62,0 x 5,7 | 8,80 x 2,44 x 0,224 |
| AC4.126409 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT SL | 450,0 x 235,0 x 7,1 | 17,72 x 9,25 x 0,278 |
| 10.AC4.286057 | DISC FRICTION FP | 3 PASS | 72 | INT TH | 467,0 x 281,0 x 5,5 | 18,38 x 11,06 x 0,217 |
| 10.AC4.286058 | DISC STEEL INTERMEDIATE | ----- | 120 | EXT TH | 483,0 x 300,0 x 5,0 | 19,02 x 11,81 x 0,197 |
| 1H7380700503 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 1H7380761004 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 1K507275223 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 1K507275293 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 1K507275303 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 6,0 | 19,21 x 12,20 x 0,236 |
| 1K507275343 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 1K507275673 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 1K507275773 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 1K507275773b | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 3,5 | 19,21 x 12,20 x 0,138 |
| 1K507275843 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 1K507275913 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 340,0 x 221,0 x 4,1 | 13,39 x 8,70 x 0,161 |
| 1K507275923 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 239,0 x 5,0 | 14,09 x 9,41 x 0,197 |
| D210/507-275-303 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 6,0 | 19,21 x 12,20 x 0,236 |
| D209/507-275-343 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 2730,761 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 2738,070 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| FTZ00485 | DISC STEEL INTERMEDIATE | ----- | 120 | EXT TH | 483,0 x 300,0 x 5,0 | 19,02 x 11,81 x 0,197 |
| FTZ00486 | DISC FRICTION FP | 3 PASS | 72 | INT TH | 467,0 x 281,0 x 5,5 | 18,38 x 11,06 x 0,217 |
| FARESIN | | | | | | |
| 610110601 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 610114301 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 610114401 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| FARMTRAC | | | | | | |
| D10085690 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| D10085700 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| D10085710 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| FAY | | | | | | |
| CKO245238 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| CKO245239 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| FENDT | | | | | | |
| 138.105.220.250 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 140,0 x 80,3 x 2,0 | 5,51 x 3,16 x 0,079 |
| 178.100.220.510 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 168,0 x 105,2 x 2,5 | 6,61 x 4,14 x 0,098 |
| 178.100.220.540 | DISC FRICTION ORG | ----- | 6 | EXT LG | 181,0 x 115,0 x 3,5 | 7,13 x 4,53 x 0,136 |
| 180.101.320.220 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 8 | EXT LG | 171,5 x 124,4 x 2,0 | 6,75 x 4,90 x 0,079 |
| 205.100.200.500 | DISC FRICTION ORG | ----- | 8 | EXT LG | 154,5 x 95,0 x 3,3 | 6,08 x 3,74 x 0,128 |
| 238.108.220.300 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 140,0 x 80,3 x 2,5 | 5,51 x 3,16 x 0,098 |
| 385.101.320.020 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 8 | EXT LG | 171,5 x 124,4 x 2,9 | 6,75 x 4,90 x 0,114 |
| 514.100.100.140 | DISC STEEL INTERMEDIATE | SINEWAVED | 47 | (48)INT TH | 198,0 x 131,6 x 2,8 | 7,80 x 5,18 x 0,110 |
| 514.100.360.090 | CLUTCH DISC SINTER BRONZE | SUNBURST | 30 | EXT TH | 118,3 x 77,3 x 2,2 | 4,66 x 3,04 x 0,087 |
| 514.100.360.410 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 110,9 x 70,7 x 1,5 | 4,37 x 2,78 x 0,059 |
| 716.150.150.500 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 254,0 x 150,0 x 4,0 | 10,00 x 5,90 x 0,157 |
| 716.150.220.660 | DISC STEEL INTERMEDIATE | HARDENED | 38 | INT TH | 178,0 x 119,0 x 2,5 | 7,01 x 4,69 x 0,098 |
| 822.100.010.120 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 177,7 x 119,4 x 2,5 | 7,00 x 4,70 x 0,098 |
| 822.100.101.130 | DISC STEEL INTERMEDIATE | HARDENED | 73 | EXT TH | 187,7 x 140,0 x 2,0 | 7,39 x 5,51 x 0,079 |
| 822.100.150.040 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 36 | INT TH | 223,5 x 71,3 x 4,8 | 8,80 x 2,81 x 0,189 |
| 822.100.200.950 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 168,0 x 105,2 x 2,5 | 6,61 x 4,14 x 0,098 |
| 824.100.100.130 | DISC STEEL INTERMEDIATE | SINEWAVED | 40 | (41)INT TH | 233,0 x 160,2 x 2,8 | 9,17 x 6,31 x 0,110 |
| 824.100.320.070 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 824.100.360.170 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 824.100.360.180 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 824.100.360.190 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 824.100.360.200 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |

| | | | | | | |
|---|---------------------------|-----------------------------------|-----|-----------|----------------------|-----------------------|
| 835.100.321.071 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 36 | INT TH | 223,5 x 71,3 x 4,8 | 8,80 x 2,81 x 0,189 |
| 924.152.220.480 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 73 | EXT TH | 188,4 x 134,6 x 2,8 | 7,42 x 5,30 x 0,110 |
| 931.150.150.230 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 36 | INT TH | 249,2 x 71,1 x 5,0 | 9,81 x 2,80 x 0,197 |
| G001990200330 | CLUTCH DISC KIT | 6 X IM9571 AND 6 X IM8778MP | | | | |
| G001990200330 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0 x 110,0 x 4,0 | 7,68 x 4,33 x 0,157 |
| G001990200330 | DISC FRICTION FP | 2 PASS | 28 | INT TH | 169,7 x 56,1 x 4,8 | 6,68 x 2,21 x 0,189 |
| G001990200370 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| G001990200590 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| G001990200600 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| FENWICK | | | | | | |
| 3501718 | DISC STEEL INTERMEDIATE | ----- | 36 | (42)IN TH | 176,3 x 102,6 x 2,0 | 6,94 x 4,04 x 0,079 |
| 8100670 | OBSOLETE | SPR/RAD | 60 | (63)IN TH | 207,0 x 157,0 x 2,7 | 8,15 x 6,18 x 0,106 |
| FERMEC (TEREX) | | | | | | |
| 3384487M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 156,8 x 110,2 x 2,5 | 6,17 x 4,34 x 0,098 |
| 3523622M1 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 6190039M1 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 6190042M1 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 6190105M1 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 6190106M1 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 6190295M1 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 6193395M1 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 6193396M1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 6193397M1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 6193399M1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| 6193509M1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 6194352M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| 6194353M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 6195568M1 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0 x 43,0 x 6,7 | 11,38 x 1,69 x 0,262 |
| FIAT ALLIS & FIAT HITACHI (ALLIS CHALMERS) | | | | | | |
| 000 14687 | DISC STEEL INTERMEDIATE | ----- | 67 | INT TH | 290,1 x 195,1 x 2,5 | 11,42 x 7,68 x 0,098 |
| 000 18752 | DISC STEEL INTERMEDIATE | ----- | 88 | INT TH | 365,8 x 273,1 x 2,3 | 14,40 x 10,75 x 0,090 |
| 000 22767 | CLUTCH DISC SINTER BRONZE | SUNBURST | 134 | EXT TH | 429,8 x 320,7 x 3,9 | 16,92 x 12,63 x 0,155 |
| 000 22768 | DISC STEEL INTERMEDIATE | ----- | 97 | INT TH | 408,9 x 302,0 x 2,3 | 16,10 x 11,89 x 0,091 |
| 000 22770 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 289,1 x 193,8 x 2,3 | 11,38 x 7,63 x 0,090 |
| 000 25637 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0 x 171,5 x 4,7 | 10,00 x 6,75 x 0,187 |
| 000 26391 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 000 48461 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 005 08052 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 005 08053 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| 005 16809 | OBSOLETE | ----- | 67 | EXT TH | 347,5 x 256,5 x 4,0 | 13,68 x 10,10 x 0,156 |
| 005 16810 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 325,1 x 236,5 x 2,4 | 12,80 x 7,31 x 0,094 |
| 005 39747 | DISC STEEL INTERMEDIATE | ----- | 65 | INT TH | 259,8 x 190,0 x 2,5 | 10,23 x 7,48 x 0,098 |
| 005 55489 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 305,0 x 156,0 x 7,1 | 12,01 x 6,14 x 0,280 |
| 005 63495 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6 x 212,6 x 4,7 | 12,03 x 8,37 x 0,187 |
| 005 66519 | DISC STEEL INTERMEDIATE | HARD/BLACK | 21 | INT TH | 229,0 x 171,0 x 2,0 | 9,02 x 6,73 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 005 66520 | CLUTCH DISC SINTER BRONZE | ----- | 28 | EXT TH | 239,0 x 180,1 x 4,0 | 9,41 x 7,09 x 0,157 |
| 005 67385 | DISC STEEL INTERMEDIATE | ----- | 67 | INT TH | 290,1 x 195,1 x 2,5 | 11,42 x 7,68 x 0,098 |
| 005 67386 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6 x 212,6 x 4,7 | 12,03 x 8,37 x 0,187 |
| 005 75812 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 005 81003 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 195,1 x 120,9 x 2,5 | 7,68 x 4,76 x 0,098 |
| 005 82301 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 005 86578 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 005 86599 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,80 x 0,280 |
| 005 87050 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6 x 212,6 x 4,7 | 12,03 x 8,37 x 0,187 |
| 005 87661 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 305,1 x 156,0 x 7,1 | 12,01 x 6,14 x 0,280 |
| 005 88222 | DISC STEEL INTERMEDIATE | ----- | 51 | INT TH | 225,0 x 137,9 x 3,0 | 8,86 x 5,43 x 0,118 |
| 005 88223 | CLUTCH DISC SINTER BRONZE | SUNBURST | 55 | EXT TH | 239,0 x 163,1 x 4,3 | 9,41 x 6,42 x 0,169 |
| 005 89025 | DISC STEEL INTERMEDIATE | ----- | 90 | INT TH | 352,0 x 266,0 x 3,5 | 13,86 x 10,47 x 0,138 |
| 005 89026 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 005 91030 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 005 97258 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 005 98114 | DISC STEEL INTERMEDIATE | ----- | 51 | INT TH | 225,0 x 138,0 x 8,0 | 8,86 x 5,43 x 0,315 |
| 005 98116 | DISC STEEL INTERMEDIATE | ----- | 51 | INT TH | 225,0 x 138,0 x 8,0 | 8,86 x 5,43 x 0,315 |
| 006 10206 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 020 39351 | END PLATE | ----- | 60 | EXT TH | 154,3 x 113,5 x 8,0 | 6,07 x 4,47 x 0,315 |
| 020 39353 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 047 55381 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 047 61032 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 048 19283 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 049 07850 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 049 13971 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 049 13985 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 049 17871 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 049 17873 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 049 17896 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 049 17897 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 049 40457 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 049 40458 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,8 x 80,0 x 3,2 | 5,42 x 3,15 x 0,125 |
| 049 41481 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 77,2 x 1,0 | 5,18 x 3,04 x 0,039 |
| 049 41581 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,5 x 3,0 | 4,92 x 2,70 x 0,118 |
| 049 55520 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 049 57429 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 049 58069 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 049 58653 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 049 59321 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 305,0 x 156,0 x 7,1 | 12,01 x 6,14 x 0,280 |
| 049 59448 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 049 67080 | OBSOLETE AFTER STOCK | | 74 | EXT TH | 188,0 x 138,0 x 3,2 | 7,40 x 5,43 x 0,126 |
| 049 84755 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 049 90970 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 175,8 x 115,4 x 2,4 | 6,92 x 4,54 x 0,094 |
| 049 90971 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 191,7 x 127,3 x 2,0 | 7,55 x 5,01 x 0,079 |

| | | | | | | |
|-----------|---------------------------|------------|-----|--------|---------------------|-----------------------|
| 069 00790 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 075 19924 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 087 61313 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| 087 61315 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 092 76227 | OBSOLETE | ----- | 57 | EXT TH | 162,6 x 123,0 x 1,8 | 6,40 x 4,84 x 0,071 |
| 092 76228 | OBSOLETE | SPR/RAD | 42 | INT TH | 153,9 x 114,8 x 2,5 | 6,06 x 4,52 x 0,098 |
| 094 33405 | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,1 | 4,42 x 2,81 x 0,083 |
| 094 35217 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 101,6 x 64,8 x 1,5 | 4,00 x 2,55 x 0,063 |
| 094 49009 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 2,5 | 5,48 x 3,88 x 0,100 |
| 095 02757 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 098 46631 | DISC FRICTION GRPH | SUN/RAD | 16 | INT TH | 204,0 x 40,0 x 4,9 | 8,03 x 1,57 x 0,193 |
| 098 46632 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 209,0 x 140,0 x 2,7 | 8,23 x 5,51 x 0,106 |
| 099 26134 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 339,4 x 244,1 x 2,6 | 13,36 x 9,61 x 0,102 |
| 099 26135 | CLUTCH DISC SINTER BRONZE | RAD/2 PASS | 58 | INT TH | 317,0 x 232,0 x 4,0 | 12,48 x 9,13 x 0,157 |
| 099 26856 | OBSOLETE | RAD/2 PASS | 58 | INT TH | 317,0 x 232,0 x 5,0 | 12,48 x 9,13 x 0,197 |
| 099 68289 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 099 68290 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| 700 25637 | CLUTCH DISC SINTER BRONZE | ----- | 119 | EXT TH | 254,0 x 171,5 x 4,7 | 10,00 x 6,75 x 0,187 |
| 700 25638 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3 x 158,8 x 1,6 | 9,50 x 6,25 x 0,063 |
| 700 41781 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 325,1 x 236,5 x 2,4 | 12,80 x 7,31 x 0,094 |
| 700 44478 | CLUTCH DISC SINTER BRONZE | ----- | 67 | EXT TH | 347,5 x 256,5 x 4,0 | 13,68 x 10,10 x 0,156 |
| 700 51952 | DISC STEEL INTERMEDIATE | ----- | 97 | INT TH | 408,9 x 302,0 x 2,3 | 16,10 x 11,89 x 0,091 |
| 700 57375 | CLUTCH DISC SINTER BRONZE | ----- | 67 | EXT TH | 347,5 x 256,5 x 4,0 | 13,68 x 10,10 x 0,156 |
| 700 94681 | DISC STEEL INTERMEDIATE | ----- | 120 | INT TH | 490,5 x 373,9 x 2,3 | 19,31 x 14,72 x 0,090 |
| 700 94868 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 160 | EXT TH | 512,8 x 394,5 x 4,0 | 20,19 x 15,53 x 0,157 |
| 701 78360 | CLUTCH DISC SINTER BRONZE | ----- | 67 | EXT TH | 347,5 x 256,5 x 4,0 | 13,68 x 10,10 x 0,156 |
| 706 23017 | CLUTCH DISC SINTER BRONZE | SUNBURST | 134 | EXT TH | 429,8 x 320,7 x 3,9 | 16,92 x 12,63 x 0,155 |
| 706 23018 | DISC STEEL INTERMEDIATE | ----- | 97 | INT TH | 408,9 x 302,0 x 2,3 | 16,10 x 11,89 x 0,091 |
| 706 23463 | DISC FRICTION FP | 2 PASS | 53 | INT TH | 342,9 x 220,5 x 5,2 | 13,50 x 8,68 x 0,204 |
| 706 23464 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,38 x 0,247 |
| 706 24244 | CLUTCH DISC SINTER BRONZE | SUNBRST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 706 24245 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 180,1 x 129,5 x 2,1 | 7,09 x 5,10 x 0,083 |
| 706 24562 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 325,1 x 236,5 x 2,4 | 12,80 x 7,31 x 0,094 |
| 706 29863 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 706 29864 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8 x 152,4 x 2,1 | 8,30 x 6,00 x 0,083 |
| 706 42061 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 706 42113 | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,6 x 151,6 x 3,1 | 8,45 x 5,97 x 0,122 |
| 706 42146 | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,4 x 2,3 | 8,00 x 5,45 x 0,091 |
| 706 42147 | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 228,6 x 158,7 x 2,6 | 9,00 x 6,25 x 0,102 |
| 706 42453 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,37 x 0,248 |
| 706 45451 | DISC FRICTION FP | 2 PASS | 53 | INT TH | 342,9 x 220,5 x 5,2 | 13,50 x 8,68 x 0,204 |
| 706 57968 | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,7 x 2,3 | 8,00 x 5,46 x 0,091 |
| 706 74036 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5 x 99,1 x 1,6 | 5,61 x 3,90 x 0,063 |
| 706 75510 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 706 79935 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 706 88736 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| 706 88802 | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 228,6 x 158,7 x 2,6 | 9,00 x 6,25 x 0,102 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 706 93536 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 707 34526 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 710 04870 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 710 04876 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 710 05843 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 714 48878 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 714 48879 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 714 48880 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 714 48881 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 714 48936 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 714 48940 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 714 48948 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 714 48951 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| 714 48985 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 714 67158 | DISC FRICTION FP | WAFFLE | 38 | (45)IN TH | 166,0 x 136,0 x 1,8 | 6,54 x 5,35 x 0,070 |
| 714 67159 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 175,0 x 146,0 x 1,4 | 6,89 x 5,75 x 0,053 |
| 730 21191 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 274,3 x 201,9 x 2,7 | 10,80 x 7,95 x 0,107 |
| 730 21215 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 730 44593 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 730 46030 | CLUTCH DISC SINTER BRONZE | SPR/RAD | | | 253,5 x 74,4 x 3,9 | 9,98 x 2,93 x 0,153 |
| 730 47702 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,1 x 255,8 x 3,1 | 13,00 x 10,08 x 0,122 |
| 730 47703 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 57 | INT TH | 303,8 x 235,2 x 3,9 | 11,96 x 9,26 x 0,153 |
| 730 58782 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 274,3 x 201,9 x 2,7 | 10,80 x 7,95 x 0,107 |
| 730 58783 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 730 62078 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,1 x 255,8 x 3,1 | 13,00 x 10,08 x 0,122 |
| 730 76679 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 730 77153 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 57 | INT TH | 303,8 x 235,2 x 3,9 | 11,96 x 9,26 x 0,153 |
| 731 18088 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 731 18089 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 731 18133 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 731 28188 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 731 28407 | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,6 x 151,6 x 3,1 | 8,45 x 5,97 x 0,122 |
| 731 29164 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 731 38264 | CLUTCH DISC SINTER BRONZE | SPR/RAD | | | 253,5 x 74,4 x 3,9 | 9,98 x 2,93 x 0,153 |
| 731 40703 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 731 40704 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 731 40719 | OBSOLETE AFTER STOCK | | 12 | EXT LG | 320,0 x 268,0 x 2,5 | 12,60 x 10,55 x 0,098 |
| 731 42391 | OBSOLETE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,4 | 12,05 x 10,16 x 0,134 |
| 731 42977 | OBSOLETE AFTER STOCK | | 35 | EXT TH | 177,0 x 109,0 x 2,4 | 6,97 x 4,29 x 0,094 |
| 731 42978 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 731 42979 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 731 42981 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 731 43004 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |

| | | | | | | |
|-----------|--|-----------|----|------------|---------------------|----------------------|
| 731 43008 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 731 43009 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 731 72245 | DISC STEEL INTERMEDIATE | HARDENED | 48 | EXT TH | 99,5 x 77,2 x 1,1 | 3,92 x 3,04 x 0,043 |
| 731 72246 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | INT TH | 93,8 x 72,5 x 2,3 | 3,69 x 2,85 x 0,091 |
| 731 81966 | CLUTCH DISC SINTER BRONZE | WAFFLE | 54 | EXT TH | 109,5 x 81,6 x 1,9 | 4,31 x 3,21 x 0,075 |
| 731 86745 | CLUTCH DISC SINTER BRONZE | SPIRAL | 27 | EXT TH | 84,2 x 58,5 x 1,8 | 3,31 x 2,30 x 0,071 |
| 731 86746 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 76,7 x 54,2 x 1,0 | 3,02 x 2,13 x 0,039 |
| 749 07850 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 752 11018 | OBSOLETE | SUNBURST | 95 | EXT TH | 305,0 x 213,0 x 4,3 | 12,01 x 8,39 x 0,169 |
| 752 11723 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 64 | INT TH | 356,0 x 200,2 x 7,1 | 14,02 x 7,80 x 0,280 |
| 752 86048 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 752 87533 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 752 87534 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 752 87535 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 752 87536 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 2,5 | 13,58 x 9,57 x 0,098 |
| 752 87537 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 752 87609 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 752 87610 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 3,9 | 12,40 x 8,90 x 0,154 |
| 752 87611 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 752 87612 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,3 | 12,40 x 8,90 x 0,167 |
| 752 87613 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 5,0 | 12,40 x 8,90 x 0,197 |
| 753 11443 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 753 11444 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 753 11445 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 753 11475 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 753 11476 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 753 11477 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 753 11816 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 753 11817 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| 752 87708 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 760 22138 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 760 22157 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 760 33959 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 760 33977 | DISC STEEL INTERMEDIATE | 4 PLATES | 75 | EXT TH | 345,0 x 243,0 x V | 13,58 x 9,57 x V |
| 760 33990 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 760 34001 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 760 36047 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 760 42850 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 760 42868 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 760 42697 | DISC FRICTION FP | 3 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 760 42698 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 138,6 x 90,5 x 1,6 | 5,46 x 3,56 x 0,063 |
| 760 43023 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 173,9 x 113,0 x 1,7 | 6,85 x 4,45 x 0,067 |
| 760 43024 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 160,0 x 107,5 x 2,2 | 6,30 x 4,23 x 0,087 |
| 760 43194 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 400,0 x 122,5 x 6,2 | 15,75 x 4,82 x 0,244 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 760 43195 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,6 x 312,0 x 5,0 | 16,48 x 12,28 x 0,197 |
| 760 45016 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 344,0 x 122,5 x 6,2 | 13,54 x 4,82 x 0,244 |
| 760 45017 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 358,5 x 264,0 x 5,0 | 10,18 x 10,39 x 0,197 |
| 760 48137 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 760 49200 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 160,0 x 107,5 x 2,2 | 6,30 x 4,23 x 0,087 |
| 760 54227 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,8 x 250,6 x 10,0 | 16,48 x 9,87 x 0,394 |
| 760 68777 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT SL | 358,5 x 210,0 x 10,0 | 10,18 x 8,27 x 0,394 |
| 760 81203 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 760 81024 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 760 86266 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 760 86267 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 760 87543 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | RADIAL | 36 | INT TH | 149,0 x 71,3 x 3,0 | 5,87 x 2,81 x 0,118 |
| 760 87703 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,6 x 312,0 x 5,0 | 16,48 x 12,28 x 0,197 |
| 760 87704 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,8 x 250,6 x 10,0 | 16,48 x 12,28 x 0,394 |
| 760 87705 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT SL | 358,5 x 210,0 x 10,0 | 10,18 x 8,27 x 0,394 |
| 760 87706 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 358,5 x 264,0 x 5,0 | 10,18 x 10,39 x 0,197 |
| 785 11010 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 790 03496 | OBSOLETE AFTER STOCK | | 74 | EXT TH | 188,0 x 138,0 x 3,2 | 7,40 x 5,43 x 0,126 |
| 790 10056 | OBSOLETE AFTER STOCK | | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 790 17821 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 790 19030 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 790 30951 | DISC STEEL INTERMEDIATE | ----- | 54 | INT TH | 228,0 x 150,0 x 2,5 | 8,98 x 5,91 x 0,098 |
| 790 30952 | OBSOLETE AFTER STOCK | | 54 | INT TH | 228,0 x 150,0 x 2,5 | 8,98 x 5,91 x 0,098 |
| 790 31021 | OBSOLETE AFTER STOCK | | 54 | INT TH | 228,0 x 150,0 x 3,0 | 8,98 x 5,91 x 0,118 |
| 790 33092 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | RADIAL | 26 | INT TH | 129,3 x 63,3 x 3,0 | 5,09 x 2,49 x 0,116 |
| 790 33092A | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | RADIAL | 26 | INT TH | 129,3 x 63,3 x 3,9 | 5,09 x 2,49 x 0,152 |
| 790 39484 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 790 40802 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 195,0 x 121,0 x 2,5 | 7,68 x 4,76 x 0,098 |
| 790 40803 | OBSOLETE AFTER STOCK | | 45 | INT TH | 195,0 x 121,0 x 3,5 | 7,68 x 4,76 x 0,138 |
| 790 41947 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 195,0 x 121,0 x 2,5 | 7,68 x 4,76 x 0,098 |
| 790 42697 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 790 42698 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 138,6 x 90,5 x 1,6 | 5,46 x 3,56 x 0,063 |
| 790 43722 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 790 44332 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 180,0 x 115,0 x 2,0 | 7,09 x 4,53 x 0,079 |
| 790 44333 | OBSOLETE | ----- | 45 | INT TH | 180,0 x 115,0 x 2,5 | 7,09 x 4,53 x 0,098 |
| 790 44334 | OBSOLETE AFTER STOCK | | 74 | EXT TH | 188,0 x 138,0 x 3,2 | 7,40 x 5,43 x 0,126 |
| 790 49944 | DISC STEEL INTERMEDIATE | ----- | 67 | INT TH | 290,1 x 195,1 x 2,5 | 11,42 x 7,68 x 0,098 |
| 790 57506 | OBSOLETE AFTER STOCK | | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 790 59369 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 790 66329 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 122 | EXT TH | 370,0 x 280,0 x 4,8 | 14,57 x 11,02 x 0,189 |
| 790 72843 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |

| | | | | | | |
|----------------------------|---|-----------|----|-----------|---------------------|-----------------------|
| 790 72917 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 790 72918 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 790 77033 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 36 | INT TH | 149,0 x 71,3 x 4,0 | 5,87 x 2,81 x 0,156 |
| 790 77633 | OBSOLETE | SUNBURST | 95 | EXT TH | 305,0 x 213,0 x 4,3 | 12,01 x 8,39 x 0,169 |
| 790 79550 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 790 90493 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 791 08023 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 791 10783 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 791 11859 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| FIORI | | | | | | |
| 52020 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| FORD | | | | | | |
| 1P77518A | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 1P77519A | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| C0NN7B164A | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| C0NN7B164B | CLUTCH DISC SINTER BRONZE | SPR/RAD | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| C0NN7B164D | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| C0NN7B442A | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,2 | 6,07 x 4,48 x 0,087 |
| C5NN2A097A | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| C5NN2A097B | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| C5NN2N315A | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,6 | 9,00 x 5,00 x 0,102 |
| C5NN2N315B | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| C9NN7R004A | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 239,4 x 190,5 x 3,0 | 9,43 x 7,50 x 0,118 |
| C5NNN743A | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,4 x 93,0 x 1,7 | 5,25 x 3,66 x 0,066 |
| C5NNP743A | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| C5NNP743B | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| C7NN2A097B | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| C7NN7B442A | DISC STEEL INTERMEDIATE | ----- | 40 | (52)EX TH | 170,9 x 130,3 x 1,4 | 6,73 x 5,13 x 0,055 |
| C8AP7B442A | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| C9NN7R024B | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 248,8 x 218,4 x 2,0 | 9,80 x 8,60 x 0,080 |
| C9NN7R025A | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 248,8 x 190,5 x 2,5 | 9,80 x 7,50 x 0,098 |
| C9NNP743A | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| C9NNP743B | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| C9NNP743C | CLUTCH DISC SINTER BRONZE | SPR/RAD | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| C9NNP743D | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| C9NNP743E | CLUTCH DISC SINTER BRONZE | SPR/RAD | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D1NNP743A | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D2NN2A097A | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 152,4 x 35,6 x 4,8 | 6,00 x 1,40 x 0,190 |
| D2NN7R000A | CLUTCH DISC SINTER BRONZE | SUNBURST | 80 | INT TH | 229,1 x 168,4 x 2,0 | 9,02 x 6,63 x 0,079 |
| D2NN7R174A | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| D2NN7R175A | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| D3NNP743A | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D3NNP743A (ALTERNATIVE) | CLUTCH DISC SINTER BRONZE | SPR/RAD | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D4NN7A405A | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 162,6 x 120,9 x 2,3 | 6,40 x 4,76 x 0,090 |
| D5NN2A097A | DISC FRICTION GRPH | SUNBURST | 17 | INT TH | 368,0 x 79,0 x 9,6 | 14,49 x 3,11 x 0,376 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|---------------------|
| D6NNC730A | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| D8NNP743GA | OBSOLETE AFTER STOCK | | 52 | INT TH | 192,0 x 107,0 x 2,8 | 7,56 x 4,21 x 0,109 |
| D8NNP743JA | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D8NNP743JA | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| D9NN7B164AA | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,1 x 92,9 x 2,5 | 5,24 x 3,65 x 0,098 |
| E0NNB726AA | DISC FRICTION FP | ----- | | BRK BAND | 210,1 x 19,1 x 1,5 | 8,27 x 0,75 x 0,058 |
| E0NNB726AB | DISC FRICTION FP | ----- | | BRK BAND | 210,1 x 19,1 x 1,5 | 8,27 x 0,75 x 0,058 |
| E0NN7R000AB | CLUTCH DISC SINTER BRONZE | WAF/RAD | 80 | INT TH | 229,1 x 168,4 x 4,5 | 9,02 x 6,63 x 0,177 |
| E0NN7Z031AA | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| E0NNP743AA | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 93,0 x 2,1 | 5,25 x 3,66 x 0,083 |
| E1NN7A567AA | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 131,5 x 64,0 x 1,5 | 5,18 x 2,52 x 0,058 |
| E2NN3N259DA | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 36 | INT TH | 71,7 x 44,8 x 1,5 | 2,82 x 1,76 x 0,059 |
| E5NNP743AA | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| E6NN2A097AA | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| E6NN2A097BB | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| E6NN2N315AA | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 146,1 x 2,6 | 9,00 x 5,75 x 0,102 |
| E6NN2N315BB | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 236,0 x 85,0 x 2,7 | 9,29 x 3,35 x 0,106 |
| E6NN7B442AA | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,6 | 6,07 x 4,48 x 0,100 |
| E6SP7E314AA | DISC STEEL INTERMEDIATE | ----- | 34 | EXT TH | 153,9 x 119,8 x 1,8 | 6,06 x 4,72 x 0,071 |
| E7NN2A097AA | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| E8NN2A097AA | DISC FRICTION GRPH | SUNBURST | 23 | INT TH | 143,1 x 44,0 x 4,9 | 5,63 x 1,73 x 0,193 |
| E9NN2A097AA | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| E9NN2A097BA | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| E9NN2N315CB | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 228,5 x 147,0 x 2,7 | 9,00 x 5,79 x 0,106 |
| F0NN2N315AA | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 209,2 x 124,0 x 4,5 | 8,24 x 4,88 x 0,177 |
| F0NN7H095AA | DISC FRICTION FP | 1 PASS | 63 | INT TH | 143,4 x 115,2 x 1,7 | 5,65 x 4,54 x 0,068 |
| F0NN7H095AB | DISC FRICTION FP | 1 PASS | 63 | INT TH | 143,4 x 115,2 x 1,7 | 5,65 x 4,54 x 0,068 |
| F2N4002787 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| F2N4012382 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| F2NN7B442AA | DISC STEEL INTERMEDIATE | ----- | 66 | EXT TH | 168,0 x 119,0 x 1,8 | 6,61 x 4,69 x 0,069 |
| P77573A1 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| PBB77519A | OBSOLETE AFTER STOCK | | 52 | INT TH | 148,6 x 107,4 x 1,6 | 5,85 x 4,23 x 0,062 |
| PBB77573A | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| ZP-2002202-019 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 180 2479 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 180 4831 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 180 8604 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 181 6970 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 183 0026 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 395 5538 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 81866478 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 228,5 x 147,0 x 2,7 | 9,00 x 5,79 x 0,106 |
| FRISCH-FAUN | | | | | | |
| D310 564 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 162,0 x 105,0 x 2,3 | 6,38 x 4,13 x 0,091 |
| D310 565 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 68 | EXT TH | 173,0 x 118,0 x 2,4 | 6,81 x 4,65 x 0,094 |

| | | | | | | |
|-------------|---------------------------|----------|----|-------------|---------------------|-----------------------|
| D131 0564 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 162,0 x 105,0 x 2,3 | 6,38 x 4,13 x 0,091 |
| 4623 153 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 7381 130 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 7381 131 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 7381 132 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 7381 246 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 7381 248 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 7381 261 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 7382 519 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 7382 674 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 7391 576 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 7391 575 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 7395 157 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 7395 158 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 7395 210 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 7396 255 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 8010 585 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 738 056 050 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 738 113 050 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 738 113 250 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 738 124 650 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 738 125 150 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 738 156 750 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| FUNK | | | | | | |
| 409863 | CLUTCH DISC SINTER BRONZE | RADIAL | 60 | INT TH | 169,0 x 124,6 x 3,3 | 6,65 x 4,91 x 0,128 |
| 4002022 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 4002254 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 3,1 | 6,07 x 4,48 x 0,123 |
| 4002787 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 4004896 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,9 | 5,24 x 3,65 x 0,730 |
| 4005522 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 4005523 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) INT TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 4005523 | GREEN PA | 2 PASS | 50 | (52) INT TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 4005524 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,9 | 5,24 x 3,65 x 0,730 |
| 4005527 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 4012382 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 4050498 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 40121315 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 40121323 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 40RC-7683 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 40RC-7727 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 40RC-7951 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 4TRC-7173 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 4TRC-7174 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| YZ90355 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| YZ100952 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 209,6 x 138,3 x 3,0 | 8,25 x 5,44 x 0,118 |
| YZ101333 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| YZ101337 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------|--|--------------------|--------------------|-----------------|---------------------|----------------------|
| YZ102943 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 170,0 x 107,0 x 2,9 | 6,69 x 4,21 x 0,114 |
| YZ103269 | CLUTCH DISC SINTER BRONZE | RADIAL | 60 | INT TH | 169,0 x 124,6 x 3,3 | 6,65 x 4,91 x 0,128 |
| YZ104717 | DISC STEEL INTERMEDIATE | END PLATE | 69 | EXT TH | 176,0 x 131,9 x 6,2 | 6,93 x 5,19 x 0,244 |
| YZ104908 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 114,0 x 2,0 | 6,97 x 4,49 x 0,077 |
| YZ105481 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| YZ105481 | GREEN PA | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| YZ105493 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 170,0 x 107,0 x 2,9 | 6,69 x 4,21 x 0,114 |
| YZ105494 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| YZ106211 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 114,0 x 2,0 | 6,97 x 4,49 x 0,077 |
| YZ106212 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 153,6 x 114,0 x 1,8 | 6,05 x 4,49 x 0,069 |
| YZ120964 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 47 | INT TH | 291,0 x 146,0 x 3,4 | 11,46 x 5,74 x 0,134 |
| YZ121110 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 317,9 x 159,9 x 1,9 | 12,52 x 6,30 x 0,075 |
| YZ150185 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 153,6 x 114,0 x 1,8 | 6,05 x 4,49 x 0,069 |
| YZ250180 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| YZ250314 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| FURUKAWA (HITACHI) | | | | | | |
| 05003-01018 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 103,0 x 2,2 | 6,46 x 4,06 x 0,087 |
| 05003-01019 | DISC STEEL INTERMEDIATE | DISHED | 42 | INT TH | 151,0 x 85,5 x 1,5 | 5,94 x 3,37 x 0,059 |
| 05303-05007 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 103,0 x 2,2 | 6,46 x 4,06 x 0,087 |
| 05303-05008 | DISC STEEL INTERMEDIATE | DISHED | 42 | INT TH | 151,0 x 85,5 x 1,5 | 5,94 x 3,37 x 0,059 |
| 05318-08010 | CLUTCH DISC SINTER BRONZE | SUNBURST | 50 | INT TH | 302,0 x 206,0 x 5,0 | 11,89 x 8,11 x 0,197 |
| 05503-01065 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,4 x 141,7 x 3,1 | 7,46 x 5,58 x 0,122 |
| 05503-01066 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| 05503-01129 | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,9 x 151,4 x 3,1 | 8,46 x 5,96 x 0,122 |
| 05503-01130 | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,4 x 2,3 | 8,00 x 5,45 x 0,091 |
| 310211-23110 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 314211-22150 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 3,0 | 5,26 x 3,03 x 0,118 |
| 314211-22150 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 314211-23150 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 314351-32290 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 258,8 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 314351-32310 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 314351-32310 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 332211-21150 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 154,7 x 95,0 x 3,7 | 6,09 x 3,74 x 0,144 |
| 335211-99120 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 154,7 x 95,0 x 3,7 | 6,09 x 3,74 x 0,144 |
| 337231-23250 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 87,3 x 2,3 | 5,49 x 3,44 x 0,091 |
| 337231-23260 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 341221-12230 | CLUTCH DISC SINTER BRONZE | SUNBURST | 50 | INT TH | 302,0 x 206,0 x 5,0 | 11,89 x 8,11 x 0,197 |
| 341231-21270 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 103,0 x 2,2 | 6,46 x 4,06 x 0,087 |
| 341231-21280 | DISC STEEL INTERMEDIATE | DISHED | 42 | INT TH | 151,0 x 85,5 x 1,5 | 5,94 x 3,37 x 0,059 |
| 343231-21170 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| 343231-21180 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,4 x 141,7 x 3,1 | 7,46 x 5,58 x 0,122 |
| 344211-21230 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | INT TH | 270,0 x 212,0 x 3,9 | 10,63 x 8,35 x 0,154 |
| 344211-21240 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 295,0 x 225,0 x 2,7 | 11,61 x 8,86 x 0,106 |
| 345211-21120 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |

| | | | | | | |
|---------------|---------------------------|-----------|----|-----------|---------------------|-----------------------|
| 346211-21180 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 346211-22240 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 348231-21150 | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 142,6 x 93,5 x 2,2 | 5,61 x 3,68 x 0,087 |
| 348231-21160 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 132,8 x 85,5 x 1,5 | 5,23 x 3,37 x 0,059 |
| 348231-23150 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 110,0 x 2,2 | 6,46 x 4,33 x 0,087 |
| 348231-23160 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 151,0 x 98,2 x 2,0 | 5,94 x 3,87 x 0,079 |
| 352211-22280 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,1 x 107,2 x 1,5 | 6,46 x 4,22 x 0,060 |
| 352211-22290 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 157,7 x 95,3 x 2,3 | 6,21 x 3,75 x 0,090 |
| 352351-32290 | DISC FRICTION FP | 2 PASS | 17 | INT TH | 277,0 x 62,0 x 7,0 | 10,91 x 2,44 x 0,276 |
| 384321-01020 | DISC STEEL INTERMEDIATE | ----- | 21 | EXT TH | 289,0 x 185,0 x 3,9 | 11,38 x 7,28 x 0,154 |
| 384321-01030 | DISC FRICTION FP | 3 PASS | 21 | INT TH | 267,0 x 82,0 x 5,1 | 10,51 x 3,23 x 0,200 |
| A10500-20867 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| A10501-32240 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| A10502-20864 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| A10502-31280 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| A10502-31283 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| A10503-30929 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| A10503-30930 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| A10504-20835 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| A10504-20857 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| A10508-20882 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| A10508-20884 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| A16042-31640 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,9 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| A16042-31645 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| A16042-31646 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| A24643-30830 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| A24643-30831 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| A24643-30832 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| A44643-30828 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| A44643-30829 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| A44643-30830 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| A47440-20501 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| A47440-30448 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| A47440-30449 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| A47440-30882 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| A47440-30883 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| A47440-30884 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| A47440-30937 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| A47440-30938 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| A47440-30939 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| A47441-35257 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0 x 262,0 x 2,4 | 14,72 x 10,31 x 0,094 |
| A47442-30502 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| A47442-30503 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| GALION | | | | | | |
| D72327 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| D72330 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| D72334 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------|---------------------------|-------------------|--------------------|-----------------|----------------------|-----------------------|
| D72372 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| D72378 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| D72522 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| D72757 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| D72803 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| D72816 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| D72818 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| D77576 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| D79944 | OBSOLETE AFTER STOCK | | 32 | (42)EX TH | 184,2 x 92,7 x 2,6 | 7,25 x 3,65 x 0,102 |
| D80064 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| D80065 | OBSOLETE AFTER STOCK | | 24 | INT TH | 187,5 x 95,3 x 4,0 | 7,38 x 3,75 x 0,157 |
| D80807 | DISC FRICTION FP | 3 PASS | 53 | INT TH | 368,3 x 220,5 x 5,1 | 14,50 x 8,68 x 0,199 |
| D80808 | DISC STEEL INTERMEDIATE | ----- | 89 | EXT TH | 379,5 x 262,4 x 6,3 | 14,94 x 10,33 x 0,247 |
| D106118 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| D139209 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| D139309 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 149585 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| GEHL | | | | | | |
| L99565 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| L99566 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| L99567 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| L500643 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| L500644 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| L500645 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| GENIE / TEREX | | | | | | |
| 501503 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 501504 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 501505 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 501544 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 502697 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| 503069 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 633805 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 633806 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 633807 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 1252617 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 1252626 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 7-229-605 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 7-229-614 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 7-220-861 | DISC FRICTION FP | WAFFLE | 28 | (32)IN TH | 253,0 x 160,0 x 6,1 | 9,96 x 6,30 x 0,240 |
| 07.0711.0004 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 07.0711.0126 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 07.0711.0127 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 07.0711.0128 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| GETMAN | | | | | | |

| | | | | | | |
|----------------|--|----------|----|-----------|---------------------|-----------------------|
| 442010 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 442020 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| GHH | | | | | | |
| 56872000 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 57727000 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 57728000 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 57859000 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 57860000 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 57894000 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 58692000 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 59003109 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 59003612 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 59003613 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 6,0 | 19,21 x 12,20 x 0,236 |
| 59004144 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 59004547 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 59004755 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 59012528 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 59012809 | DISC FRICTION FP | WAFFLE | 62 | INT TH | 465,5 x 292,3 x 5,6 | 18,32 x 11,51 x 0,141 |
| 59012938 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 485,9 x 310,1 x 4,0 | 19,13 x 12,21 x 0,157 |
| 59015829 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 260,0 x 191,0 x 2,6 | 10,24 x 7,52 x 0,100 |
| 59016916 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 34 | (38)IN TH | 456,7 x 313,7 x 6,8 | 17,98 x 12,35 x 0,268 |
| 59020026 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,204 |
| 59021280 | DISC FRICTION FP | WAFFLE | 79 | INT TH | 550,0 x 391,0 x 5,5 | 21,65 x 15,39 x 0,217 |
| 59021281 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 570,0 x 416,0 x 4,0 | 22,44 x 16,38 x 0,157 |
| 59025066 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 59025067 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 77022000 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 78049000 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 78161000 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 78519000 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 85031070 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 85031075 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 85031076 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 85091000 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 86339000 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 87655000 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| GIRLING | | | | | | |
| 6432 0832 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 6432 1035 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 6432 1506 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 6432 1507 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 6432 1818 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0 x 70,1 x 4,9 | 8,82 x 2,76 x 0,193 |
| 6432 1864 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 152,4 x 35,6 x 4,8 | 6,00 x 1,40 x 0,190 |
| 6432 2030 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 26 | INT TH | 178,1 x 63,5 x 4,8 | 7,01 x 2,50 x 0,190 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 6432 2031 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 182,9 x 82,6 x 2,6 | 7,20 x 3,25 x 0,102 |
| 6432 2034 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 12 | INT TH | 178,1 x 46,7 x 4,8 | 7,01 x 1,84 x 0,190 |
| 6432 2183 | OBSOLETE AFTER STOCK | | 13 | INT TH | 152,4 x 38,1 x 4,8 | 6,00 x 1,50 x 0,190 |
| 6432 2184 | OBSOLETE AFTER STOCK | | 1 | EXT LG | 158,8 x 83,8 x 2,7 | 6,25 x 3,30 x 0,105 |
| 6432 2230 | OBSOLETE AFTER STOCK | | 1 | EXT LG | 107,4 x 43,9 x 2,6 | 4,23 x 1,73 x 0,102 |
| 6432 2287 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 17 | INT TH | 224,0 x 50,8 x 4,9 | 8,82 x 2,00 x 0,193 |
| 6432 6805 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 6432 6810 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 6432 6812 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,6 | 9,00 x 5,00 x 0,102 |
| 6432 7556 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 7332 0051 | OBSOLETE AFTER STOCK | | 10 | INT TH | 101,6 x 29,0 x 4,8 | 4,00 x 1,14 x 0,190 |
| 7332 0118 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 26 | INT TH | 178,1 x 63,5 x 4,8 | 7,01 x 2,50 x 0,190 |
| 7332 0178 | OBSOLETE | SPR/WAG | 23 | INT TH | 177,8 x 43,9 x 4,8 | 7,00 x 1,73 x 0,190 |
| 7332 0201 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 146,1 x 2,6 | 9,00 x 5,75 x 0,102 |
| 7332 0204 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 236,0 x 85,0 x 2,7 | 9,29 x 3,35 x 0,106 |
| 7332 0209 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 7332 0284 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 236,0 x 85,0 x 2,7 | 9,29 x 3,35 x 0,106 |
| 7332 0298 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 7332 0320 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 224,0 x 62,5 x 4,8 | 8,82 x 2,46 x 0,189 |
| 7332 0440 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 7332 0603 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 27 | INT TH | 223,5 x 54,9 x 4,8 | 8,80 x 2,16 x 0,189 |
| 7332 0666 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 7332 0676 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| GLEISBAU | | | | | | |
| 560846 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| GM DIESEL MARINE GRADALL | | | | | | |
| 0420-0333 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 0420-0341 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 9147-4141 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| GRAZIANO | | | | | | |
| 3128113 | DISC FRICTION GRPH | SUNBURST | 44 | INT TH | 162,1 x 104,9 x 2,4 | 6,38 x 4,13 x 0,094 |
| 3138883 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,096 |
| 3138933 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 2,3 | 5,48 x 3,88 x 0,090 |
| 3143503 | DISC STEEL INTERMEDIATE | ----- | 72 | EXT TH | 175,0 x 118,1 x 1,5 | 6,89 x 4,65 x 0,059 |
| 3146363 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 3146743 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3146763 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3146793 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 3,9 | 12,40 x 8,90 x 0,154 |
| 3146803 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 3146813 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 5,0 | 12,40 x 8,90 x 0,197 |
| 3146823 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 3146833 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,5 | 13,58 x 9,57 x 0,177 |
| 3146843 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 3146853 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,154 |

| | | | | | | |
|------------------|---------------------------|-----------|----|-----------|---------------------|-----------------------|
| 3146863 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 3146873 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 5,0 | 15,08 x 9,96 x 0,197 |
| 3148073 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 304,0 x 57,0 x 10,0 | 11,97 x 2,24 x 0,394 |
| 3154543 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,3 | 12,40 x 8,90 x 0,167 |
| 3200513 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 3200523 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,3 | 15,08 x 9,96 x 0,167 |
| 3243223 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3243233 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3279433 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3279443 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3299593 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3794333 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| GROVE | | | | | | |
| 01679956 | OBSOLETE | ----- | 24 | INT TH | 122,0tx 92,0 x 1,5 | 4,80 x 3,62 x 0,059 |
| 02217990 | OBSOLETE | SPR/RAD | 32 | EXT TH | 133,0 x 101,0 x 2,4 | 5,24 x 3,98 x 0,094 |
| 02313168 | OBSOLETE | SPR/RAD | 32 | EXT TH | 133,0 x 101,0 x 2,4 | 5,24 x 3,98 x 0,094 |
| 08392257 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 22517789 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 9904100634 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 9904101482 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| 9904101483 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 9904101520 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 9904101523 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 9904101524 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 9904105540 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 9904105541 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 9904106470 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 9904106471 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 9904109925 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 9904109932 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| HALLA | | | | | | |
| FAC0300040 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| FAC0300050 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,8 x 80,0 x 3,2 | 5,42 x 3,15 x 0,125 |
| FAD0300500 | CLUTCH DISC SINTER BRONZE | SUNBURST | 47 | INT TH | 147,0 x 90,5 x 3,0 | 5,79 x 3,56 x 0,118 |
| FAD0300600 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 157,0 x 100,0 x 1,4 | 6,18 x 3,94 x 0,055 |
| 3146823 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 3146853 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,154 |
| 3243223 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3243233 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| HAMWORTHY | | | | | | |
| 630.192.041 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 630.192.033 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2 x 96,3 x 1,5 | 5,40 x 3,79 x 0,059 |
| 630.192.066 | DISC STEEL INTERMEDIATE | ----- | 40 | (52)EX TH | 170,9 x 134,7 x 1,4 | 6,73 x 5,30 x 0,055 |
| 660.020.039 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 660.020.054 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 660.020.138 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 182,9 x 82,6 x 2,6 | 7,20 x 3,25 x 0,102 |
| 660.020.146 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 12 | INT TH | 178,1 x 46,7 x 4,8 | 7,01 x 1,84 x 0,190 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 660.020.468 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 26 | INT TH | 178,1 x 63,5 x 4,8 | 7,01 x 2,50 x 0,190 |
| 660.020.476 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0 x 70,1 x 4,9 | 8,82 x 2,76 x 0,193 |
| 660.020.492 | OBSOLETE AFTER STOCK | | 1 | EXT LG | 158,8 x 83,8 x 2,7 | 6,25 x 3,30 x 0,105 |
| 660.020.500 | OBSOLETE AFTER STOCK | | 13 | INT TH | 152,4 x 38,1 x 4,8 | 6,00 x 1,50 x 0,190 |
| 660.020.773 | OBSOLETE AFTER STOCK | | 1 | EXT LG | 107,4 x 43,9 x 2,6 | 4,23 x 1,73 x 0,102 |
| 660.021.177 | OBSOLETE AFTER STOCK | | 10 | INT TH | 101,6 x 29,0 x 4,8 | 4,00 x 1,14 x 0,190 |
| 660.090.156 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 125,5 x 89,8 x 2,0 | 4,94 x 3,54 x 0,079 |
| 660.090.164 | DISC STEEL INTERMEDIATE | ----- | 27 | INT TH | 114,3 x 66,1 x 1,2 | 4,50 x 2,60 x 0,047 |
| 660.090.529 | DISC STEEL INTERMEDIATE | ----- | 40 | (52)EX TH | 170,9 x 134,7 x 1,4 | 6,73 x 5,30 x 0,055 |
| 660.090.537 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 162,6 x 120,9 x 2,3 | 6,40 x 4,76 x 0,090 |
| 660.090.545 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 99,1 x 68,0 x 1,4 | 3,90 x 2,68 x 0,055 |
| 660.090.610 | DISC FRICTION FP | 2 PASS | 57 | INT TH | 128,3 x 87,9 x 2,4 | 5,05 x 3,46 x 0,094 |
| HANOMAG (KOMATSU) | | | | | | |
| 769 721 73 | CLUTCH DISC SINTER BRONZE | WAFFLE | 95 | EXT TH | 287,0 x 189,0 x 4,0 | 11,30 x 7,44 x 0,157 |
| 792 250 73 | OBSOLETE | SINEWAVED | 60 | INT TH | 270,0 x 175,0 x 3,0 | 10,63 x 6,89 x 0,118 |
| 246 912 669 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 8 | EXT LG | 177,0 x 118,0 x 2,4 | 6,97 x 4,65 x 0,094 |
| 340 912 110 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 8 | EXT LG | 177,0 x 118,0 x 2,4 | 6,97 x 4,65 x 0,094 |
| 371 912 151 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 190,0 x 132,0 x 1,6 | 7,48 x 5,20 x 0,063 |
| 371 912 152 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 10 | EXT TH | 205,0 x 142,0 x 2,4 | 8,07 x 5,59 x 0,094 |
| 374 913 220 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 374 913 230 | DISC STEEL INTERMEDIATE | ----- | 41 | INT TH | 178,0 x 119,0 x 2,3 | 7,01 x 4,69 x 0,091 |
| 375 914 358 | OBSOLETE | RAD/2 PASS | 58 | INT TH | 317,0 x 232,0 x 5,0 | 12,48 x 9,13 x 0,197 |
| 375 914 511 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 339,4 x 244,1 x 2,6 | 13,36 x 9,61 x 0,102 |
| 2886965M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 8 | EXT LG | 177,0 x 118,0 x 2,4 | 6,97 x 4,65 x 0,094 |
| 2889516M1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 190,0 x 132,0 x 1,6 | 7,48 x 5,20 x 0,063 |
| 2889517M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 10 | EXT TH | 205,0 x 142,0 x 2,4 | 8,07 x 5,59 x 0,094 |
| 2895203M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 2895205M1 | DISC STEEL INTERMEDIATE | ----- | 41 | INT TH | 178,0 x 119,0 x 2,3 | 7,01 x 4,69 x 0,091 |
| 2898254M1 | OBSOLETE | RAD/2 PASS | 58 | INT TH | 317,0 x 232,0 x 5,0 | 12,48 x 9,13 x 0,197 |
| 2898387M1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 339,4 x 244,1 x 2,6 | 13,36 x 9,61 x 0,102 |
| 2945140M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 2945141M1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 3075406M1 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| 3075407M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 3084952M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 3231074M1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 3232248M1 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 3232249M1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 3232316M1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 3232317M1 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 3235022M1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 3235530M1 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 3235531M1 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |

| | | | | | | |
|-------------------------|---|-----------|----|-----------|----------------------|-----------------------|
| 4401009M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,094 |
| 4401032M1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 190,0 x 132,0 x 1,6 | 7,48 x 5,20 x 0,063 |
| 4401032M2 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 10 | EXT TH | 205,0 x 142,0 x 2,4 | 8,07 x 5,59 x 0,094 |
| 4906371M1 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 4906373M1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 4907987M1 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 4909585M1 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4914833M1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 4914834M1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 4917909M1 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 4918798M1 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 4919480M1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 4919529M1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 4919530M1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 4919631M1 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 4919632M1 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4919633M1 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 4919643M1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| Y1820050 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| HARRISON | | | | | | |
| 103267A | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 103268A | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| HATRA | | | | | | |
| 4290001 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | EXT TH | 236,0 x 155,0 x 4,0 | 9,29 x 6,10 x 0,157 |
| 4290002 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 137,0 x 84,0 x 2,4 | 5,39 x 3,31 x 0,094 |
| 4290010 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 4290011 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 177,0 x 118,0 x 2,4 | 6,97 x 4,65 x 0,094 |
| 4290012 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 4290030 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,094 |
| 4290031 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 122,0 x 72,0 x 2,4 | 4,80 x 2,83 x 0,094 |
| 4290100 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 225,0 x 140,0 x 3,0 | 8,86 x 5,51 x 0,118 |
| 4290102 | DISC STEEL INTERMEDIATE | SINEWAVED | 3 | INT TH | 123,0 x 72,2 x 1,5 | 4,84 x 2,84 x 0,059 |
| 4290107 | DISC STEEL INTERMEDIATE | ----- | 41 | INT TH | 178,0 x 119,0 x 2,3 | 7,01 x 4,69 x 0,091 |
| 4290111 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 162,0 x 105,0 x 2,3 | 6,38 x 4,13 x 0,091 |
| HAULOTTE | | | | | | |
| 2326003140 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 2326003150 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 2326003160 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| HINDUSTAN MOTORS | | | | | | |
| 81018203 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 467,1 x 308,1 x 5,0 | 18,39 x 12,13 x 0,197 |
| 81018204 | DISC STEEL INTERMEDIATE | ----- | 95 | EXT TH | 494,0 x 328,7 x 2,5 | 19,45 x 12,94 x 0,096 |
| 81018205 | DISC DAMPER | ----- | 95 | EXT TH | 494,0 x 328,7 x 6,9 | 19,45 x 12,94 x 0,270 |
| HITACHI | | | | | | |
| 0308633 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,0 x 168,4 x 2,9 | 8,46 x 6,63 x 0,116 |
| 0311323 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 169,5 x 138,0 x 3,0 | 6,67 x 5,43 x 0,118 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 0311324 | DISC FRICTION FP | 2 PASS | 28 | (33)IN TH | 155,5 x 128,3 x 3,6 | 6,12 x 5,05 x 0,140 |
| 0313215 | DISC STEEL INTERMEDIATE | ----- | 105 | EXT TH | 223,7 x 178,0 x 1,5 | 8,81 x 7,00 x 0,059 |
| 0365332 | ELASTOMER | RADIAL | 56 | (60)IN TH | 180,0 x 145,0 x 4,0 | 7,09 x 5,71 x 0,157 |
| 0365333 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| 0365428 | DISC FRICTION FP | 2 PASS | 60 | (64)IN TH | 190,0 x 156,0 x 4,0 | 7,48 x 6,14 x 0,157 |
| 0365429 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 199,5 x 169,0 x 1,5 | 7,85 x 6,65 x 0,059 |
| 0444211 | DISC FRICTION FP | 2 PASS | 28 | (34)IN TH | 127,0 x 102,0 x 2,6 | 5,00 x 4,02 x 0,104 |
| 0444212 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 141,0 x 112,0 x 1,5 | 5,55 x 4,41 x 0,059 |
| 0667620 | DISC FRICTION FP | WAFFLE | 38 | (45)IN TH | 166,0 x 136,0 x 1,8 | 6,54 x 5,35 x 0,070 |
| 0667621 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 175,0 x 146,0 x 1,4 | 6,89 x 5,75 x 0,053 |
| 0788816 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| 0788817 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| 0884531 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 0884532 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 0884533 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 0884534 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 0887027 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 0887028 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 0887029 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 0887030 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 1035506 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 197,3 x 103,1 x 3,5 | 7,77 x 4,06 x 0,138 |
| 1139717 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| 1139718 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| 2055192 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT TH | 138,0 x 91,5 x 5,0 | 5,43 x 3,60 x 0,197 |
| 2055262 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 139,0 x 91,5 x 1,5 | 5,47 x 3,60 x 0,059 |
| 2055263 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 2055300 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 361,6 x 122,5 x 6,2 | 14,24 x 4,82 x 0,244 |
| 2055315 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 387,5 x 122,5 x 6,2 | 15,26 x 4,82 x 0,244 |
| 2055331 | OBSOLETE | RADIAL | 4 | EXT LG | 210,0 x 124,0 x 4,5 | 8,27 x 4,88 x 0,177 |
| 2055332 | DISC STEEL INTERMEDIATE | CONCENTRIC | 30 | INT TH | 167,6 x 112,8 x 3,5 | 6,60 x 4,44 x 0,14 |
| 2055335 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 2055336 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 173,9 x 110,2 x 2,4 | 6,85 x 4,34 x 0,094 |
| 2055338 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 2055340 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 2055433 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 2055629 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |
| 2055630 | DISC STEEL INTERMEDIATE | ----- | 146 | (164)EX TH | 494,8 x 345,9 x 2,4 | 19,48 x 13,62 x 0,094 |
| 2056132 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 344,0 x 122,5 x 6,2 | 13,54 x 4,82 x 0,244 |
| 2056469 | DISC FRICTION FP | WAFFLE | 25 | INT TH | 256,0 x 95,3 x 6,2 | 10,08 x 3,75 x 0,224 |
| 2056529 | DISC FRICTION FP | 1 PASS | 34 | INT TH | 130,0 x 91,0 x 2,4 | 5,12 x 3,58 x 0,094 |
| 3032432 | DISC STEEL INTERMEDIATE | ----- | 46 | (63)EX TH | 162,0 x 132,0 x 1,8 | 6,38 x 5,20 x 0,070 |
| 3036156 | DISC STEEL INTERMEDIATE | ----- | 20 | (28)EX TH | 74,0 x 49,4 x 1,9 | 2,91 x 1,94 x 0,073 |
| 3036157 | DISC FRICTION FP | 2 PASS | 12 | (14)IN TH | 67,8 x 35,4 x 3,2 | 2,67 x 1,39 x 0,126 |

| | | | | | | |
|-------------------------|--|----------|----|-----------|---------------------|----------------------|
| 3037401 | OBSOLETE AFTER STOCK | | 29 | (46)IN TH | 156,0 x 115,0 x 3,3 | 6,14 x 4,53 x 0,129 |
| 3064191 | DISC STEEL INTERMEDIATE | ----- | 32 | (36)EX TH | 94,2 x 70,4 x 1,8 | 3,71 x 2,77 x 0,070 |
| 3064192 | DISC FRICTION FP | 2 PASS | 14 | INT TH | 88,3 x 35,3 x 3,3 | 3,48 x 1,39 x 0,129 |
| 3070674 | DISC FRICTION FP | 2 PASS | 12 | (14)IN TH | 67,8 x 35,4 x 3,2 | 2,67 x 1,39 x 0,126 |
| 3070675 | DISC STEEL INTERMEDIATE | ----- | 20 | (28)EX TH | 74,0 x 49,4 x 1,9 | 2,91 x 1,94 x 0,073 |
| 3502034 | OBSOLETE AFTER STOCK | | 76 | INT TH | 245,0 x 190,0 x 2,9 | 9,65 x 7,48 x 0,112 |
| ? | CLUTCH DISC SINTER BRONZE | SPR/WAG | 50 | INT TH | 216,0 x 145,7 x 4,0 | 8,50 x 5,74 x 0,157 |
| ? | DISC STEEL INTERMEDIATE | ----- | 76 | (88)EX TH | 232,3 x 166,0 x 3,2 | 9,15 x 6,54 x 0,126 |
| HOWARD ROTAVATOR | | | | | | |
| 650347 | CLUTCH DISC SINTER BRONZE | ----- | 6 | EXT LG | 171,5 x 84,1 x 4,5 | 6,75 x 3,31 x 0,175 |
| HURTH (DANA) | | | | | | |
| TBA | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 149,0 x 80,0 x 2,7 | 5,87 x 3,15 x 0,105 |
| 000.727443 | DISC FRICTION GRPH | SUNBURST | 19 | INT TH | 143,0 x 34,0 x 4,8 | 5,63 x 1,34 x 0,189 |
| 111.04.045.01 | DISC FRICTION FP | WAFFLE | 27 | INT TH | 81,5 x 53,0 x 1,6 | 3,21 x 2,09 x 0,063 |
| 111.07.001.02 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 189,6 x 130,5 x 3,7 | 7,46 x 5,14 x 0,146 |
| 111.07.015.03 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |
| 111.07.015.06 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |
| 111.07.611.01 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 178,0 x 69,0 x 3,8 | 7,01 x 2,72 x 0,148 |
| 112.07.006.01 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 112.07.006.06 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 112.07.610.02 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 112.07.610.03 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 112.07.610.04 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 112.07.611.02 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0 x 105,6 x 3,8 | 7,01 x 4,16 x 0,148 |
| 112.07.613.01 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 113.07.610.01 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 114.07.006.01 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 317,6 x 225,6 x 4,5 | 12,50 x 8,88 x 0,177 |
| 114.07.610.01 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 299,3 x 114,3 x 6,0 | 11,78 x 4,50 x 0,236 |
| 137.07.610.03 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 242,0 x 35,6 x 5,7 | 9,53 x 1,40 x 0,224 |
| 138.07.006.02 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 250,7 x 179,9 x 5,0 | 9,87 x 7,08 x 0,197 |
| 138.07.610.03 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 229,0 x 45,0 x 5,7 | 9,02 x 1,77 x 0,224 |
| 154.07.001.01 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 154.07.001.06 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 154.07.610.06 | DISC FRICTION FP | WAFFLE | 28 | (32)IN TH | 253,0 x 160,0 x 6,1 | 9,96 x 6,30 x 0,240 |
| 171.04.009.01 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 78,8 x 46,2 x 1,5 | 3,10 x 1,82 x 0,059 |
| 171.04.010.03 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | RADIAL | 21 | INT TH | 65,8 x 38,5 x 1,6 | 2,59 x 1,52 x 0,063 |
| 171.04.010.04 | DISC FRICTION MOLYBDENUMLY/DISC STEEL INTERMEDIATE | RADIAL | 21 | INT TH | 65,8 x 38,5 x 3,1 | 2,59 x 1,52 x 0,122 |
| 171.07.002.03 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0 x 111,0 x 2,7 | 7,09 x 4,37 x 0,105 |
| 171.07.610.033 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0 x 34,0 x 4,8 | 5,98 x 1,34 x 0,189 |
| 176.04.037.01 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |
| 176.04.038.01 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| 176.04.038.02 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|----------------------|----------------------|
| 734.07.004.013 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 734.07.004.02 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 734.07.610.013 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 734.07.610.04 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 734.07.610.22 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 738.07.005.013 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 738.07.005.03 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 738.07.005.04 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 738.07.072.02 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 199,0 x 130,0 x 2,6 | 7,83 x 5,12 x 0,102 |
| 738.07.610.013 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 738.07.610.06 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 738.07.610.042 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| HURTH MARINE | | | | | | |
| 288757 | CLUTCH DISC SINTER BRONZE | SPIRAL | 22 | INT TH | 67,8 x 41,0 x 1,6 | 2,67 x 1,61 x 0,061 |
| 288889 | CLUTCH DISC SINTER BRONZE | SPIRAL | 24 | (27)IN TH | 88,0 x 53,0 x 1,7 | 3,46 x 2,09 x 0,064 |
| HYDREMA | | | | | | |
| 593068 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 593069 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 593528 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| 7000045 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 7000046 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 7000047 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 7000570 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 7002739 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0 x 106,0 x 5,0 | 11,73 x 4,17 x 0,197 |
| 7003389 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 7003390 | DISC STEEL INTERMEDIATE | HARDENED | 52 | INT TH | 102,0 x 77,2 x 1,5 | 4,02 x 3,04 x 0,059 |
| 14000691 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 14001560 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 14001561 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 14001562 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| HYSTER | | | | | | |
| 77806 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 77808 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| 77885 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 77888 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 77889 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 77898 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 78803 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 304,8 x 212,6 x 2,5 | 12,00 x 8,37 x 0,098 |
| 78804 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 96464 | DISC STEEL INTERMEDIATE | ----- | 50 | INT TH | 215,9 x 153,9 x 2,0 | 8,50 x 6,06 x 0,079 |
| 96465 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 72 | (88)EX TH | 227,8 x 165,1 x 3,2 | 8,97 x 6,50 x 0,125 |
| 106375 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 109604 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 113486 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 20 | INT TH | 168,9 x 78,5 x 3,3 | 6,65 x 3,09 x 0,130 |
| 114254 | DISC STEEL INTERMEDIATE | ----- | 20 | (28)EX TH | 191,3 x 117,3 x 2,0 | 7,53 x 4,62 x 0,079 |

| | | | | | | |
|---------|---------------------------|----------|----|-----------|---------------------|-----------------------|
| 119729 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 20 | INT TH | 168,9 x 78,5 x 3,3 | 6,65 x 3,09 x 0,130 |
| 119751 | DISC STEEL INTERMEDIATE | ----- | 20 | (28)EX TH | 191,3 x 117,3 x 2,0 | 7,53 x 4,62 x 0,079 |
| 133917 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 72 | (88)EX TH | 227,8 x 165,1 x 3,2 | 8,97 x 6,50 x 0,125 |
| 148895 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 20 | INT TH | 168,9 x 78,5 x 3,3 | 6,65 x 3,09 x 0,130 |
| 175198 | OBSOLETE AFTER STOCK | | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 180287 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 234215 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 261542 | DISC STEEL INTERMEDIATE | ----- | 50 | INT TH | 215,9 x 153,9 x 2,0 | 8,50 x 6,06 x 0,079 |
| 261544 | DISC FRICTION FP | 2 PASS | 72 | (88)EX TH | 227,8 x 165,1 x 3,2 | 8,97 x 6,50 x 0,126 |
| 264062 | OBSOLETE | | 40 | INT TH | 254,0 x 163,3 x 2,1 | 10,00 x 6,43 x 0,082 |
| 282726 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 292989 | OBSOLETE AFTER STOCK | | 12 | EXT LG | 304,8 x 212,6 x 2,5 | 12,00 x 8,37 x 0,098 |
| 292990 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 298025 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 299646 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 311246 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 319516 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 319596 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 319597 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 328154 | OBSOLETE AFTER STOCK | | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 328715 | DISC FRICTION FP | 2 PASS | 72 | (88)EX TH | 227,8 x 165,1 x 3,2 | 8,97 x 6,50 x 0,126 |
| 330618 | END PLATE | ----- | 60 | EXT TH | 154,3 x 113,5 x 8,0 | 6,07 x 4,47 x 0,315 |
| 330619 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 330620 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 330625 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 334409 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 334417 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 334442 | END PLATE | STEPPED | 54 | EXT TH | 138,7 x 98,1 x 8,9 | 5,46 x 3,86 x 0,350 |
| 338573 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 346796 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 382263 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 382945 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 385432 | BACKPLATE | 32HOLES | | | 354,0 x 314,0 x 4,0 | 13,94 x 12,36 x 0,157 |
| 449273 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 449461 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 878364 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 1311645 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,3 x 92,6 x 2,4 | 5,25 x 3,65 x 0,095 |
| 1311652 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 1311653 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 1311662 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 1339374 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 1382885 | DISC STEEL INTERMEDIATE | ----- | 46 | EXT TH | 241,1 x 161,7 x 3,8 | 9,49 x 6,37 x 0,150 |
| 1384873 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 1384874 | DISC FRICTION GRPH | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 1387235 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 2,5 | 5,48 x 3,88 x 0,100 |
| 1389176 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 1390854 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 1390929 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 1390930 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 1390931 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 1390932 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 1392401 | DISC FRICTION FP | 2 PASS | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 1394881 | END PLATE | ----- | 54 | EXT TH | 138,8 x 98,8 x 6,3 | 5,46 x 3,89 x 0,248 |
| 1452826 | DISC FRICTION FP | WAF/RAD | 22 | INT TH | 228,6 x 66,8 x 3,2 | 9,00 x 2,63 x 0,125 |
| 1469300 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| 1469301 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| 1489439 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 389,7 x 220,0 x 4,6 | 15,34 x 8,66 x 0,179 |
| 1489440 | AFP | WAFFLE | 43 | (49)IN TH | 360,0 x 202,7 x 5,3 | 14,17 x 7,98 x 0,209 |
| 1510563 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 1510564 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 1532251 | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 1538176 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 1543094 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 142,9 x 88,4 x 5,8 | 5,63 x 3,48 x 0,228 |
| IM4983CLUTCH DISC KIT | DISC FRICTION FP | WAFFLE | 38 | INT TH | 133,6 x 77,0 x 3,0 | 5,26 x 3,03 x 0,116 |
| IM4983CLUTCH DISC KIT | DISC STEEL INTERMEDIATE | ----- | 34 | EXT TH | 143,0 x 87,5 x 2,3 | 5,63 x 3,44 x 0,090 |
| IM4983CLUTCH DISC KIT | DISC STEEL INTERMEDIATE | DISHED | 34 | EXT TH | 143,0 x 87,5 x 2,7 | 5,63 x 3,44 x 0,106 |
| 1537449 | DISC STEEL INTERMEDIATE | ----- | 34 | EXT TH | 143,0 x 87,5 x 6,0 | 5,63 x 3,44 x 0,236 |
| 1556964 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,3 x 92,8 x 2,6 | 5,25 x 3,65 x 0,102 |
| 1556965 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,079 |
| 1566651 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 1566651 | DISC FRICTION GRPH | SUNB/HARD- ENED | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 1582269 | 18 X DISC FRICTION FP + 16 X DISC STEEL INTERMEDIATE + 2 X END PLATE | | | | | |
| 1612501 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 1612549 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 2,3 | 7,87 x 4,49 x 0,089 |
| 1624475 | DISC FRICTION FP | WAFFLE/ PLAIN | 52 | EXT TH | 167,5 x 114,0 x 2,0 | 6,59 x 4,49 x 0,077 |
| 1624476 | DISC FRICTION FP | WAFFLE | 52 | EXT TH | 167,5 x 114,0 x 2,6 | 6,59 x 4,49 x 0,102 |
| 1624477 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 161,0 x 107,0 x 2,0 | 6,34 x 4,21 x 0,079 |
| 1624583 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 167,5 x 114,0 x 2,5 | 6,59 x 4,49 x 0,098 |
| 1624584 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 161,0 x 107,6 x 2,8 | 6,34 x 4,24 x 0,110 |
| 1644456 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 242,0 x 35,6 x 5,7 | 9,53 x 1,40 x 0,224 |
| 1644930 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 1657780 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 229,0 x 45,0 x 5,7 | 9,02 x 1,77 x 0,224 |
| 1657781 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 250,7 x 179,9 x 5,0 | 9,87 x 7,08 x 0,197 |
| 1708942 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 3026084 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| 3034533 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3045537 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,3 x 114,3 x 1,8 | 6,35 x 4,50 x 0,071 |

| | | | | | | |
|--|--|------------------|----|-----------|---------------------|-----------------------|
| 3045538 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,6 | 5,88 x 4,24 x 0,102 |
| 3045763 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 155,7 x 115,8 x 1,7 | 6,13 x 4,56 x 0,066 |
| 3046971 | DISC STEEL INTERMEDIATE | DISHED | 8 | EXT LG | 136,4 x 88,1 x 1,2 | 5,37 x 3,47 x 0,047 |
| 3053215 | DISC FRICTION FP | 2 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 3053354 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 3068473 | DISC STEEL INTERMEDIATE | ----- | 43 | (64)EX TH | 205,5 x 145,4 x 3,5 | 8,09 x 5,72 x 0,138 |
| 3124068 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3124607 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3132279 | CLUTCH DISC SINTER BRONZE | SUNBURST | 47 | INT TH | 147,0 x 90,5 x 3,0 | 5,79 x 3,56 x 0,118 |
| 3132652 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3258154 | OBSOLETE | 2 PASS | 64 | INT TH | 269,7 x 197,1 x 3,5 | 10,62 x 7,76 x 0,138 |
| 4001167 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 4001168 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 4001169 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 4015492 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 4021738 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 4021739 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 4024120 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 4024121 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 4024122 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 4024159 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| 4024160 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 4024161 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 129,6 x 84,8 x 2,5 | 5,10 x 3,34 x 0,098 |
| 4052214 | DISC FRICTION FP | WAFFLE | 60 | INT TH | 465,8 x 284,4 x 5,6 | 18,34 x 11,20 x 0,220 |
| 4080643 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 4080644 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| HYUNDAI (also see CLARK and ZF) | | | | | | |
| 3146363 | DISC FRICTION FP | 2 PASS | 72 | INT TH | 298,0 x 215,0 x 4,5 | 11,73 x 8,46 x 0,177 |
| 3146743 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 3146763 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 3146793 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 3,9 | 12,40 x 8,90 x 0,154 |
| 3146803 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,5 | 12,40 x 8,90 x 0,177 |
| 3146813 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 5,0 | 12,40 x 8,90 x 0,197 |
| 3146823 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 3146833 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,5 | 13,58 x 9,57 x 0,177 |
| 3146843 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 3146853 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,154 |
| 3146863 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 3146873 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 5,0 | 15,08 x 9,96 x 0,197 |
| 3154543 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 315,0 x 226,0 x 4,3 | 12,40 x 8,90 x 0,167 |
| 3200513 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 3200523 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,3 | 15,08 x 9,96 x 0,167 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|----------------------|
| 3243233 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 501208883 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 501208884 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 501212370 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 501212371 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 501212372 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 501212373 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 501309329 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 501309330 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 501314381 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 501314382 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 501316591 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 501316592 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 680900050 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 680900060 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| 4462305080 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 4462305081 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 4472320103 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 4472320104 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 4472320105 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 4474308082 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4474308083 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 4474308084 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 4642308330 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 4642308331 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 4642308332 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 4644308329 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 4644308330 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 11AB-00120 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,5 x 81,0 x 1,8 | 5,30 x 3,19 x 0,071 |
| 11AB-00270 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,7 | 4,92 x 2,70 x 0,106 |
| 11AB-00280 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 128,9 x 81,0 x 1,8 | 5,07 x 3,19 x 0,071 |
| 11AB-00410 | END PLATE | STEPPED | 50 | EXT TH | 129,0 x 81,0 x 6,2 | 5,08 x 3,19 x 0,294 |
| 11BB-00200 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 134,0 x 87,8 x 2,3 | 5,28 x 3,46 x 0,093 |
| 21AA-00190 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 207,5 x 116,0 x 2,5 | 8,74 x 0,24 x 0,098 |
| 21AA-00200 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 207,5 x 116,0 x 3,0 | 8,74 x 0,24 x 0,118 |
| 21AA-00210 | DISC FRICTION FP | 2 PASS | 22 | INT TH | 186,0 x 53,3 x 3,2 | 7,32 x 2,10 x 0,126 |
| 21AB-00351 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 258,0 x 167,0 x 2,5 | 10,16 x 6,57 x 0,098 |
| 21AB-00360 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 234,0 x 91,0 x 3,5 | 9,21 x 3,58 x 0,136 |
| 21DB-10070 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 13 | INT TH | 155,0 x 26,8 x 3,5 | 6,10 x 1,06 x 0,138 |
| 81F6-31130 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,6 x 87,0 x 2,0 | 6,00 x 3,43 x 0,079 |
| 81F6-31140 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 81F7-34180 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 81F7-34190 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |

| | | | | | | |
|--------------|-------------------------|--------|----|-----------|---------------------|----------------------|
| DI0830A3-3WT | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 247,0 x 162,0 x 3,4 | 9,72 x 6,38 x 0,134 |
| DI0840A3-3WT | DISC FRICTION FP | WAFFLE | 24 | INT TH | 228,5 x 60,0 x 3,2 | 9,00 x 2,36 x 0,126 |
| DCT156C1-00 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 149,9 x 99,0 x 4,0 | 5,90 x 3,90 x 0,157 |
| DCT157C1-00 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 149,9 x 99,0 x 2,0 | 5,90 x 3,90 x 0,079 |
| MS23TM0028A3 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,7 | 4,92 x 2,70 x 0,106 |
| XJBN-00145 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| XKAH-00086 | ELASTOMER | RADIAL | 9 | INT LG | 180,0 x 124,0 x 3,5 | 7,09 x 4,88 x 0,138 |
| XKAH-00087 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 188,0 x 155,0 x 2,0 | 7,40 x 6,10 x 0,079 |
| XKAH-00399 | ELASTOMER | RADIAL | 9 | INT LG | 192,0 x 140,5 x 3,5 | 7,56 x 5,53 x 0,138 |
| XKAH-00401 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 200,0 x 158,0 x 2,0 | 7,87 x 6,22 x 0,079 |
| XKAY-00297 | ELASTOMER | RADIAL | 43 | INT TH | 134,0 x 107,5 x 3,0 | 5,28 x 4,23 x 0,118 |
| XKAY-00298 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 145,0 x 115,0 x 1,7 | 5,71 x 4,53 x 0,065 |
| XKAY-00465 | ELASTOMER | RADIAL | 30 | (38)IN TH | 178,0 x 148,0 x 3,6 | 7,01 x 5,83 x 0,142 |
| XKAY-00466 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 190,0 x 159,0 x 4,0 | 7,48 x 6,26 x 0,157 |
| XKAY-00537 | ELASTOMER | RADIAL | 56 | INT TH | 168,2 x 140,0 x 2,8 | 6,62 x 5,51 x 0,110 |
| XKAY-00538 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT LG | 182,0 x 148,0 x 1,5 | 7,17 x 5,83 x 0,059 |
| XKBQ-00105 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| XKBQ-00106 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,0 | 15,08 x 9,96 x 0,118 |
| XKBQ-00107 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,3 | 15,08 x 9,96 x 0,128 |
| XKBQ-00108 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,5 | 15,08 x 9,96 x 0,138 |
| XKBQ-00109 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,8 | 15,08 x 9,96 x 0,148 |
| XKBQ-00235 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| XKBQ-00236 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,0 | 13,58 x 9,57 x 0,118 |
| XKBQ-00237 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,3 | 13,58 x 9,57 x 0,128 |
| XKBQ-00238 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,5 | 13,58 x 9,57 x 0,138 |
| XKBQ-00239 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,8 | 13,58 x 9,57 x 0,148 |
| XKBQ-00286 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| XKBQ-00349 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 250,0 x 170,0 x 4,5 | 9,84 x 6,69 x 0,177 |
| XKBQ-00372 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| XKBQ-00373 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| XKBQ-00436 | DISC STEEL INTERMEDIATE | ----- | 77 | EXT TH | 274,0 x 182,0 x 4,0 | 10,79 x 7,17 x 0,157 |
| XKBQ-00437 | OBSOLETE AFTER STOCK | | 77 | EXT TH | 274,0 x 182,0 x 4,3 | 10,79 x 7,17 x 0,167 |
| XKBQ-00439 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 250,0 x 170,0 x 4,5 | 9,84 x 6,69 x 0,177 |
| XKBT-00270 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| XKBT-00271 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| XKBT-00409 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 247,0 x 162,0 x 3,4 | 9,72 x 6,38 x 0,134 |
| XKBT-00410 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 228,5 x 60,0 x 3,2 | 9,00 x 2,36 x 0,126 |
| XKBT-00520 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 247,0 x 162,0 x 3,4 | 9,72 x 6,38 x 0,134 |
| XKBT-00563 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 220,0 x 90,5 x 4,0 | 8,66 x 3,56 x 0,157 |
| XKBT-00564 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 235,0 x 153,0 x 2,5 | 9,25 x 6,02 x 0,098 |
| XKBT-00580 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 149,9 x 99,0 x 4,0 | 5,90 x 3,90 x 0,157 |
| XKBT-00581 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 149,9 x 99,0 x 2,0 | 5,90 x 3,90 x 0,079 |
| XKBT-00642 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 220,0 x 90,5 x 4,0 | 8,66 x 3,56 x 0,157 |
| XKBT-00643 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 235,0 x 153,0 x 2,5 | 9,25 x 6,02 x 0,098 |
| XKBT-00823 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| XKBT-00824 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 149,9 x 99,0 x 2,0 | 5,90 x 3,90 x 0,079 |
| XKCF-00060 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,7 | 4,92 x 2,70 x 0,106 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|----------------------|
| XKCF-00061 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 128,9 x 81,0 x 1,8 | 5,07 x 3,19 x 0,071 |
| XKCF-00083 | END PLATE | STEPPED | 50 | EXT TH | 129,0 x 81,0 x 6,2 | 5,08 x 3,19 x 0,294 |
| XKCF-00137 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 258,0 x 167,0 x 2,5 | 10,16 x 6,57 x 0,098 |
| XKCF-00138 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 234,0 x 91,0 x 3,5 | 9,21 x 3,58 x 0,136 |
| XKCF-00172 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 222,0 x 116,0 x 2,5 | 8,74 x 0,24 x 0,098 |
| XKCF-00173 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 222,0 x 116,0 x 3,0 | 8,74 x 0,24 x 0,118 |
| XKCF-00174 | DISC FRICTION FP | 2 PASS | 22 | INT TH | 186,0 x 53,3 x 3,2 | 7,32 x 2,10 x 0,126 |
| XKCF-00454 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 134,0 x 95,2 x 1,8 | 5,28 x 3,75 x 0,071 |
| XKCF-00455 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 124,1 x 90,2 x 2,7 | 4,88 x 3,55 x 0,106 |
| XKCF-00487 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 188,2 x 124,1 x 2,5 | 7,41 x 4,89 x 0,098 |
| XKCF-00489 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 13 | INT TH | 155,0 x 26,8 x 3,5 | 6,10 x 1,06 x 0,138 |
| XKCF-00527 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 176,0 x 110,0 x 2,0 | 6,93 x 4,33 x 0,079 |
| XKCF-00528 | DISC FRICTION FP | WAFFLE | 39 | INT TH | 132,0 x 97,6 x 2,5 | 5,20 x 3,84 x 0,096 |
| XKCF-00590 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 209,1 x 146,0 x 2,5 | 8,23 x 5,74 x 0,098 |
| XKCF-00591 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAF/RAD | 13 | INT TH | 178,0 x 30,0 x 3,5 | 7,01 x 1,18 x 0,138 |
| XKCF-00644 | DISC FRICTION FP | 2 PASS | 47 | INT TH | 234,0 x 91,0 x 3,5 | 9,21 x 3,58 x 0,136 |
| XKCF-00920 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 124,1 x 90,2 x 2,7 | 4,88 x 3,55 x 0,106 |
| ZGAQ-00065 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 4,0 | 8,31 x 4,03 x 0,157 |
| ZGAQ-00137 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| ZGAQ-00138 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| ZGAQ-00139 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| ZGAQ-00320 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| ZGAQ-00324 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| ZGAQ-00326 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| ZGAQ-00330 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| ZGAQ-00821 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| ZGAQ-00852 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| ZGAQ-00853 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| ZGAQ-00982 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| ZGAQ-00994 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| ZGAQ-00995 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| ZGAQ-01001 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| ZGAQ-01296 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| ZGAQ-01297 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| ZGAQ-01298 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| ZGAQ-01299 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| ZGAQ-01374 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| ZGAQ-01508 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| ZGAQ-01509 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| ZGAQ-01675 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| ZGAQ-01944 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |

| | | | | | | |
|------------|--|----------|----|-----------|---------------------|-----------------------|
| ZGAQ-01945 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| ZGAQ-02026 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,4 | 4,38 x 3,31 x 0,055 |
| ZGAQ-02027 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 112,2 x 84,2 x 1,2 | 4,38 x 3,31 x 0,047 |
| ZGAQ-02220 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| ZGAQ-02221 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| ZGAQ-02222 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| ZGAQ-02223 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| ZGAQ-02330 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| ZGAQ-02331 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| ZGAQ-02332 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| ZGAQ-02452 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| ZGAQ-02453 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,0 | 6,49 x 4,24 x 0,118 |
| ZGAQ-02454 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,1 | 6,49 x 4,24 x 0,122 |
| ZGAQ-02463 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| ZGAQ-02511 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| ZGAQ-02512 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| ZGAQ-02513 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| ZGAQ-02692 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| ZGAQ-02693 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| ZGAQ-02694 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| ZGAQ-02695 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| ZGAQ-02696 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,2 | 7,47 x 3,63 x 0,126 |
| ZGAQ-02697 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| ZGAQ-02698 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| ZGAQ-02779 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| ZGAQ-02780 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0 x 262,0 x 2,4 | 14,72 x 10,31 x 0,094 |
| ZGAQ-02926 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 240,0 x 140,0 x 4,5 | 9,45 x 5,51 x 0,177 |
| ZGAQ-02927 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,5 | 8,19 x 4,69 x 0,098 |
| ZGAQ-02928 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,0 | 8,19 x 4,69 x 0,079 |
| ZGAQ-02929 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 3,0 | 8,19 x 4,69 x 0,118 |
| ZGAQ-03009 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| ZGAQ-03011 | DISC STEEL INTERMEDIATE | DISHED | 30 | EXT TH | 119,8 x 75,3 x 1,8 | 4,72 x 2,96 x 0,071 |
| ZGAQ-03062 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| ZGAQ-03063 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 130,9 x 86,8 x 1,8 | 5,15 x 3,42 x 0,071 |
| ZGAQ-03447 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0 x 153,6 x 4,0 | 9,88 x 6,05 x 0,157 |
| ZGAQ-03448 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 233,0 x 141,5 x 5,5 | 9,17 x 5,57 x 0,217 |
| ZGAQ-03450 | DISC FRICTION FP | 3 PASS | 20 | INT TH | 233,0 x 59,5 x 5,5 | 9,17 x 2,34 x 0,217 |
| ZGAQ-03526 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 160,0 x 109,5 x 4,0 | 6,30 x 4,31 x 0,157 |
| ZGAQ-03527 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 146,5 x 99,8 x 4,0 | 5,57 x 3,90 x 0,157 |
| ZGAQ-03763 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 479,0 x 322,0 x 2,7 | 18,86 x 12,68 x 0,106 |
| ZGAQ-04281 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 78 | INT TH | 445,5 x 312,3 x 4,0 | 17,54 x 12,30 x 0,157 |
| ZTAJ-00022 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------------|--|-------------------|--------------------|-----------------|----------------------|-----------------------|
| ZTAJ-00023 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| ZTAJ-00073 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| ZTAJ-00074 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 183,1 x 103,5 x 2,8 | 7,21 x 4,07 x 0,110 |
| ZTAM-00090 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| ZTAM-00099 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| ZTAM-00219 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| ZTAM-00968 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| ZTAM-00143 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| ZTAM-00145 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |
| ZTAM-00146 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |
| ZTAM-01082 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 178,0 x 69,0 x 3,8 | 7,01 x 2,72 x 0,148 |
| ZTAM-01222 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| INNOCENTI | | | | | | |
| 003707370 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 124 | INT TH | 482,6 x 388,6 x 5,6 | 19,00 x 15,30 x 0,219 |
| 003300414 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 84 | INT TH | 540,0 x 420,4 x 4,7 | 21,26 x 16,55 x 0,185 |
| 432801085 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 569,0 x 444,2 x 4,7 | 22,40 x 17,49 x 0,185 |
| INTERNATIONAL (DRESSER) | | | | | | |
| 72330 | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 72372 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 100049A1 | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0 x 342,0 x 4,0 | 17,91 x 13,46 x 0,157 |
| 100050A1 | DISC FRICTION FP | 3 PASS | 104 | INT TH | 437,9 x 325,1 x 5,3 | 17,24 x 12,80 x 0,209 |
| 103310A1 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 103310A1 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 114622C1 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 114622C1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 119336A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)INT TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 119430A1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 119431A1 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 119433A1 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 119228A1 | END PLATE | STEPPED | 35 | EXT TH | 177,3 x 109,4 x 10,9 | 6,98 x 4,30 x 0,429 |
| 119229A1 | END PLATE | STEPPED | 35 | EXT TH | 177,3 x 109,4 x 10,9 | 6,98 x 4,30 x 0,429 |
| 120486C1 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 350,0 x 192,0 x 2,8 | 13,78 x 7,56 x 0,108 |
| 120488C1 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 305,0 x 108,0 x 4,9 | 12,00 x 4,25 x 0,193 |
| 120488C2 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 305,0 x 108,0 x 4,9 | 12,00 x 4,25 x 0,193 |
| 125504H1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 146,1 x 78,5 x 1,6 | 5,75 x 3,09 x 0,063 |
| 125505H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 129529H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 146055A1 | OBSOLETE | | 14 | INT TH | 338,0 x 66,4 x 4,6 | 13,31 x 2,61 x 0,181 |
| 146057A1 | OBSOLETE AFTER STOCK | | 3 | EXT SL | 376,0 x 260,0 x 4,5 | 14,80 x 10,24 x 0,177 |
| 148903A1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| 148905A1 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |

| | | | | | | |
|------------------------|---|-------------|----|-----------|----------------------|-----------------------|
| 148906A1 | DISC FRICTION DISC FRICTION MO-LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |
| 148962A1 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 148963A1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 149584 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 149585 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 156320H1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8 x 152,4 x 2,1 | 8,30 x 6,00 x 0,083 |
| 157021H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 181158A1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 181159A1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| 187109H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 190462A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 195409H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 196073A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 196625H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 246,1 x 178,1 x 4,9 | 9,69 x 7,01 x 0,193 |
| 196680H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 292,1 x 213,9 x 5,1 | 11,50 x 8,42 x 0,201 |
| 215737H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 219179H1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 34 | INT TH | 146,1 x 104,9 x 1,7 | 5,75 x 4,13 x 0,066 |
| 220025H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 237017A1 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 272,0 x 71,1 x 4,9 | 10,71 x 2,80 x 0,193 |
| 237021A1 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 237021A1 (ALTERNATIVE) | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 237022A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 237023A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 9,0 | 9,06 x 6,00 x 0,354 |
| 237024A1 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 9,0 | 9,06 x 6,00 x 0,354 |
| 245297A1 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| 259492C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 246,1 x 178,1 x 4,9 | 9,69 x 7,01 x 0,193 |
| 291578A1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 291579A1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 291580A1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 308029A1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| 308030A1 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 310519A1 | END PLATE | ----- | 6 | EXT LG | 146,0 x 97,0 x 10,2 | 5,75 x 3,82 x 0,402 |
| 313807R1 | DISC STEEL INTERMEDIATE | ----- | 30 | (90)EX TH | 387,4 x 321,8 x 5,0 | 15,25 x 12,67 x 0,197 |
| 324240R1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 324241R1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5 x 99,1 x 1,6 | 5,61 x 3,90 x 0,063 |
| 324452R1 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 244,0 x 173,0 x 3,2 | 9,61 x 6,81 x 0,126 |
| 324452R1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 244,0 x 173,0 x 3,2 | 9,61 x 6,81 x 0,126 |
| 324456R1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 39 | INT TH | 228,9 x 162,0 x 2,9 | 9,01 x 6,38 x 0,112 |
| 324483R1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,8 x 152,4 x 2,1 | 8,30 x 6,00 x 0,083 |
| 327173R1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 327174R1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 180,1 x 129,5 x 2,1 | 7,09 x 5,10 x 0,083 |
| 331387A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 331388A1 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 331893A1 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|-----------------------------|--------------------|-----------------|---------------------|-----------------------|
| 331894A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 331895A1 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 331896A1 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 331897A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 335165A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 335167A1 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 336319R1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 336822R1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,6 x 151,6 x 3,1 | 8,45 x 5,97 x 0,122 |
| 336823R1 | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,4 x 2,3 | 8,00 x 5,45 x 0,091 |
| 348956A1 | OBSOLETE | BRAKE CLUTCH DISC KIT | | | | |
| 351175A1 | DISC FRICTION FP | 3 PASS | 16 | INT TH | 301,0 x 54,0 x 6,3 | 11,85 x 2,13 x 0,248 |
| 351175A2 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 16 | INT TH | 301,0 x 54,0 x 6,3 | 11,85 x 2,13 x 0,248 |
| 357534A1 | OBSOLETE | 4 PASS/WAG | 104 | INT TH | 437,9 x 325,1 x 5,0 | 17,24 x 12,80 x 0,197 |
| 381489R3 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 145,8 x 103,2 x 1,8 | 5,74 x 4,06 x 0,069 |
| 381490R4 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 51 | INT TH | 134,8 x 95,0 x 2,5 | 5,31 x 3,74 x 0,098 |
| 384322A1 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 384323A1 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 399734R1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 399734R1 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 399736R3 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 258,8 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 452160A1 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 533804R1 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,2 x 2,1 | 4,94 x 3,67 x 0,082 |
| 615559C1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 615840C1 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 615911C1 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 619200C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 39 | INT TH | 228,9 x 162,0 x 2,9 | 9,01 x 6,38 x 0,112 |
| 625615C1 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,7 x 187,5 x 3,9 | 9,99 x 7,38 x 0,153 |
| 630047C1 | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 228,6 x 158,7 x 2,6 | 9,00 x 6,25 x 0,102 |
| 630281C1 | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,7 x 2,3 | 8,00 x 5,46 x 0,091 |
| 630515C2 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 630516C2 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 634490C2 | DISC FRICTION FP | WAFFLE | 100 | EXT TH | 214,6 x 151,4 x 3,2 | 8,45 x 5,96 x 0,125 |
| 634534C1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 634535C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,3 x 2,5 | 6,62 x 4,70 x 0,100 |
| 634536C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 634558C1 | DISC FRICTION FP | WAFFLE | 93 | EXT TH | 239,8 x 171,6 x 3,6 | 9,44 x 6,76 x 0,142 |
| 654594C3 | DISC FRICTION GRPH | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 658354C2 | DISC FRICTION GRPH | SUNBURST | 45 | INT TH | 266,7 x 187,2 x 2,8 | 10,50 x 7,37 x 0,110 |
| 658451C1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 330,0 x 240,0 x 2,4 | 12,99 x 9,45 x 0,093 |

| | | | | | | |
|-----------|---|-------------|----|--------|---------------------|-----------------------|
| 659592C1 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 276,0 x 200,7 x 2,3 | 10,87 x 7,90 x 0,090 |
| 659611C1 | DISC STEEL INTERMEDIATE | ----- | 41 | EXT TH | 210,1 x 152,4 x 2,1 | 8,27 x 6,00 x 0,083 |
| 659746C3 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 420,9 x 323,9 x 4,3 | 16,57 x 12,75 x 0,169 |
| 659761C2 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 316,0 x 222,3 x 4,3 | 12,44 x 8,75 x 0,168 |
| 659819C1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,3 | 17,25 x 13,50 x 0,090 |
| 675667R1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 676833R1 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 274,7 x 178,8 x 2,3 | 10,82 x 7,04 x 0,090 |
| 702874C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,098 |
| 702959C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 702962C1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 705105C2 | CLUTCH DISC SINTER BRONZE | SUNBURST | 39 | INT TH | 228,9 x 162,0 x 2,9 | 9,01 x 6,38 x 0,112 |
| 709527C1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 198,2 x 133,4 x 2,3 | 7,80 x 5,25 x 0,091 |
| 709804C1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,3 | 17,25 x 13,50 x 0,090 |
| 709807C91 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,3 | 17,25 x 13,50 x 0,090 |
| 709808C91 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 329,0 x 240,0 x 2,4 | 12,95 x 9,45 x 0,093 |
| 716719C1 | DISC STEEL INTERMEDIATE | ----- | 44 | EXT TH | 144,0 x 100,0 x 1,2 | 5,67 x 3,94 x 0,047 |
| 716929C2 | DISC FRICTION FP | 3 PASS | 36 | INT TH | 316,0 x 222,5 x 4,3 | 12,44 x 8,76 x 0,168 |
| 730858C1 | DISC FRICTION CARBON FP | SUNBURST | 39 | INT TH | 228,1 x 161,8 x 2,8 | 8,98 x 6,37 x 0,112 |
| 730963C1 | OBSOLETE | SUNBURST | 36 | INT TH | 316,0 x 222,5 x 2,8 | 12,44 x 8,76 x 0,112 |
| 886934C1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 34 | INT TH | 146,1 x 104,9 x 1,7 | 5,75 x 4,13 x 0,066 |
| 886938C1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 146,1 x 78,5 x 1,6 | 5,75 x 3,09 x 0,063 |
| 892887C1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 893515C1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 894083H1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 145,0 x 78,5 x 2,0 | 5,70 x 3,09 x 0,079 |
| 922539C1 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,6 x 85,6 x 1,7 | 7,15 x 3,37 x 0,066 |
| 922541C1 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 167,6 x 78,7 x 1,8 | 6,60 x 3,10 x 0,070 |
| 922549C1 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 1,7 | 7,14 x 4,44 x 0,066 |
| 922551C1 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 167,6 x 104,6 x 1,8 | 6,60 x 4,12 x 0,070 |
| 922913C1 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 179,8 x 173,5 x 0,4 | 7,08 x 6,83 x 0,016 |
| 924109C1 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 244,0 x 173,0 x 3,2 | 9,61 x 6,81 x 0,126 |
| 970696C2 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 970697C2 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 984439C1 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 258,8 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 1201474H1 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 1027256C1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 1027256C1 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 1202654H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 1202655H1 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 1202656H1 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 1202657H1 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 1202681H1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 1202682H1 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 1202683H1 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 1202684H1 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 1209800H1 | DISC FRICTION FP | 2 PASS | 29 | INT TH | 183,9 x 119,4 x 3,9 | 7,24 x 4,70 x 0,154 |
| 1222489C1 | DISC STEEL INTERMEDIATE | RUBBER PINS | 6 | EXT LG | 437,0 x 343,0 x 2,4 | 17,20 x 13,50 x 0,093 |
| 1222489H91 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 438,2 x 342,9 x 2,3 | 17,25 x 13,50 x 0,090 |
| IM1251 MATE | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 282,0 x 200,0 x 3,2 | 11,10 x 7,87 x 0,126 |
| 1222490H91 | OBSOLETE AFTER STOCK | | 8 | EXT LG | 283,4 x 200,2 x 2,4 | 11,16 x 7,88 x 0,093 |
| 1230637H1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 1244205H1 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 1244205H1 | GREEN PA | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 1260006H1 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,0 x 173,0 x 2,4 | 9,72 x 6,81 x 0,093 |
| 1260007H1 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,0 x 173,0 x 2,4 | 9,72 x 6,81 x 0,093 |
| 1263329H1 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 1263329H1 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 1276803H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 1276804H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 1276909H1 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 1276912H1 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| 1276916H1 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 1285974C1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 244,0 x 173,0 x 2,3 | 9,61 x 8,81 x 0,091 |
| 1285975C2 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 39 | INT TH | 228,0 x 162,0 x 2,9 | 8,98 x 6,38 x 0,114 |
| 1342285C1 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 19 | INT TH | 203,2 x 57,2 x 4,7 | 8,00 x 2,25 x 0,185 |
| 1345726C1 | IRON | 2 PASS | 16 | INT TH | 143,0 x 63,5 x 6,3 | 5,63 x 2,50 x 0,248 |
| 1997907C1 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 141,0 x 99,0 x 2,0 | 5,55 x 3,90 x 0,079 |
| 3135827R1 | DISC STEEL INTERMEDIATE | ----- | 22 | INT TH | 155,6 x 79,4 x 2,0 | 6,13 x 3,13 x 0,079 |
| 3136997R91 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 12 | EXT SL | 181,5 x 120,3 x 2,5 | 7,15 x 4,74 x 0,098 |
| 3145546R91 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 226,7 x 48,3 x 8,9 | 8,92 x 1,90 x 0,350 |
| 3145546R92 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 226,7 x 48,3 x 8,9 | 8,92 x 1,90 x 0,350 |
| 3220450R91 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 255,4 x 48,3 x 8,9 | 10,05 x 1,90 x 0,350 |
| 3220450R92 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 255,4 x 48,3 x 8,9 | 10,05 x 1,90 x 0,350 |
| 3220450R94 | DISC FRICTION FP | WAFFLE | 10 | INT TH | 255,4 x 48,3 x 8,9 | 10,05 x 1,90 x 0,350 |
| 3376410R1 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 3380998H1 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 3380999H1 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 3381148H91 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 289,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 3381439H91 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| IOCHPE MAXION | | | | | | |
| 041053R1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 041054R1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 041055R1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| ISEKI | | | | | | |
| 1444-327-201-1 | DISC FRICTION FP | 2 PASS | 22 | INT TH | 153,0 x 36,7 x 3,4 | 6,02 x 1,44 x 0,134 |
| 1444-327-202-1 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 158,0 x 90,0 x 2,5 | 6,22 x 3,54 x 0,098 |

| | | | | | | |
|-----------------------------------|--|----------|----|-----------|----------------------|----------------------|
| 1513-310-201-0 | OBSOLETE | | 25 | INT TH | 183,0 x 41,7 x 3,4 | 7,20 x 1,64 x 0,134 |
| 1513-310-202-0 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 188,0 x 130,0 x 2,5 | 7,40 x 5,12 x 0,098 |
| 1560-310-201-1 | DISC FRICTION FP | 2 PASS | 22 | INT TH | 153,0 x 36,7 x 3,4 | 6,02 x 1,44 x 0,134 |
| 1564-310-261-1 | OBSOLETE | | 25 | INT TH | 183,0 x 41,7 x 3,4 | 7,20 x 1,64 x 0,134 |
| ITOCHU | | | | | | |
| 0014705 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 0014706 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 0014707 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| IVECO | | | | | | |
| 42546599 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,6 x 107,0 x 1,8 | 6,36 x 4,21 x 0,071 |
| 42546600 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 34 | INT TH | 146,7 x 99,7 x 2,1 | 5,78 x 3,93 x 0,083 |
| JEFFREY | | | | | | |
| 443901 | OBSOLETE | ----- | 40 | INT TH | 295,1 x 198,1 x 4,8 | 11,62 x 7,80 x 0,189 |
| 446103 | OBSOLETE | SPR/WAG | 60 | EXT TH | 308,6 x 215,9 x 5,7 | 12,15 x 8,50 x 0,224 |
| 159E108 | OBSOLETE | ----- | 40 | INT TH | 295,1 x 198,1 x 4,8 | 11,62 x 7,80 x 0,189 |
| 173E596 | OBSOLETE | SPR/WAG | 60 | EXT TH | 308,6 x 215,9 x 5,7 | 12,15 x 8,50 x 0,224 |
| JLG / OMNIQUIP | | | | | | |
| ? | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 200,0 x 59,0 x 4,3 | 7,87 x 2,32 x 0,169 |
| ? | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 200,0 x 59,0 x 4,5 | 7,87 x 2,32 x 0,177 |
| ? | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 210,6 x 158,5 x 2,5 | 8,29 x 6,24 x 0,098 |
| 8033570 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 8035184 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 8035185 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 8035186 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 8035199 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 70025823 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 91474123 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 91474124 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 91474139 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 91474140 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 91474141 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 91474568 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 91474569 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| JOHN DEERE (ALSO SEE FUNK) | | | | | | |
| AL29645 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,6 x 45,5 x 7,2 | 12,03 x 1,79 x 0,283 |
| AL30095 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 306,0 x 57,6 x 10,1 | 12,03 x 2,27 x 0,402 |
| AL38234 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,6 x 45,5 x 7,2 | 12,03 x 1,79 x 0,283 |
| AL38235 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 306,0 x 57,6 x 10,1 | 12,03 x 2,27 x 0,402 |
| AL38236 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 306,0 x 45,5 x 10,1 | 12,03 x 1,79 x 0,402 |
| AL38238 | DISC FRICTION FP | 2 PASS | 6 | INT LG | 191,9 x 152,3 x 2,3 | 7,56 x 6,00 x 0,091 |
| AL38239 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| AL38240 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AL55075 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 110,0 x 28,0 x 6,0 | 4,33 x 1,10 x 0,236 |
| AL65871 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 305,8 x 55,1 x 4,8 | 12,04 x 2,17 x 0,189 |
| AL65872 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 4,8 | 12,04 x 1,69 x 0,189 |
| AL66796 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 4,8 | 12,04 x 1,69 x 0,189 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| AL66797 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 4,8 | 12,04 x 1,69 x 0,189 |
| AL68096 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 306,0 x 45,5 x 10,1 | 12,03 x 1,79 x 0,402 |
| AL68507 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 4,8 | 12,04 x 1,69 x 0,189 |
| AL68508 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 4,8 | 12,04 x 1,69 x 0,189 |
| AL69559 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| AL69560 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AL75434 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 4,8 | 12,32 x 1,71 x 0,189 |
| AL76111 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 10 | EXT LG | 146,0 x 100,0 x 2,1 | 5,75 x 3,94 x 0,084 |
| AL76887 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 305,8 x 36,2 x 4,9 | 12,04 x 1,43 x 0,193 |
| AL111498 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 4,8 | 12,32 x 1,71 x 0,189 |
| AL112982 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 6,0 | 12,32 x 1,71 x 0,236 |
| AL159761 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 4,8 | 12,32 x 1,71 x 0,189 |
| AL159762 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 6,0 | 12,32 x 1,71 x 0,236 |
| AL160564 | DISC FRICTION FP | HOLES | 75 | (77)IN TH | 320,7 x 266,4 x 3,8 | 12,63 x 10,49 x 0,148 |
| AL160565 | DISC STEEL INTERMEDIATE | ----- | 24 | (56)EX TH | 352,3 x 279,1 x 2,5 | 13,87 x 10,99 x 0,098 |
| AL160566 | DISC FRICTION FP | 2 PASS/ HARDEN | 75 | (77)IN TH | 320,7 x 266,4 x 3,8 | 12,63 x 10,49 x 3,800 |
| AL160567 | DISC STEEL INTERMEDIATE | ----- | 45 | (56)EX TH | 352,3 x 279,1 x 2,5 | 13,87 x 10,99 x 0,098 |
| AL160575 | DISC FRICTION FP | 2 PASS | 36 | (38)EX TH | 204,1 x 132,2 x 3,3 | 8,04 x 5,20 x 0,128 |
| AL160576 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 190,0 x 117,9 x 2,5 | 7,48 x 4,64 x 0,098 |
| AL160577 | DISC STEEL INTERMEDIATE | ----- | 56 | EXT TH | 327,9 x 255,1 x 2,5 | 12,91 x 10,04 x 0,098 |
| AL160578 | DISC FRICTION FP | 2 PASS | 97 | (99)IN TH | 314,1 x 245,5 x 3,2 | 12,37 x 9,67 x 0,127 |
| AL160831 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 352,2 x 278,9 x 3,3 | 13,87 x 10,98 x 0,130 |
| AL162808 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 305,8 x 36,2 x 4,9 | 12,04 x 1,43 x 0,193 |
| AL171954 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 4,8 | 12,32 x 1,71 x 0,189 |
| AL171955 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 313,0 x 43,4 x 6,0 | 12,32 x 1,71 x 0,236 |
| AR27727 | DISC FRICTION FP | WAFFLE | 6 | EXT LG | 115,0 x 82,6 x 2,0 | 4,53 x 3,25 x 0,079 |
| AR39128 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AR44997 | DISC STEEL INTERMEDIATE | ----- | 4 | INT LG | 104,7 x 71,6 x 1,2 | 4,11 x 2,81 x 0,047 |
| AR60082 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR67710 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR68345 | DISC FRICTION FP | WAFFLE | 104 | INT TH | 322,8 x 262,8 x 3,3 | 12,71 x 10,35 x 0,130 |
| AR68945 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| AR69610 | CLUTCH DISC SINTER BRONZE | SUNBURST | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,122 |
| AR69611 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,114 |
| AR71561 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,9 | 5,24 x 3,65 x 0,730 |
| AR73183 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR73712 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR77819 | DISC FRICTION FP | WAFFLE | 55 | INT TH | 109,9 x 86,1 x 1,8 | 4,33 x 3,39 x 0,071 |
| AR78361 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| AR87422 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,115 |
| AR89320 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR94515 | DISC FRICTION FP | WAFFLE | 104 | INT TH | 322,8 x 262,8 x 3,3 | 12,71 x 10,35 x 0,130 |
| AR94516 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,114 |

| | | | | | | |
|----------|---|------------------|----|-----------|---------------------|-----------------------|
| AR94517 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| AR94519 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 279,5 x 149,6 x 3,6 | 11,00 x 5,89 x 0,142 |
| AR95827 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| AR108105 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AT22034 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 306,0 x 45,5 x 10,1 | 12,03 x 1,79 x 0,402 |
| AT26632 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AT63106 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 304,8 x 45,7 x 9,7 | 12,00 x 1,80 x 0,380 |
| AT100837 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| AT101001 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AT179473 | DISC FRICTION FP | WAFFLE/ WAVED | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| AT179503 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 232,0 x 43,0 x 5,8 | 9,13 x 1,69 x 0,228 |
| AT253102 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| AT253103 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| AT253104 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| AT253105 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| AT253106 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| AT255595 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| AT255605 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| AT255608 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| AT258946 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| AT258949 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| AT258951 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| AT300740 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| AT315888 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 304,8 x 45,7 x 9,7 | 12,00 x 1,80 x 0,380 |
| AT321450 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| AT321696 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| AT321802 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| AT321804 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| AT322016 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| AT322021 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| AT322029 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| AT322030 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| AT322033 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| AT322036 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| AT325657 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| AT339059 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 233,0 x 141,5 x 5,5 | 9,17 x 5,57 x 0,217 |
| AT339543 | DISC FRICTION FP | 3 PASS | 20 | INT TH | 233,0 x 59,5 x 5,5 | 9,17 x 2,34 x 0,217 |
| AT339922 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| AT365001 | CLUTCH DISC KIT | | | | | |
| AT463734 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| AZ40478 | DISC FRICTION FP | 3 PASS | 12 | INT TH | 306,0 x 45,5 x 10,1 | 12,03 x 1,79 x 0,402 |
| DJ13290 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 305,8 x 55,4 x 5,9 | 12,04 x 2,18 x 0,232 |
| DJ13291 | OBSOLETE | 3 PASS | 12 | INT TH | 305,8 x 42,9 x 5,9 | 12,04 x 1,69 x 0,232 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|----------------------|-----------------------|
| ER117167 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 172,0 x 94,0 x 2,7 | 6,77 x 3,70 x 0,104 |
| ER143847 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 165,0 x 41,0 x 4,7 | 6,50 x 1,61 x 0,185 |
| F045019 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 196,0 x 110,0 x 2,5 | 7,72 x 4,33 x 0,098 |
| F047367 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 253,0 x 150,0 x 2,6 | 9,96 x 5,91 x 0,102 |
| F056912 | DISC FRICTION GRPH | SUNBURST | 24 | INT TH | 169,0 x 45,1 x 4,8 | 6,65 x 1,78 x 0,189 |
| F057733 | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 169,0 x 36,0 x 4,8 | 6,65 x 1,42 x 0,189 |
| F062284 | DISC FRICTION GRPH | WAFFLE | 26 | INT TH | 223,6 x 51,3 x 4,8 | 8,80 x 2,02 x 0,189 |
| F072092 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 196,0 x 110,0 x 2,5 | 7,72 x 4,33 x 0,098 |
| F072815 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 169,0 x 41,1 x 4,9 | 6,65 x 1,62 x 0,193 |
| F432901 | DISC STEEL INTERMEDIATE | HARDENED | 22 | INT TH | 122,8 x 64,5 x 1,5 | 4,83 x 2,54 x 0,057 |
| F434849 | CLUTCH DISC SINTER BRONZE | WAFFLE | 32 | EXT TH | 133,1 x 92,0 x 2,1 | 5,24 x 3,62 x 0,083 |
| F437205 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| F437207 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8vx 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| F437208 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| F437216 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| F437223 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| L33125 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 120,4 x 86,0 x 2,9 | 4,74 x 3,39 x 0,114 |
| L33163 | DISC STEEL INTERMEDIATE | SINEWAVED | 6 | EXT LG | 196,0 x 168,0 x 2,3 | 7,72 x 6,61 x 0,091 |
| L33497 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 321,9 x 212,1 x 6,0 | 12,67 x 8,35 x 0,237 |
| L34062 | DISC STEEL INTERMEDIATE | HARD/SPR | 6 | EXT LG | 155,6 x 99,1 x 1,4 | 6,13 x 3,90 x 0,053 |
| L34064 | DISC STEEL INTERMEDIATE | HARDENED | 51 | INT TH | 140,8 x 79,5 x 1,5 | 5,54 x 3,13 x 0,060 |
| L40003 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 36 | INT TH | 71,7 x 44,8 x 1,5 | 2,82 x 1,76 x 0,059 |
| L40624 | DISC STEEL INTERMEDIATE | HARDENED | 51 | INT TH | 140,8 x 79,5 x 1,5 | 5,54 x 3,13 x 0,060 |
| L41864 | DISC STEEL INTERMEDIATE | HARD/SPR | 6 | EXT LG | 155,6 x 99,1 x 1,4 | 6,13 x 3,90 x 0,053 |
| L55004 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 321,9 x 220,0 x 14,0 | 12,67 x 8,66 x 0,551 |
| L64752 | DISC STEEL INTERMEDIATE | ----- | 10 | EXT TH | 142,7 x 99,1 x 2,3 | 5,62 x 3,90 x 0,090 |
| L78682 | DISC STEEL INTERMEDIATE | HARDENED | 20 | INT TH | 134,2 x 48,0 x 2,5 | 5,29 x 1,89 x 0,098 |
| L77358 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 346,5 x 242,0 x 6,0 | 13,64 x 9,53 x 0,236 |
| L150355 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| L152006 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| R17344 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 4,0 | 13,15 x 9,37 x 0,157 |
| R31404R | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,115 |
| R33873 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 195,0 x 120,7 x 3,2 | 7,68 x 4,75 x 0,124 |
| R34857 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 252,0 x 157,0 x 3,0 | 9,92 x 6,18 x 0,118 |
| R34858 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 255,4 x 157,2 x 3,0 | 10,06 x 6,19 x 0,118 |
| R39259 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 142,0 x 99,1 x 1,6 | 5,59 x 3,90 x 0,063 |
| R39325 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 197,2 x 120,7 x 2,3 | 7,76 x 4,75 x 0,091 |
| R46391 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 195,0 x 120,7 x 3,2 | 7,68 x 4,75 x 0,124 |
| R57345 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 197,2 x 120,7 x 2,3 | 7,76 x 4,75 x 0,091 |
| R64197 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 152,0 x 99,0 x 1,5 | 5,98 x 3,90 x 0,060 |
| R80813 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 195,0 x 120,7 x 3,2 | 7,68 x 4,75 x 0,124 |
| R95110 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 216,0 x 138,0 x 3,0 | 8,50 x 5,43 x 0,118 |
| R95211 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 233,8 x 113,7 x 4,8 | 9,20 x 4,48 x 0,189 |
| R95313 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 333,1 x 238,4 x 4,0 | 13,11 x 9,39 x 0,157 |

| | | | | | | |
|---------|---------------------------|----------|-----|------------|---------------------|-----------------------|
| R95378 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 330,0 x 247,0 x 6,0 | 12,99 x 9,72 x 0,236 |
| R95422 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 347,2 x 247,1 x 6,0 | 13,67 x 9,73 x 0,236 |
| R96805 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 250,8 x 139,9 x 7,0 | 9,87 x 5,51 x 0,276 |
| R96806 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 277,3 x 134,9 x 7,0 | 8,95 x 5,31 x 0,276 |
| R101158 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 333,8 x 238,2 x 3,0 | 13,14 x 9,38 x 0,118 |
| R101160 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 347,5 x 238,0 x 5,0 | 13,68 x 9,37 x 0,197 |
| R101165 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 218,0 x 120,0 x 3,0 | 8,58 x 4,72 x 0,118 |
| R108509 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 249,9 X 144,2 X 6,0 | 9,84 X 5,68 X 0,234 |
| R114215 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 4,0 | 13,15 x 9,37 x 0,157 |
| R116894 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 216,0 x 118,0 x 3,0 | 8,50 x 4,65 x 0,118 |
| R150895 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 429,8 x 277,5 x 3,0 | 16,92 x 10,93 x 0,118 |
| R169442 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 3,2 | 13,15 x 9,37 x 0,126 |
| R173444 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 333,1 x 238,4 x 4,0 | 13,11 x 9,39 x 0,157 |
| R209938 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 347,5 x 238,0 x 5,0 | 13,68 x 9,37 x 0,197 |
| R216291 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 3,2 | 13,15 x 9,37 x 0,126 |
| R216292 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 4,0 | 13,15 x 9,37 x 0,157 |
| R216293 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 334,0 x 238,0 x 4,0 | 13,15 x 9,37 x 0,157 |
| R216294 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 216,0 x 118,0 x 3,0 | 8,50 x 4,65 x 0,118 |
| R220471 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 218,0 x 120,0 x 3,0 | 8,58 x 4,72 x 0,118 |
| R227405 | CLUTCH DISC SINTER BRONZE | SUNBURST | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,122 |
| R271542 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 184,0 x 134,0 x 2,0 | 7,24 x 5,28 x 0,079 |
| R283067 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 146,0 x 92,5 x 4,0 | 5,75 x 3,64 x 0,157 |
| R72471 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 197,2 x 120,7 x 5,1 | 7,76 x 4,75 x 0,200 |
| R83444 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 216,2 x 138,0 x 4,0 | 8,51 x 5,43 x 0,157 |
| RE17162 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| RE17420 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| RE19890 | DISC FRICTION FP | WAFFLE | 100 | INT TH | 295,0 x 250,6 x 3,1 | 11,61 x 9,87 x 0,120 |
| RE23000 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,115 |
| RE23286 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| RE27871 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| RE27995 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,115 |
| RE29816 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,9 | 5,24 x 3,65 x 0,730 |
| RE33053 | CLUTCH DISC SINTER BRONZE | SUNBURST | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,122 |
| RE33706 | DISC FRICTION FP | WAFFLE | 6 | INT LG | 242,0 x 198,2 x 4,5 | 9,53 x 7,80 x 0,175 |
| RE34784 | DISC FRICTION FP | WAFFLE | 87 | INT TH | 292,0 x 218,5 x 3,2 | 11,50 x 8,60 x 0,126 |
| RE34786 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 285,0 x 112,5 x 3,3 | 11,22 x 4,43 x 0,130 |
| RE34868 | DISC FRICTION FP | 2 PASS | 51 | INT TH | 169,0 x 124,0 x 2,8 | 6,65 x 4,88 x 0,110 |
| RE35512 | DISC FRICTION FP | WAFFLE | 50 | (60)INT TH | 225,0 x 125,0 x 3,6 | 8,86 x 4,92 x 0,142 |
| RE36170 | DISC FRICTION FP | WAFFLE | 55 | INT TH | 109,9 x 86,1 x 1,8 | 4,33 x 3,39 x 0,071 |
| RE37011 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| RE37119 | CLUTCH DISC KIT | | | | | |
| RE45938 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| RE47082 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE48092 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| RE51687 | OBSOLETE | WAFFLE | 12 | INT TH | 335,0 x 60,7 x 7,7 | 13,19 x 2,39 x 0,303 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| RE53823 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 47 | INT TH | 228,4 x 146,3 x 3,2 | 8,99 x 5,76 x 0,126 |
| RE62896 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 39 | INT TH | 177,7 x 60,6 x 4,6 | 7,00 x 2,39 x 0,179 |
| RE62897 | DISC FRICTION FP | WAFFLE | 104 | INT TH | 322,8 x 262,8 x 3,3 | 12,71 x 10,35 x 0,130 |
| RE64006 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE65008 | DISC FRICTION FP | WAFFLE | 104 | INT TH | 381,7 x 262,7 x 3,4 | 15,03 x 10,34 x 0,132 |
| RE65197 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 387,2 x 63,4 x 7,7 | 15,24 x 2,50 x 0,303 |
| RE65291 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| RE67457 | DISC FRICTION CARBON FP DISC FRICTION FP | WAFFLE | 66 | INT TH | 230,0 x 138,0 x 3,0 | 9,06 x 5,43 x 0,118 |
| RE70175 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE151059 | DISC FRICTION FP | WAFFLE | 87 | INT TH | 292,0 x 218,5 x 5,2 | 11,50 x 8,60 x 0,205 |
| RE160072 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE186965 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 387,2 x 63,4 x 7,7 | 15,24 x 2,50 x 0,303 |
| RE186966 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE227812 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| RE234259 | DISC FRICTION FP | WAFFLE | 104 | INT TH | 322,8 x 262,8 x 3,3 | 12,71 x 10,35 x 0,130 |
| RE234261 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 196,0 x 130,0 x 3,3 | 7,72 x 5,12 x 0,130 |
| RE234264 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| RE234305 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| RE234305 | CLUTCH DISC SINTER BRONZE | SUNBURST | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,122 |
| RE234306 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 305,5 x 149,5 x 3,6 | 12,03 x 5,89 x 0,142 |
| RE234307 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,115 |
| RE234377 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE239058 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,114 |
| RE239059 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 279,5 x 149,6 x 3,6 | 11,00 x 5,89 x 0,142 |
| RE273492 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 285,0 x 112,5 x 3,3 | 11,22 x 4,43 x 0,130 |
| RE283066 | DISC FRICTION FP | WAFFLE | 57 | (58)INT TH | 129,0 x 85,9 x 2,9 | 5,08 x 3,38 x 0,112 |
| RE292441 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 15 | INT TH | 388,0 x 63,7 x 7,5 | 15,28 x 2,51 x 0,295 |
| RE292445 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,0 x 57,6 x 7,7 | 13,15 x 2,27 x 0,303 |
| RE293333 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 279,5 x 149,6 x 3,6 | 11,00 x 5,89 x 0,142 |
| RE294016 | DISC FRICTION CARBON FP DISC FRICTION FP | WAFFLE | 66 | INT TH | 230,0 x 138,0 x 3,0 | 9,06 x 5,43 x 0,118 |
| RE321692 | DISC FRICTION FP | WAFFLE | 50 | (60)INT TH | 225,0 x 125,0 x 3,6 | 8,86 x 4,92 x 0,142 |
| RE321696 | DISC FRICTION FP | WAFFLE | 95 | INT TH | 295,0 x 240,0 x 3,1 | 11,61 x 9,45 x 0,120 |
| RE324245 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 15 | INT TH | 388,0 x 63,7 x 7,5 | 15,28 x 2,51 x 0,295 |
| RE326609 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 177,8 x 112,6 x 2,9 | 7,00 x 4,43 x 0,114 |
| SJ17870 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 305,8 x 36,2 x 4,9 | 12,04 x 1,43 x 0,193 |
| T15801 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| T28664 | DISC STEEL INTERMEDIATE | ----- | 10 | EXT TH | 142,7 x 99,1 x 2,3 | 5,62 x 3,90 x 0,090 |
| T31732 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 301,6 x 206,5 x 3,2 | 11,87 x 8,13 x 0,126 |
| T41472 | DISC FRICTION FP | RAD/WAG | 38 | INT TH | 276,6 x 188,7 x 4,8 | 10,89 x 7,43 x 0,189 |
| T44804 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| T44805 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |

| | | | | | | |
|---------|--|------------------|----|--------|---------------------|----------------------|
| T67544 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,5 x 187,7 x 3,9 | 9,98 x 7,39 x 0,153 |
| T82355 | DISC FRICTION FP | RAD/WAG | 38 | INT TH | 276,6 x 188,7 x 4,8 | 10,89 x 7,43 x 0,189 |
| T100680 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| T100681 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| T101003 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| T101004 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| T101005 | DISC STEEL INTERMEDIATE | SPRING | 8 | INT TH | 134,7 x 73,6 x 1,8 | 5,30 x 2,90 x 0,071 |
| T116387 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| T116584 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| T116585 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| T116586 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| T116981 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| T122806 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| T140926 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| T144659 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| T148934 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 194,7 x 117,2 x 4,8 | 7,67 x 4,61 x 0,189 |
| T158801 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 130,9 x 86,8 x 1,8 | 5,15 x 3,42 x 0,071 |
| T159409 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| T159474 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 160,0 x 109,5 x 4,0 | 6,30 x 4,31 x 0,157 |
| T159475 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 146,5 x 99,8 x 4,0 | 5,57 x 3,90 x 0,157 |
| T161233 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 4,0 | 9,59 x 6,02 x 0,157 |
| T164626 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| T169604 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| T169608 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| T173636 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| T173637 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| T173638 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| T173640 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| T173641 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| T173642 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 129,6 x 84,8 x 2,5 | 5,10 x 3,34 x 0,098 |
| T173840 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| T173841 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| T173842 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| T182783 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| T182784 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| T182785 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| T196011 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| T196012 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| T197814 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| T217757 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| T217758 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| T217760 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| T228727 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0 x 153,6 x 4,0 | 9,88 x 6,05 x 0,157 |
| T229406 | DISC STEEL INTERMEDIATE | DISHED | 30 | EXT TH | 119,8 x 75,3 x 1,8 | 4,72 x 2,96 x 0,071 |
| T381291 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| YZ106060 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| YZ106212 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 153,6 x 114,0 x 1,8 | 6,05 x 4,49 x 0,069 |
| YZ106213 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| YZ120964 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 47 | INT TH | 291,0 x 146,0 x 3,4 | 11,46 x 5,74 x 0,134 |
| YZ121110 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 317,9 x 159,9 x 1,9 | 12,52 x 6,30 x 0,075 |
| 1479110130 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,0 x 132,0 x 2,1 | 6,46 x 5,20 x 0,083 |
| 1479130120 | DISC STEEL INTERMEDIATE | HARDENED | 41 | EXT TH | 84,5 x 56,0 x 1,0 | 3,33 x 2,20 x 0,390 |
| 1479130130 | DISC STEEL INTERMEDIATE | ----- | 31 | INT TH | 154,0 x 125,0 x 1,5 | 6,06 x 4,92 x 0,059 |
| JOY | | | | | | |
| 10650 | DISC STEEL INTERMEDIATE | ----- | 6 | INT SL | 254,0 x 162,3 x 2,3 | 10,00 x 6,39 x 0,090 |
| 15195CM | CLUTCH DISC SINTER BRONZE | SPR/RAD | 63 | EXT TH | 273,1 x 188,7 x 2,3 | 10,75 x 7,43 x 0,090 |
| 15196CM | DISC STEEL INTERMEDIATE | ----- | 6 | INT SL | 254,0 x 162,3 x 2,3 | 10,00 x 6,39 x 0,090 |
| 30752 | OBSOLETE | ----- | 18 | INT TH | 220,0 x 159,5 x 1,5 | 8,66 x 6,28 x 0,060 |
| 30753 | OBSOLETE | ----- | 54 | EXT TH | 235,0 x 166,9 x 2,3 | 9,25 x 6,57 x 0,090 |
| 1069446-0004 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 63 | EXT TH | 273,1 x 188,7 x 2,3 | 10,75 x 7,43 x 0,090 |
| JUNGHEINRICH | | | | | | |
| 8683948 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 8693956 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 8693980 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 8693999 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 8696495 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 8701945 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 50439216 | CLUTCH DISC SINTER BRONZE | WAFFLE | 25 | INT TH | 95,0 x 47,0 x 1,8 | 3,74 x 1,85 x 0,710 |
| 3150121600 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 3150121700 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| KALMAR | | | | | | |
| 920624,000 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 920821,001 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 920821,001 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)INT TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 922369,000 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 922655,005 | DISC FRICTION DISC FRICTION CAR- BON FP FP | SUNBURST | 57 | INT TH | 303,8 x 235,2 x 3,9 | 11,96 x 9,26 x 0,153 |
| 922745,000 | DISC FRICTION GRPH | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 922745,000 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | EXT TH | 263,7 x 206,4 x 3,6 | 10,38 x 8,13 x 0,142 |
| 922746,000 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 922746,000 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 922746,001 | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 253,6 x 193,8 x 2,0 | 9,98 x 7,63 x 0,079 |
| 923106,038 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 923109,037 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 923109,038 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |

| | | | | | | |
|-------------|--|------------------|----|------------|---------------------|-----------------------|
| 923349,053 | CLUTCH DISC SINTER BRONZE | SPIRAL | 6 | EXT LG | 122,0 x 72,2 x 1,5 | 4,80 x 2,84 x 0,059 |
| 923349,053 | DISC STEEL INTERMEDIATE | ----- | 19 | INT TH | 107,0 x 62,5 x 1,5 | 4,21 x 2,46 x 0,059 |
| 923436,079 | DISC STEEL INTERMEDIATE | ----- | 87 | EXT TH | 263,5 x 206,0 x 2,1 | 10,37 x 8,11 x 0,081 |
| 923436.0790 | DISC FRICTION FP | 3 PASS | 62 | INT TH | 253,5 x 193,8 x 3,6 | 9,98 x 7,63 x 0,140 |
| 923436,080 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,6 | 6,00 x 3,64 x 0,063 |
| 923468,019 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 923468,019 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 923468,043 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 923468,043 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 923705,012 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 123,7 x 72,0 x 1,5 | 4,87 x 2,83 x 0,059 |
| 923705,012 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | (27) IN TH | 88,0 x 53,2 x 1,6 | 3,46 x 2,09 x 0,063 |
| 923705,013 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 123,7 x 72,0 x 1,5 | 4,87 x 2,83 x 0,059 |
| 923829,103 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 923829,103 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 923829.1030 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 923829,103 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 923855,025 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 923855,075 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 923855,138 | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 923855,143 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 923855,143 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 923855.1450 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 33,65 x 0,089 |
| 923855,145 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 923855,145 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 923855,147 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 2,3 | 7,87 x 4,49 x 0,089 |
| 923899,000 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 923899,015 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 923899.0150 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 923941,054 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 239,0 x 5,0 | 14,09 x 9,41 x 0,197 |
| 923944,149 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 923944,149 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 33,65 x 0,089 |
| 923944,149 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 923944,150 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 923976,138 | DISC FRICTION FP | WAFFLE/ PLAIN | 52 | EXT TH | 167,5 x 114,0 x 2,0 | 6,59 x 4,49 x 0,077 |
| 923976,138 | DISC FRICTION FP | WAFFLE | 52 | EXT TH | 167,5 x 114,0 x 2,6 | 6,59 x 4,49 x 0,102 |
| 923976,138 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 161,0 x 107,0 x 2,0 | 6,34 x 4,21 x 0,079 |
| 923976,140 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 167,5 x 114,0 x 2,5 | 6,59 x 4,49 x 0,098 |
| 923976.1400 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 161,0 x 107,6 x 2,8 | 6,34 x 4,24 x 0,110 |
| 923976,282 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 923976,282 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 923976,282 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 923976,455 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| 923976,456 | DISC STEEL INTERMEDIATE | DISHED | 30 | EXT TH | 119,8 x 75,3 x 1,8 | 4,72 x 2,96 x 0,071 |
| 924015,029 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 340,0 x 221,0 x 4,1 | 13,39 x 8,70 x 0,161 |
| 924015,120 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | (27) IN TH | 88,0 x 53,2 x 1,6 | 3,46 x 2,09 x 0,063 |
| 924015,120 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 123,7 x 72,0 x 1,5 | 4,87 x 2,83 x 0,059 |
| 800811150 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 800820760 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 801903488 | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0 x 342,0 x 4,0 | 17,91 x 13,46 x 0,157 |
| 801903489 | OBSOLETE | 4 PASS/WAG | 104 | INT TH | 437,9 x 325,1 x 5,0 | 17,24 x 12,80 x 0,197 |
| 802308777 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 802308779 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 5,0 | 18,19 x 13,78 x 0,197 |
| 802309501 | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 802310716 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 802311013 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 802311014 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| N2219018H | DISC FRICTION FP | 3 PASS | 63 | INT TH | 435,0 x 252,0 x 6,7 | 17,13 x 9,92 x 0,262 |
| N2220119H | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 453,0 x 298,0 x 5,0 | 17,83 x 11,73 x 0,197 |
| KALMAR CLIMAX (ALSO SEE BROCKHOUSE AND GRAZIANO) | | | | | | |
| DV 38410/1 | OBSOLETE AFTER STOCK | | 38 | INT TH | 162,6 x 120,9 x 2,3 | 6,40 x 4,76 x 0,090 |
| 113-667 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 113-668 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2 x 96,3 x 1,5 | 5,40 x 3,79 x 0,059 |
| 119-251 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| KATO | | | | | | |
| KR45H | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| KR45H | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 203-21011201 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 180,0 x 120,0 x 2,0 | 7,09 x 4,72 x 0,079 |
| 203-21012201 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 173,0 x 110,0 x 3,0 | 6,81 x 4,33 x 0,118 |
| 203-21012202 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 173,0 x 110,0 x 3,0 | 6,81 x 4,33 x 0,118 |
| 303-21412000 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,1 x 107,2 x 1,5 | 6,46 x 4,22 x 0,060 |
| 303-21413000 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 157,7 x 95,3 x 2,3 | 6,21 x 3,75 x 0,090 |
| 303-2449800 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 100,0 x 66,0 x 3,0 | 3,94 x 2,60 x 0,118 |
| ? | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 111,3 x 73,0 x 2,0 | 4,38 x 2,88 x 0,079 |
| KAWASAKI | | | | | | |
| 24690-0008C | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| 24730-0008C | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| 37200-20020 | DISC STEEL INTERMEDIATE | ----- | 4 | INT LG | 283,2 x 168,5 x 6,0 | 11,15 x 6,63 x 0,236 |
| 37212-20050 | DISC STEEL INTERMEDIATE | ----- | 52 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |
| 37212-20080 | DISC STEEL INTERMEDIATE | ----- | 48 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |
| 37212-20110 | DISC STEEL INTERMEDIATE | ----- | 48 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |
| 37212-20140 | OBSOLETE | | 4 | INT LG | 304,0 x 168,0 x 8,0 | 11,97 x 6,61 x 0,315 |
| 37212-20160 | DISC STEEL INTERMEDIATE | ----- | 52 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |

| | | | | | | |
|-------------|---------------------------|----------|----|-------------|---------------------|-----------------------|
| 37212-20170 | DISC STEEL INTERMEDIATE | ---- | 48 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |
| 37212-20180 | DISC STEEL INTERMEDIATE | ---- | 48 | (78)EX TH | 404,0 x 255,0 x 4,9 | 15,91 x 10,04 x 0,193 |
| 37212-20190 | DISC STEEL INTERMEDIATE | HARDENED | 37 | (63) EXT TH | 426,0 x 272,0 x 4,9 | 16,77 x 10,71 x 0,193 |
| 37212-20200 | DISC STEEL INTERMEDIATE | HARDENED | 39 | (63) EXT TH | 428,7 x 275,0 x 4,9 | 16,88 x 10,83 x 0,193 |
| 37212-20210 | DISC STEEL INTERMEDIATE | ---- | 36 | (74)EX TH | 496,0 x 275,0 x 5,0 | 19,53 x 10,83 x 0,197 |
| 37212-20220 | DISC STEEL INTERMEDIATE | ---- | 38 | (74)EX TH | 496,0 x 275,0 x 5,0 | 19,53 x 10,83 x 0,197 |
| 37212-20270 | DISC STEEL INTERMEDIATE | ---- | 85 | EXT TH | 181,4 x 112,8 x 1,7 | 7,14 x 4,44 x 0,066 |
| 37212-20280 | DISC STEEL INTERMEDIATE | ---- | 85 | EXT TH | 181,4 x 112,8 x 2,3 | 7,14 x 4,44 x 0,090 |
| 37212-20290 | DISC STEEL INTERMEDIATE | ---- | 6 | EXT LG | 295,0 x 225,0 x 2,7 | 11,61 x 8,86 x 0,106 |
| 37212-20320 | DISC STEEL INTERMEDIATE | ---- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 37212-20340 | DISC STEEL INTERMEDIATE | ---- | 95 | EXT TH | 202,0 x 133,0 x 2,5 | 7,95 x 5,24 x 0,098 |
| 37212-20360 | DISC STEEL INTERMEDIATE | ---- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| 37212-60030 | DISC STEEL INTERMEDIATE | ---- | 12 | EXT LG | 221,5 x 135,0 x 2,3 | 8,72 x 5,31 x 0,091 |
| 37212-60040 | DISC STEEL INTERMEDIATE | ---- | 47 | EXT TH | 146,0 x 90,0 x 1,8 | 5,75 x 3,54 x 0,071 |
| 37212-60130 | DISC STEEL INTERMEDIATE | ---- | 43 | EXT TH | 219,0 x 144,9 x 2,3 | 8,62 x 5,70 x 0,091 |
| 37212-60150 | DISC STEEL INTERMEDIATE | ---- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| 37212-60160 | DISC STEEL INTERMEDIATE | ---- | 70 | EXT TH | 180,0 x 120,0 x 2,0 | 7,09 x 4,72 x 0,079 |
| 37213-20020 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 298,0 x 56,0 x 9,3 | 11,73 x 2,20 x 0,364 |
| 37213-20160 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 374,6 x 109,6 x 7,0 | 14,75 x 4,31 x 0,276 |
| 37213-20170 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 400,0 x 150,0 x 7,0 | 15,75 x 5,91 x 0,275 |
| 37213-20171 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 400,0 x 150,0 x 7,0 | 15,75 x 5,91 x 0,275 |
| 37213-20180 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 429,3 x 150,0 x 7,0 | 16,90 x 5,91 x 0,275 |
| 37213-20190 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 375,0 x 110,0 x 7,4 | 14,76 x 4,33 x 0,291 |
| 37213-20300 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 167,6 x 104,6 x 1,8 | 6,60 x 4,12 x 0,070 |
| 37213-20330 | OBSOLETE AFTER STOCK | | 50 | INT TH | 209,5 x 120,4 x 3,2 | 8,25 x 4,74 x 0,125 |
| 37213-20340 | OBSOLETE AFTER STOCK | | 56 | INT TH | 238,1 x 162,3 x 4,0 | 9,37 x 6,39 x 0,157 |
| 37213-20370 | CLUTCH DISC SINTER BRONZE | SUNBURST | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 37213-20390 | OBSOLETE | SPR/RAD | 56 | INT TH | 252,0 x 162,0 x 4,0 | 9,92 x 6,38 x 0,157 |
| 37213-20410 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | INT TH | 270,0 x 212,0 x 3,9 | 10,63 x 8,35 x 0,154 |
| 37213-20420 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 209,0 x 130,3 x 3,3 | 8,23 x 5,13 x 0,128 |
| 37213-20600 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 37213-60020 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 375,0 x 110,0 x 7,2 | 14,76 x 4,33 x 0,283 |
| 37213-60090 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 278,0 x 54,0 x 8,7 | 10,94 x 2,13 x 0,343 |
| 37213-60130 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 37213-60140 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 191,9 x 124,1 x 3,3 | 7,55 x 4,88 x 0,129 |
| 37213-60150 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 191,9 x 124,1 x 3,3 | 7,55 x 4,88 x 0,129 |
| 37213-60160 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 37213-60260 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 278,0 x 54,0 x 8,7 | 10,94 x 2,13 x 0,343 |
| 37213-60280 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 375,0 x 110,0 x 7,4 | 14,76 x 4,33 x 0,291 |
| 37213-60340 | CLUTCH DISC SINTER BRONZE | SUNBURST | 95 | INT TH | 359,7 x 279,4 x 4,0 | 14,16 x 11,00 x 0,157 |
| 37213-60360 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 37213-60370 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 173,0 x 110,0 x 3,0 | 6,81 x 4,33 x 0,118 |
| 37213-60380 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 37213-60390 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 37213-60400 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 37213-60410 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 37213-60450 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 173,0 x 110,0 x 3,0 | 6,81 x 4,33 x 0,118 |
| 37213-60460 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 37213-60540 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 400,0 x 150,0 x 7,0 | 15,75 x 5,91 x 0,275 |
| 37213-60590 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 298,0 x 56,0 x 9,3 | 11,73 x 2,20 x 0,364 |
| 37213-60630 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 375,0 x 110,0 x 7,2 | 14,76 x 4,33 x 0,283 |
| 37213-60640 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 278,0 x 54,0 x 8,7 | 10,94 x 2,13 x 0,343 |
| 41621-20640 | OBSOLETE | | 4 | INT LG | 304,0 x 168,0 x 8,0 | 11,97 x 6,61 x 0,315 |
| 52101-01440 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 167,6 x 104,6 x 1,8 | 6,60 x 4,12 x 0,070 |
| 52101-01450 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 2,3 | 7,14 x 4,44 x 0,090 |
| 52101-02290 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 375,0 x 110,0 x 7,2 | 14,76 x 4,33 x 0,283 |
| 52101-07280 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 2,3 | 7,14 x 4,44 x 0,090 |
| 52201-00140 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| 52201-04720 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 52201-06390 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 191,9 x 124,1 x 3,3 | 7,55 x 4,88 x 0,129 |
| 52201-06400 | DISC STEEL INTERMEDIATE | ----- | 95 | EXT TH | 202,0 x 133,0 x 2,5 | 7,95 x 5,24 x 0,098 |
| 52201-09150 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 191,9 x 124,1 x 3,3 | 7,55 x 4,88 x 0,129 |
| 52301-00540 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 52301-00550 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| 52301-04030 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 180,0 x 120,0 x 2,0 | 7,09 x 4,72 x 0,079 |
| 602894-104 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |
| YS 0610 010 900 | OBSOLETE | SPR/RAD | 56 | INT TH | 252,0 x 162,0 x 4,0 | 9,92 x 6,38 x 0,157 |
| YS 584 020 262 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 295,0 x 225,0 x 2,7 | 11,61 x 8,86 x 0,106 |
| YS 584 990 840 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | INT TH | 270,0 x 212,0 x 3,9 | 10,63 x 8,35 x 0,154 |
| YS 608 040 961 | OBSOLETE AFTER STOCK | | 77 | INT TH | 300,0 x 239,0 x 4,0 | 11,81 x 9,41 x 0,157 |
| YK 1158 310 300 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 1168 300 900 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 173,8 x 103,0 x 2,5 | 6,84 x 4,06 x 0,098 |
| YS 1188 300 400 | OBSOLETE AFTER STOCK | | 50 | INT TH | 209,5 x 120,4 x 3,2 | 8,25 x 4,74 x 0,125 |
| 1188 300 510 | OBSOLETE AFTER STOCK | | 50 | INT TH | 209,5 x 120,4 x 3,2 | 8,25 x 4,74 x 0,125 |
| 1188 300 800 | OBSOLETE AFTER STOCK | | 50 | INT TH | 209,5 x 120,4 x 3,2 | 8,25 x 4,74 x 0,125 |
| 1188 310 200 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 221,5 x 135,0 x 2,3 | 8,72 x 5,31 x 0,091 |
| YK 1188 310 400 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 221,5 x 135,0 x 2,3 | 8,72 x 5,31 x 0,091 |
| YK 1188 310 510 | CLUTCH DISC SINTER BRONZE | SUNBURST | 54 | INT TH | 209,0 x 130,3 x 3,3 | 8,23 x 5,13 x 0,128 |
| YK 1208 300 400 | OBSOLETE AFTER STOCK | | 56 | INT TH | 238,1 x 162,3 x 4,0 | 9,37 x 6,39 x 0,157 |
| 1208 300 510 | CLUTCH DISC SINTER BRONZE | SUNBURST | 56 | INT TH | 238,1 x 162,3 x 4,0 | 9,37 x 6,39 x 0,157 |
| YK 1208 310 200 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 247,0 x 179,0 x 2,3 | 9,72 x 7,05 x 0,091 |
| 425120 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 163,6 x 140,0 x 1,6 | 6,44 x 5,51 x 0,063 |
| 3743700734 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 163,6 x 140,0 x 1,6 | 6,44 x 5,51 x 0,063 |
| KESSLER | | | | | | |
| 140-244-047 | BRAKE DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 140-244-069 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 3,5 | 19,21 x 12,20 x 0,138 |
| 507-275-223 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 507-275-293 | BRAKE DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 507-275-303 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 6,0 | 19,21 x 12,20 x 0,236 |
| 507-275-343 | BRAKE DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |

| | | | | | | |
|------------------|---------------------------|------------|-----|------------|---------------------|-----------------------|
| 507-275-673 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 507-275-723 | BRAKE DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 507-275-773 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 507-275-773b | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 3,5 | 19,21 x 12,20 x 0,138 |
| 507-275-803 | BRAKE DISC FRICTION FP | WAFFLE | 49 | INT TH | 270,0 x 170,8 x 4,1 | 10,63 x 6,72 x 0,161 |
| 507-275-813 | DISC STEEL INTERMEDIATE | ----- | 80 | EXT TH | 284,2 x 185,0 x 4,0 | 11,19 x 7,28 x 0,157 |
| 507-275-843 | BRAKE DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 507-275-883 | BRAKE DISC FRICTION FP | WAFFLE | 60 | INT TH | 465,8 x 284,4 x 5,6 | 18,34 x 11,20 x 0,220 |
| 507-275-913 | BRAKE DISC FRICTION FP | WAFFLE | 45 | INT TH | 340,0 x 221,0 x 4,1 | 13,39 x 8,70 x 0,161 |
| 507-275-923 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 239,0 x 5,0 | 14,09 x 9,41 x 0,197 |
| 507-275-943 | DISC FRICTION FP | WAFFLE | 62 | INT TH | 465,5 x 292,3 x 5,6 | 18,32 x 11,51 x 0,141 |
| 507-275-952 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 485,9 x 310,1 x 4,0 | 19,13 x 12,21 x 0,157 |
| 507-275-1023 | DISC FRICTION FP | WAFFLE | 79 | INT TH | 550,0 x 391,0 x 5,5 | 21,65 x 15,39 x 0,217 |
| 507-275-1032 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 570,0 x 416,0 x 4,0 | 22,44 x 16,38 x 0,157 |
| K.H.D. | | | | | | |
| 234 7828 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 234 7831 | DISC STEEL INTERMEDIATE | ----- | 41 | INT TH | 178,0 x 119,0 x 2,3 | 7,01 x 4,69 x 0,091 |
| KIRKSTALL | | | | | | |
| R2037/211B | CLUTCH DISC SINTER BRONZE | SPR/RAD | 104 | INT TH | 437,9 x 325,1 x 4,3 | 17,24 x 12,80 x 0,169 |
| R2090/211A | OBSOLETE | 4 PASS/WAG | 104 | INT TH | 437,9 x 325,1 x 5,0 | 17,24 x 12,80 x 0,197 |
| R9296/210A | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0 x 342,0 x 4,0 | 17,91 x 13,46 x 0,157 |
| R9296/210B | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0 x 342,0 x 3,2 | 17,91 x 13,46 x 0,126 |
| R9296/211A | OBSOLETE | 4 PASS/WAG | 104 | INT TH | 437,9 x 325,1 x 5,0 | 17,24 x 12,80 x 0,197 |
| KOBELCO | | | | | | |
| 0335-01075-1 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 0611-01008-0 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| 0612-01044-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 0614-30279-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 0616-30073-0 | DISC STEEL INTERMEDIATE | ----- | 61 | EXT TH | 131,2 x 99,0 x 1,8 | 5,17 x 3,90 x 0,071 |
| 0616-30074-0 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,3 x 2,1 | 4,94 x 3,67 x 0,084 |
| 37212-20270 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 1,7 | 7,14 x 4,44 x 0,066 |
| 37212-20280 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 2,3 | 7,14 x 4,44 x 0,090 |
| 37213-20370 | CLUTCH DISC SINTER BRONZE | SUNBURST | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 37213-20410 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | INT TH | 270,0 x 212,0 x 3,9 | 10,63 x 8,35 x 0,154 |
| 52101-01450 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 2,3 | 7,14 x 4,44 x 0,090 |
| 24100U110S11 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 154,7 x 95,0 x 3,7 | 6,09 x 3,74 x 0,144 |
| 2415P237 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT SL | 161,0 x 103,0 x 2,3 | 6,34 x 4,06 x 0,091 |
| 2415R156 | DISC FRICTION FP | 2 PASS | 51 | INT TH | 134,8 x 94,9 x 2,2 | 5,31 x 3,73 x 0,087 |
| 2415U137S1 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 2415U154S5 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 2441U783S5 | DISC FRICTION FP | 2 PASS | 62 | INT TH | 178,5 x 148,5 x 2,6 | 7,03 x 5,85 x 0,102 |
| 2441U783S7 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 193,0 x 162,0 x 2,0 | 7,60 x 6,38 x 0,079 |
| 2441U785S742 | DISC FRICTION FP | 2 PASS | 56 | (60)INT TH | 180,0 x 145,0 x 4,0 | 7,09 x 5,71 x 0,157 |
| 2441U785S743 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| 2441U983S126 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 220,7 x 189,4 x 2,9 | 8,69 x 7,46 x 0,114 |
| 2453U262S15 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| 2453U297S10 | DISC STEEL INTERMEDIATE | ----- | 61 | EXT TH | 131,2 x 99,0 x 1,8 | 5,17 x 3,90 x 0,071 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|-------------------------|-------------------|--------------------|-----------------|---------------------|----------------------|
| 2453U297S11 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,3 x 2,1 | 4,94 x 3,67 x 0,084 |
| 953S6 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| 954S6 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| EZ03P01004S16 | DISC FRICTION FP | 2 PASS | 51 | INT TH | 139,9 x 95,0 x 2,2 | 5,51 x 3,74 x 0,087 |
| LQ15V00020S051 | DISC FRICTION FP | 2 PASS | 30 | (38)IN TH | 207,0 x 148,0 x 3,6 | 8,15 x 5,83 x 0,140 |
| VB0335-01075-1 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| VB0611-01008-0 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| VB0612-01044-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| VB0614-30192-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| VB0614-30278-0 | DISC FRICTION FP | 2 PASS | 51 | INT TH | 139,9 x 95,0 x 2,2 | 5,51 x 3,74 x 0,087 |
| VB0614-30279-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| VB0616-30073-0 | DISC STEEL INTERMEDIATE | ----- | 61 | EXT TH | 131,2 x 99,0 x 1,8 | 5,17 x 3,90 x 0,071 |
| VB0616-30074-0 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 125,5 x 93,3 x 2,1 | 4,94 x 3,67 x 0,084 |
| YN15V00009S005 | DISC FRICTION FP | ----- | 57 | INT TH | 166,0 x 137,5 x 3,0 | 6,54 x 5,41 x 0,118 |
| YN15V00009S007 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 180,0 x 147,0 x 2,3 | 7,09 x 5,79 x 0,091 |
| YN15V00025S742 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| YN15V00025S743 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| YN15V00037S115 | DISC FRICTION FP | ----- | 52 | INT TH | 156,0 x 125,5 x 3,0 | 6,14 x 4,94 x 0,118 |
| YN15V00037S116 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 167,6 x 133,1 x 2,3 | 6,60 x 5,24 x 0,091 |
| KOMATSU | | | | | | |
| 100-22-15101 | DISC FRICTION ORG | ----- | 76 | EXT TH | 231,5 x 160,0 x 6,0 | 9,11 x 6,30 x 0,236 |
| 100-22-15102 | DISC FRICTION ORG | ----- | 76 | EXT TH | 231,5 x 160,0 x 6,0 | 9,11 x 6,30 x 0,236 |
| 100-22-15210 | DISC STEEL INTERMEDIATE | ----- | 50 | INT TH | 221,0 x 146,0 x 2,2 | 8,70 x 5,75 x 0,087 |
| 101-11-11100 | DISC FRICTION ORG | WAFFLE | 16 | INT TH | 260,0 x 26,8 x 6,0 | 10,24 x 1,06 x 0,236 |
| 101-11-11200 | DISC FRICTION ORG | WAFFLE | 16 | INT TH | 260,0 x 26,8 x 6,0 | 10,24 x 1,06 x 0,236 |
| 103-15-32711 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 180,0 x 138,5 x 3,0 | 7,09 x 5,45 x 0,118 |
| 103-22-31310 | DISC FRICTION ORG | ----- | 66 | EXT TH | 202,0 x 147,0 x 6,0 | 7,95 x 5,79 x 0,236 |
| 104-22-33321 | DISC FRICTION ORG | ----- | 66 | EXT TH | 202,0 x 147,0 x 6,0 | 7,95 x 5,79 x 0,236 |
| 10E-22-21320 | DISC STEEL INTERMEDIATE | ----- | 46 | INT TH | 190,0 x 132,0 x 2,0 | 7,48 x 5,20 x 0,079 |
| 110-22-11320 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 278,6 x 183,0 x 2,3 | 10,87 x 7,20 x 0,091 |
| 110-22-11332 | DISC FRICTION ORG | ----- | 95 | EXT TH | 290,2 x 200,0 x 6,0 | 11,43 x 7,87 x 0,236 |
| 110-22-11333 | DISC FRICTION ORG | ----- | 95 | EXT TH | 290,2 x 200,0 x 6,0 | 11,43 x 7,87 x 0,236 |
| 111-11-12120 | DISC STEEL INTERMEDIATE | ----- | 111 | EXT TH | 335,8 x 235,0 x 7,9 | 13,22 x 9,25 x 0,311 |
| 113-15-22710 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 215,0 x 169,0 x 3,0 | 8,46 x 6,65 x 0,118 |
| 113-15-22711 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 215,0 x 169,0 x 3,0 | 8,46 x 6,65 x 0,118 |
| 113-15-22720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 263,0 x 178,5 x 3,2 | 10,35 x 7,03 x 0,126 |
| 113-15-22730 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 263,0 x 178,5 x 3,2 | 10,35 x 7,03 x 0,126 |
| 113-15-22740 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 180,0 x 138,5 x 3,0 | 7,09 x 5,45 x 0,118 |
| 113-15-22741 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 180,0 x 138,5 x 3,0 | 7,09 x 5,45 x 0,118 |
| 113-15-22750 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 220,0 x 148,0 x 3,2 | 8,66 x 5,83 x 0,126 |
| 113-15-42711 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 215,0 x 169,0 x 3,0 | 8,46 x 6,65 x 0,118 |
| 120-22-31210 | DISC STEEL INTERMEDIATE | ----- | 73 | INT TH | 286,8 x 215,2 x 6,8 | 11,29 x 8,47 x 0,268 |
| 120-22-31211 | DISC STEEL INTERMEDIATE | ----- | 73 | INT TH | 286,8 x 215,2 x 6,8 | 11,29 x 8,47 x 0,268 |
| 120-22-31221 | DISC STEEL INTERMEDIATE | ----- | 73 | INT TH | 287,0 x 214,5 x 2,6 | 11,30 x 8,44 x 0,102 |
| 120-22-31231 | DISC FRICTION FP | 2 PASS | 99 | EXT TH | 301,5 x 230,0 x 4,2 | 11,87 x 9,06 x 0,165 |

| | | | | | | |
|--------------|---------------------------|---------|-----|------------|---------------------|-----------------------|
| 120-22-31232 | DISC FRICTION FP | 2 PASS | 99 | EXT TH | 301,5 x 230,0 x 4,2 | 11,87 x 9,06 x 0,165 |
| 120-22-31233 | DISC FRICTION FP | 2 PASS | 99 | EXT TH | 301,5 x 230,0 x 4,2 | 11,87 x 9,06 x 0,165 |
| 124-15-42710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 75 | INT TH | 280,0 x 221,0 x 5,0 | 11,02 x 8,70 x 0,196 |
| 124-15-42720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 338,5 x 234,5 x 5,0 | 13,33 x 9,23 x 0,197 |
| 124-15-52710 | DISC FRICTION CARBON FP | WAFFLE | 56 | INT TH | 215,0 x 169,0 x 3,1 | 8,46 x 6,65 x 0,120 |
| 125-15-32710 | DISC FRICTION FP | 2 PASS | 100 | INT TH | 250,0 x 197,0 x 3,0 | 9,84 x 7,76 x 0,118 |
| 125-15-32730 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 300,0 x 210,0 x 3,2 | 11,81 x 8,27 x 0,126 |
| 125-15-32750 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 252,0 x 179,0 x 3,2 | 9,92 x 7,05 x 0,126 |
| 125-21-23120 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 365,0 x 290,0 x 4,1 | 14,37 x 11,42 x 0,161 |
| 125-21-23121 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 365,0 x 290,0 x 4,1 | 14,37 x 11,42 x 0,161 |
| 12F-10-11240 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 321,0 x 188,0 x 7,0 | 12,64 x 7,40 x 0,275 |
| 12F-10-11241 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 321,0 x 188,0 x 7,0 | 12,64 x 7,40 x 0,275 |
| 130-22-11320 | DISC STEEL INTERMEDIATE | ----- | 81 | INT TH | 350,0 x 237,0 x 2,6 | 13,78 x 9,33 x 0,102 |
| 131-10-11110 | BZ/RIVETTED | SPR/WAG | 87 | INT TH | 375,0 x 257,0 x 7,0 | 14,76 x 10,94 x 0,275 |
| 131-10-11120 | DISC STEEL INTERMEDIATE | ----- | 108 | (131)EX TH | 395,7 x 275,0 x 6,6 | 15,58 x 10,83 x 0,260 |
| 131-10-41610 | BZ/RIVETTED | SPR/WAG | 87 | INT TH | 375,0 x 257,0 x 7,0 | 14,76 x 10,94 x 0,275 |
| 131-10-61140 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 87 | INT TH | 375,0 x 257,0 x 7,0 | 14,76 x 10,94 x 0,275 |
| 131-21-43210 | DISC FRICTION ORG | ----- | 120 | EXT TH | 366,0 x 254,0 x 8,6 | 14,41 x 10,00 x 0,338 |
| 131-21-43213 | DISC FRICTION ORG | ----- | 120 | EXT TH | 366,0 x 254,0 x 8,6 | 14,41 x 10,00 x 0,338 |
| 131-21-43220 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 366,0 x 260,0 x 4,1 | 14,41 x 10,24 x 0,161 |
| 131-21-43440 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 324,0 x 225,0 x 3,5 | 12,76 x 8,86 x 0,138 |
| 134-15-12720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 405,7 x 278,3 x 5,0 | 15,97 x 10,96 x 0,197 |
| 135-15-22712 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 90 | INT TH | 335,0 x 264,0 x 5,0 | 13,19 x 10,39 x 0,197 |
| 135-15-22713 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 90 | INT TH | 335,0 x 264,0 x 5,0 | 13,19 x 10,39 x 0,197 |
| 141-22-11240 | DISC STEEL INTERMEDIATE | ----- | 88 | INT TH | 372,0 x 258,0 x 2,6 | 14,65 x 10,16 x 0,100 |
| 144-10-12150 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 87 | INT TH | 375,0 x 257,0 x 7,0 | 14,76 x 10,94 x 0,275 |
| 145-21-13120 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 111 | EXT TH | 337,0 x 240,0 x 4,2 | 13,27 x 9,45 x 0,165 |
| 145-21-13121 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 111 | EXT TH | 337,0 x 240,0 x 4,2 | 13,27 x 9,45 x 0,165 |
| 145-21-13130 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 323,7 x 225,2 x 2,3 | 12,74 x 8,87 x 0,091 |
| 145-21-13132 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 323,7 x 225,2 x 2,3 | 12,74 x 8,87 x 0,091 |
| 14X-15-22710 | DISC FRICTION CARBON FP | WAFFLE | 75 | INT TH | 280,0 x 221,2 x 3,4 | 11,02 x 8,71 x 0,134 |
| 14X-15-22780 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 337,2 x 234,2 x 3,2 | 13,28 x 9,22 x 0,128 |
| 14X-22-12150 | DISC FRICTION FP | 2 PASS | 84 | INT TH | 330,0 x 247,5 x 4,7 | 12,99 x 9,74 x 0,185 |
| 14X-22-12160 | DISC STEEL INTERMEDIATE | ----- | 115 | EXT TH | 349,1 x 261,7 x 2,6 | 13,74 x 10,30 x 0,102 |
| 14X-22-22150 | DISC FRICTION FP | 2 PASS | 73 | INT TH | 285,3 x 214,5 x 4,7 | 11,23 x 8,44 x 0,185 |
| 14X-960-3170 | DISC FRICTION FP | 2 PASS | 75 | INT TH | 280,0 x 220,5 x 4,7 | 11,02 x 8,68 x 0,185 |
| 14X-960-3171 | DISC FRICTION FP | 2 PASS | 75 | INT TH | 280,0 x 220,5 x 4,7 | 11,02 x 8,68 x 0,185 |
| 14Y-22-13140 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | INT TH | 337,8 x 230,0 x 5,3 | 13,30 x 9,06 x 0,209 |
| 14Y-22-13150 | DISC STEEL INTERMEDIATE | ----- | 119 | EXT TH | 361,2 x 251,5 x 2,9 | 14,22 x 9,90 x 0,114 |
| 14Y-22-23150 | DISC STEEL INTERMEDIATE | ----- | 109 | EXT TH | 331,4 x 230,4 x 5,0 | 13,05 x 9,07 x 0,197 |
| 154-15-12713 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |
| 154-15-12714 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |
| 154-15-12715 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 154-15-12716 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |
| 154-22-11230 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 389,7 x 298,5 x 4,7 | 15,34 x 11,75 x 0,185 |
| 175-15-12713 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0 x 372,6 x 5,4 | 18,70 x 14,67 x 0,213 |
| 175-15-12714 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0 x 372,6 x 5,4 | 18,70 x 14,67 x 0,213 |
| 175-15-12715 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0 x 372,6 x 5,4 | 18,70 x 14,67 x 0,213 |
| 175-15-12716 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0 x 372,6 x 5,4 | 18,70 x 14,67 x 0,213 |
| 175-15-42721 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 544,0 x 386,5 x 7,0 | 21,42 x 15,22 x 0,275 |
| 175-15-52560 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 413,0 x 4,3 | 21,46 x 16,26 x 0,169 |
| 175-22-11140 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 390,0 x 276,4 x 4,7 | 15,35 x 10,88 x 0,185 |
| 175-22-21150 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | EXT TH | 389,7 x 298,5 x 4,7 | 15,34 x 11,75 x 0,185 |
| 175-22-21160 | DISC STEEL INTERMEDIATE | ----- | 95 | INT TH | 372,1 x 279,0 x 2,9 | 14,65 x 10,98 x 0,144 |
| 17A-15-12710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 85 | INT TH | 314,8 x 251,3 x 5,0 | 12,39 x 9,89 x 0,197 |
| 17A-15-12722 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 382,7 x 264,0 x 5,0 | 15,07 x 10,39 x 0,197 |
| 17A-15-22710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 85 | INT TH | 314,8 x 251,3 x 5,0 | 12,39 x 9,89 x 0,197 |
| 17A-15-42740 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 466,5 x 323,0 x 3,2 | 18,37 x 12,72 x 0,126 |
| 17A-22-11170 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 106 | INT TH | 403,0 x 314,0 x 4,5 | 15,87 x 12,36 x 0,177 |
| 17A-22-12120 | DISC STEEL INTERMEDIATE | ----- | 140 | EXT TH | 424,1 x 327,7 x 3,0 | 16,70 x 12,90 x 0,118 |
| 17M-22-13281 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 466,7 x 323,6 x 3,0 | 18,37 x 12,74 x 0,118 |
| 17M-22-13291 | DISC FRICTION FP | 2 PASS | 106 | INT TH | 400,0 x 313,5 x 4,5 | 15,75 x 11,95 x 0,177 |
| 17M-22-23290 | DISC FRICTION FP | 2 PASS | 106 | INT TH | 400,0 x 313,5 x 4,5 | 15,75 x 11,95 x 0,177 |
| 17M-22-23310 | DISC FRICTION FP | 2 PASS | 106 | INT TH | 400,0 x 313,5 x 4,5 | 15,75 x 11,95 x 0,177 |
| 17M-22-23320 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 106 | INT TH | 403,0 x 314,0 x 4,5 | 15,87 x 12,36 x 0,177 |
| 195-15-12713 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | (146)INT TH | 530,4 x 434,1 x 5,2 | 20,88 x 17,09 x 0,205 |
| 195-15-12714 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | (146)INT TH | 530,4 x 434,1 x 5,2 | 20,88 x 17,09 x 0,205 |
| 195-15-12715 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | (146)INT TH | 530,2 x 434,1 x 5,2 | 20,88 x 17,09 x 0,205 |
| 195-15-12716 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 128 | (146)INT TH | 530,2 x 434,1 x 5,2 | 20,88 x 17,09 x 0,205 |
| 195-15-12720 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 610,1 x 446,5 x 5,8 | 24,02 x 17,58 x 0,230 |
| 195-15-12721 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 610,1 x 446,5 x 5,8 | 24,02 x 17,58 x 0,230 |
| 195-15-32710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |
| 195-15-42711 | DISC FRICTION DISC FRICTION CAR- BON FP FP | SPR/RAD | 126 | INT TH | 425,0 x 373,0 x 5,4 | 16,73 x 14,69 x 0,213 |
| 195-15-42721 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 126 | INT TH | 476,0 x 374,0 x 4,9 | 18,74 x 14,72 x 0,191 |
| 195-15-42721 | DISC FRICTION CARBON FP COMP | WAFFLE | 126 | INT TH | 475,0 x 374,0 x 4,9 | 18,70 x 14,72 x 0,191 |
| 195-15-42780 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 543,9 x 385,9 x 4,3 | 21,41 x 15,19 x 0,169 |
| 195-15-42790 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 543,1 x 386,0 x 4,3 | 21,38 x 15,20 x 0,169 |
| 195-15-42850 | DISC STEEL INTERMEDIATE | ----- | 117 | EXT TH | 355,0 x 279,7 x 4,0 | 13,98 x 11,01 x 0,157 |
| 195-22-11210 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 150 | EXT TH | 454,1 x 347,9 x 4,7 | 17,88 x 13,70 x 0,185 |
| 195-22-11211 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 150 | EXT TH | 454,1 x 347,9 x 4,7 | 17,88 x 13,70 x 0,185 |

| | | | | | | |
|--------------|------------------------------|----------|-----|-------------|---------------------|-----------------------|
| 195-22-11220 | DISC STEEL INTERMEDIATE | ----- | 114 | INT TH | 436,4 x 338,4 x 2,9 | 17,18 x 13,32 x 0,114 |
| 195-22-11221 | DISC STEEL INTERMEDIATE | ----- | 114 | INT TH | 436,4 x 338,4 x 2,9 | 17,18 x 13,32 x 0,114 |
| 195-22-13341 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 112 | INT TH | 425,0 x 334,7 x 4,7 | 16,73 x 13,18 x 0,185 |
| 195-22-13350 | DISC FRICTION FP | 2 PASS | 112 | INT TH | 425,0 x 334,5 x 4,7 | 16,73 x 13,17 x 0,185 |
| 195-22-13351 | DISC FRICTION FP | 2 PASS | 112 | INT TH | 425,0 x 334,5 x 4,7 | 16,73 x 13,17 x 0,185 |
| 195-22-13370 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 495,7 x 348,5 x 3,0 | 19,52 x 13,72 x 0,118 |
| 195-22-13441 | DISC FRICTION FP | 2 PASS | 112 | INT TH | 425,0 x 334,5 x 4,7 | 16,73 x 13,17 x 0,185 |
| 195-22-73340 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 112 | INT TH | 425,0 x 334,7 x 4,7 | 16,73 x 13,18 x 0,185 |
| 198-15-22710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 140 | INT TH | 529,0 x 416,5 x 5,4 | 20,83 x 16,40 x 0,213 |
| 198-15-22720 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 610,0 x 430,0 x 5,8 | 24,02 x 16,90 x 0,230 |
| 198-15-22810 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 112 | INT TH | 425,0 x 330,0 x 5,4 | 16,73 x 12,99 x 0,213 |
| 198-22-23370 | DISC FRICTION FP | 2 PASS | 146 | INT TH | 529,7 x 434,2 x 5,4 | 20,85 x 17,09 x 0,213 |
| 198-22-23371 | DISC FRICTION FP | 2 PASS | 146 | INT TH | 529,7 x 434,2 x 5,4 | 20,85 x 17,09 x 0,213 |
| 198-22-23380 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 606,4 x 446,5 x 4,2 | 23,87 x 17,58 x 0,165 |
| 198-22-23431 | DISC FRICTION FP | 2 PASS | 148 | INT TH | 530,0 x 433,5 x 5,4 | 20,87 x 17,07 x 0,213 |
| 19M-15-12721 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 114 | (126)INT TH | 475,0 x 372,6 x 5,4 | 18,70 x 14,66 x 0,213 |
| 19M-15-12731 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 680,0 x 505,0 x 5,9 | 26,77 x 19,88 x 0,230 |
| 19M-15-22820 | DISC FRICTION CARBON FP COMP | WAFFLE | 165 | INT TH | 603,0 x 491,5 x 5,4 | 23,74 x 19,35 x 0,213 |
| 20E-22-K1304 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 20G-14-31450 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 20G-14-31540 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 50 | (75)EX TH | 190,0 x 132,2 x 1,8 | 7,48 x 5,20 x 0,071 |
| 20G-14-31890 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 20G-22-31910 | DISC STEEL INTERMEDIATE | HARDENED | 31 | INT TH | 168,6 x 122,3 x 2,0 | 6,64 x 4,81 x 0,079 |
| 20K-14-32130 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 20K-14-32140 | DISC STEEL INTERMEDIATE | HARDENED | 52 | INT TH | 102,0 x 77,2 x 1,5 | 4,02 x 3,04 x 0,059 |
| 20K-14-32150 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 50 | (75)EX TH | 190,0 x 132,2 x 1,8 | 7,48 x 5,20 x 0,071 |
| 20K-14-32160 | DISC STEEL INTERMEDIATE | HARDENED | 31 | INT TH | 168,6 x 122,3 x 2,0 | 6,64 x 4,81 x 0,079 |
| 20K-14-32620 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 50 | (75)EX TH | 190,0 x 132,2 x 1,8 | 7,48 x 5,20 x 0,071 |
| 20K-23-31890 | CLUTCH DISC SINTER BRONZE | SUN/WAF | 42 | (48)EX TH | 248,5 x 164,7 x 2,6 | 9,78 x 6,48 x 0,102 |
| 20K-23-31910 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8 x 154,0 x 2,7 | 9,24 x 6,60 x 0,106 |
| 20K-23-32210 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8 x 154,0 x 2,7 | 9,24 x 6,60 x 0,106 |
| 21P-26-K0320 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | EXT TH | 113,8 x 85,0 x 2,2 | 4,48 x 3,35 x 0,087 |
| 21P-26-K0330 | DISC STEEL INTERMEDIATE | ----- | 27 | INT TH | 107,2 x 78,7 x 1,4 | 4,22 x 3,10 x 0,055 |
| 232-25-51410 | DISC FRICTION FP | 2 PASS | 105 | INT TH | 399,3 x 309,4 x 3,8 | 15,72 x 12,18 x 0,150 |
| 232-25-51430 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,6 x 324,4 x 2,4 | 16,52 x 12,77 x 0,095 |
| 232-25-51520 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,6 x 324,4 x 2,4 | 16,52 x 12,77 x 0,095 |
| 234-15-12720 | DISC STEEL INTERMEDIATE | ----- | 122 | EXT TH | 371,8 x 284,0 x 5,0 | 14,64 x 11,18 x 0,197 |
| 234-25-31350 | DISC FRICTION FP | 2 PASS | 105 | INT TH | 399,3 x 309,4 x 3,8 | 15,72 x 12,18 x 0,150 |
| 235-25-11360 | DISC FRICTION FP | 2 PASS | 105 | INT TH | 399,3 x 309,4 x 3,8 | 15,72 x 12,18 x 0,150 |
| 235-25-51430 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,6 x 324,4 x 2,4 | 16,52 x 12,77 x 0,095 |
| 235-70-45420 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 180,0 x 110,5 x 3,2 | 7,09 x 4,35 x 0,126 |
| 235-70-45430 | DISC FRICTION FP | PLAIN | 26 | INT TH | 180,0 x 110,5 x 3,2 | 7,09 x 4,35 x 0,126 |
| 238-15-12710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 100 | INT TH | 250,0 x 197,8 x 3,0 | 9,84 x 7,76 x 0,118 |
| 238-15-12760 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 300,8 x 210,0 x 3,2 | 11,84 x 8,27 x 0,126 |
| 238-15-12780 | DISC STEEL INTERMEDIATE | ----- | 132 | EXT TH | 266,6 x 208,0 x 3,2 | 10,50 x 8,19 x 0,126 |
| 238-15-12810 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 300,0 x 210,0 x 3,2 | 11,81 x 8,27 x 0,126 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 23A-22-11780 | OBSOLETE AFTER STOCK | | 26 | INT TH | 210,0 x 102,0 x 3,8 | 8,27 x 4,02 x 0,150 |
| 23B-25-71360 | DISC FRICTION FP | 2 PASS | 49 | INT TH | 335,0 x 235,0 x 3,9 | 13,19 x 9,25 x 0,154 |
| 23B-25-71430 | DISC STEEL INTERMEDIATE | ----- | 116 | EXT TH | 354,0 x 260,0 x 2,4 | 13,94 x 10,24 x 0,094 |
| 23C-25-51331 | DISC FRICTION FP | 2 PASS | 105 | INT TH | 399,3 x 309,4 x 3,8 | 15,72 x 12,18 x 0,150 |
| 23S-15-12710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 75 | INT TH | 280,0 x 221,0 x 5,0 | 11,02 x 8,70 x 0,196 |
| 23S-15-12720 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 100 | INT TH | 250,0 x 197,8 x 3,0 | 9,84 x 7,76 x 0,118 |
| 23S-15-12730 | DISC FRICTION GRPH | SPR/RAD | 75 | INT TH | 280,0 x 221,0 x 5,0 | 11,02 x 8,70 x 0,197 |
| 23S-15-12740 | DISC FRICTION GRPH | SPR/RAD | 100 | INT TH | 250,0 x 197,0 x 3,0 | 9,84 x 7,76 x 0,118 |
| 23S-15-12810 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 300,0 x 210,0 x 3,2 | 11,81 x 8,27 x 0,126 |
| 23S-15-42720 | DISC FRICTION FP | 2 PASS | 100 | INT TH | 250,0 x 197,0 x 3,0 | 9,84 x 7,76 x 0,118 |
| 23S-15-42730 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 215,0 x 169,0 x 3,0 | 8,46 x 6,65 x 0,118 |
| 281-15-12720 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,9 x 324,9 x 5,0 | 16,53 x 12,79 x 0,196 |
| 281-15-12721 | DISC STEEL INTERMEDIATE | ----- | 138 | EXT TH | 419,9 x 324,9 x 5,0 | 16,53 x 12,79 x 0,196 |
| 287-15-12990 | DISC STEEL INTERMEDIATE | ----- | 117 | EXT TH | 354,8 x 280,0 x 5,0 | 13,97 x 11,02 x 0,197 |
| 287-15-22720 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 103 | INT TH | 374,7 x 305,3 x 5,0 | 14,75 x 12,02 x 0,197 |
| 287-15-22710 | DISC STEEL INTERMEDIATE | ----- | 105 | INT TH | 382,7 x 311,2 x 5,0 | 15,07 x 12,25 x 0,197 |
| 308-15-21525 | OBSOLETE AFTER STOCK | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 310-15-24310 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 310-15-24330 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 146,0 x 78,6 x 1,6 | 5,75 x 3,09 x 0,063 |
| 312-15-11280 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 190,0 x 128,5 x 1,9 | 7,48 x 5,06 x 0,075 |
| 324-15-12650 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 77,2 x 1,0 | 5,18 x 3,04 x 0,039 |
| 324-15-12660 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 324-15-12660 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 34B-15-11340 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 3,0 | 4,92 x 2,70 x 0,118 |
| 34C-15-11350 | CLUTCH DISC SINTER BRONZE | SUNBURST | 47 | INT TH | 152,5 x 90,5 x 3,0 | 6,00 x 3,56 x 0,118 |
| 34C-15-11360 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 162,0 x 100,0 x 1,6 | 6,38 x 3,94 x 0,063 |
| 362-15-12720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 228,0 x 148,0 x 3,2 | 8,98 x 5,83 x 0,126 |
| 362-15-12730 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 228,0 x 148,0 x 3,2 | 8,98 x 5,83 x 0,126 |
| 363-15-22750 | DISC STEEL INTERMEDIATE | ----- | 51 | EXT TH | 131,5 x 80,0 x 1,8 | 5,18 x 3,15 x 0,071 |
| 380-125504H1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 32 | INT TH | 146,0 x 78,6 x 1,6 | 5,75 x 3,09 x 0,063 |
| 380-125505H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,6 x 85,7 x 1,8 | 6,87 x 3,37 x 0,071 |
| 380-129529-1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 85,6 x 1,8 | 6,87 x 3,37 x 0,071 |
| 380-176345-2 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,1 x 2,5 | 6,62 x 4,69 x 0,100 |
| 380-215737-1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 380-219179-1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 34 | INT TH | 146,1 x 104,9 x 1,7 | 5,75 x 4,13 x 0,066 |
| 380-220025H1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,6 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 381-114622-1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 381-114622-1 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 381-619200-1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 39 | INT TH | 228,9 x 162,0 x 2,9 | 9,01 x 6,38 x 0,112 |
| 381-893515-1 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,6 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 381-922539-1 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,6 x 85,6 x 1,7 | 7,15 x 3,37 x 0,066 |
| 381-922540-1 | OBSOLETE AFTER STOCK | | 85 | EXT TH | 181,4 x 85,6 x 4,8 | 7,14 x 3,37 x 0,189 |
| 381-922541-1 | DISC FRICTION FP | 2 PASS | 32 | INT TH | 167,6 x 78,7 x 1,8 | 6,60 x 3,10 x 0,070 |
| 381-922549-1 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,4 x 112,8 x 1,7 | 7,14 x 4,44 x 0,066 |
| 381-922551-1 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 167,6 x 104,6 x 1,8 | 6,60 x 4,12 x 0,070 |

| | | | | | | |
|----------------|---------------------------|-------------|----|--------|---------------------|----------------------|
| 381-922913-1 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 179,8 x 173,5 x 0,4 | 7,08 x 6,83 x 0,016 |
| 381-924109-1 | DISC STEEL INTERMEDIATE | RUBBER PINS | 8 | EXT LG | 244,0 x 173,0 x 3,2 | 9,61 x 6,81 x 0,126 |
| 381-970697-2 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 174,5 x 112,8 x 1,8 | 6,87 x 4,44 x 0,071 |
| 381-984439-1 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 259,0 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 382-327174-1 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 180,1 x 129,5 x 2,1 | 7,09 x 5,10 x 0,083 |
| 382-399734-1 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,0 x 51,0 x 7,6 | 10,20 x 2,01 x 0,300 |
| 382-399734-1 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 385-10235131 | OBSOLETE AFTER STOCK | | 85 | EXT TH | 181,4 x 85,6 x 5,5 | 7,14 x 3,37 x 0,217 |
| 385-10272561-4 | RED DISC FRICTION FP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 385-10272561-4 | DISC FRICTION YFP | 2 PASS | 15 | INT TH | 259,1 x 51,1 x 7,6 | 10,20 x 2,01 x 0,300 |
| 385-11121301 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 228,5 x 140,7 x 3,0 | 9,00 x 5,53 x 0,118 |
| 385-11132371 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 201,1 x 104,9 x 2,6 | 7,92 x 4,13 x 0,102 |
| 385-11132451 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 217,4 x 112,8 x 1,9 | 8,56 x 4,44 x 0,075 |
| 3EA-15-11170 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-11171 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-11172 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-11173 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-11180 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,8 x 80,0 x 3,2 | 5,42 x 3,15 x 0,125 |
| 3EA-15-11340 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-12721 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EA-15-14270 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,5 x 3,0 | 4,92 x 2,70 x 0,118 |
| 3EA-15-31170 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 3EB-15-51170 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 3,1 | 4,92 x 2,70 x 0,122 |
| 3EC-15-19270 | CLUTCH DISC SINTER BRONZE | SUNBURST | 47 | INT TH | 147,0 x 90,5 x 3,0 | 5,79 x 3,56 x 0,118 |
| 3EC-15-19280 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 157,0 x 100,0 x 1,4 | 6,18 x 3,94 x 0,055 |
| 3EC-15-29270 | CLUTCH DISC SINTER BRONZE | SUNBURST | 47 | INT TH | 147,0 x 90,5 x 3,0 | 5,79 x 3,56 x 0,118 |
| 3EC-15-29270 | OBSOLETE AFTER STOCK | | 47 | INT TH | 147,0 x 90,5 x 3,0 | 5,79 x 3,56 x 0,118 |
| 3EC-15-29280 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 157,0 x 100,0 x 1,4 | 6,18 x 3,94 x 0,055 |
| 3EC-15-31270 | DISC FRICTION FP | WAFFLE | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 3EC-15-31280 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 168,0 x 100,0 x 2,0 | 6,61 x 3,94 x 0,078 |
| 3EC-15-31290 | OBSOLETE AFTER STOCK | | 8 | EXT LG | 167,0 x 100,0 x 4,6 | 6,57 x 3,94 x 0,179 |
| 3EC-30-51110 | DISC FRICTION FP | WAFFLE | 18 | INT TH | 208,0 x 51,4 x 4,4 | 8,19 x 2,02 x 0,173 |
| 3EC-30-51220 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 254,6 x 148,0 x 3,7 | 10,02 x 5,83 x 0,146 |
| 3EE-15-11510 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 174,0 x 116,1 x 3,0 | 6,85 x 4,57 x 0,118 |
| 3EE-15-12950 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 174,0 x 116,1 x 3,0 | 6,85 x 4,57 x 0,118 |
| 3EE-15-12960 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 190,0 x 128,5 x 1,9 | 7,48 x 5,06 x 0,075 |
| 3EE-15-21230 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 162,0 x 100,3 x 2,0 | 6,38 x 3,95 x 0,079 |
| 3FD-15-21570 | DISC FRICTION FP | WAFFLE | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 415-33-11240 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 208,0 x 44,0 x 5,3 | 8,19 x 1,34 x 0,209 |
| 415-33-11241 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 208,0 x 44,0 x 6,7 | 8,19 x 1,34 x 0,264 |
| 415-33-11250 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 207,5 x 150,0 x 3,8 | 8,17 x 5,91 x 0,150 |
| 415-33-21240 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 208,0 x 44,0 x 6,7 | 8,19 x 1,34 x 0,264 |
| 417-33-11243 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 264,0 x 50,0 x 8,6 | 10,39 x 1,97 x 0,339 |
| 417-33-11252 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 264,0 x 172,4 x 6,5 | 10,39 x 6,79 x 0,255 |
| 417-33-11253 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 264,0 x 172,4 x 6,5 | 10,39 x 6,79 x 0,255 |
| 417-33-11290 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 264,0 x 50,0 x 8,6 | 10,39 x 1,97 x 0,339 |
| 418-17-39710 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 418-33-11240 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 276,0 x 50,3 x 8,7 | 10,87 x 1,98 x 0,343 |
| 418-33-11241 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 276,0 x 50,3 x 8,7 | 10,87 x 1,98 x 0,343 |
| 418-33-11250 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 277,0 x 174,0 x 6,6 | 10,91 x 6,85 x 0,260 |
| 418-33-11251 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 276,8 x 173,8 x 9,3 | 10,90 x 6,84 x 0,364 |
| 418-33-21340 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 303,0 x 58,0 x 8,7 | 11,93 x 2,28 x 0,344 |
| 419-15-12132 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 174,7 x 166,2 x 0,7 | 6,88 x 6,54 x 0,028 |
| 419-15-12133 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 174,7 x 166,2 x 0,7 | 6,88 x 6,54 x 0,028 |
| 419-15-12290 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 419-15-12290C | RED DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 419-15-12290L | RED DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 419-15-12310 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 419-15-12920 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 419-33-11243 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 320,0 x 67,5 x 8,2 | 12,60 x 2,66 x 0,322 |
| 419-33-11250 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 322,0 x 215,0 x 6,6 | 12,68 x 8,46 x 0,259 |
| 419-33-11252 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 322,0 x 215,0 x 9,2 | 12,68 x 8,46 x 0,362 |
| 419-33-21240 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 320,0 x 67,5 x 8,2 | 12,60 x 2,66 x 0,322 |
| 419-33-21250 | OBSOLETE AFTER STOCK | | 68 | EXT TH | 347,8 x 237,6 x 6,0 | 13,69 x 9,35 x 0,236 |
| 419-33-21750 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 350,0 x 218,0 x 6,5 | 13,78 x 8,58 x 0,256 |
| 419-33-21751 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 350,0 x 218,0 x 6,5 | 13,78 x 8,58 x 0,256 |
| 419-33-31750 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 349,9 x 218,0 x 6,6 | 13,78 x 8,58 x 0,258 |
| 421-22-27410 | DISC FRICTION MOLYBDENUM | SPR/RAD | 32 | (38)IN TH | 198,0 x 103,0 x 3,6 | 7,80 x 4,06 x 0,142 |
| 421-22-27411 | DISC FRICTION MOLYBDENUM | SPR/RAD | 32 | (38)IN TH | 198,0 x 103,0 x 3,6 | 7,80 x 4,06 x 0,142 |
| 421-22-27450 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 229,9 x 114,2 x 3,4 | 9,05 x 4,50 x 0,134 |
| 421-22-27451 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 229,9 x 114,2 x 3,4 | 9,05 x 4,50 x 0,134 |
| 421-22-27460 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 229,9 x 114,2 x 3,5 | 9,05 x 4,50 x 0,138 |
| 421-22-27461 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 229,9 x 114,2 x 3,5 | 9,05 x 4,50 x 0,138 |
| 421-33-31241 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 374,0 x 72,8 x 6,5 | 14,72 x 2,87 x 0,256 |
| 421-33-31242 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 374,0 x 72,8 x 6,5 | 14,72 x 2,87 x 0,256 |
| 421-33-31250 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 417,8 x 297,0 x 6,0 | 16,45 x 11,69 x 0,236 |
| 421-33-31340 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 428,8 x 297,0 x 3,3 | 16,88 x 11,69 x 0,128 |
| 421-33-31350 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 428,8 x 297,0 x 6,0 | 16,88 x 11,69 x 0,236 |
| 421-33-32240 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 352,0 x 69,0 x 6,5 | 13,86 x 2,72 x 0,256 |
| 421-33-32241 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 352,0 x 69,0 x 6,5 | 13,86 x 2,72 x 0,256 |
| 421-33-32250 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 395,6 x 280,3 x 6,0 | 15,57 x 11,04 x 0,236 |
| 421-33-32251 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 395,6 x 280,3 x 6,0 | 15,57 x 11,04 x 0,236 |
| 421-33-32340 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 406,8 x 279,7 x 3,3 | 16,02 x 11,01 x 0,128 |
| 421-33-32350 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 406,8 x 279,7 x 6,0 | 16,02 x 11,01 x 0,236 |
| 423-33-21240 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 350,0 x 77,6 x 8,1 | 13,78 x 3,06 x 0,319 |
| 423-33-21250 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 276,0 x 6,0 | 15,08 x 10,87 x 0,236 |
| 423-33-21251 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 276,0 x 6,0 | 15,08 x 10,87 x 0,236 |
| 423-33-31240 | DISC FRICTION FP | 2 PASS | 15 | INT TH | 334,9 x 65,0 x 6,5 | 13,18 x 2,56 x 0,256 |
| 423-33-31250 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 374,6 x 266,1 x 6,0 | 14,75 x 10,48 x 0,236 |
| 423-33-31251 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 374,6 x 266,1 x 6,0 | 14,75 x 10,48 x 0,236 |
| 423-33-31330 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 387,6 x 266,0 x 3,2 | 15,26 x 10,47 x 0,126 |
| 423-33-31331 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 387,6 x 266,0 x 3,2 | 15,26 x 10,47 x 0,126 |

| | | | | | | |
|---------------|---------------------------|---------|-----|-----------|----------------------|-----------------------|
| 423-33-31350 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 387,9 x 266,0 x 6,0 | 15,27 x 10,47 x 0,236 |
| 423-33-31351 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 387,9 x 266,0 x 6,0 | 15,27 x 10,47 x 0,236 |
| 424-15-12710 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 90 | INT TH | 335,0 x 264,0 x 5,0 | 13,19 x 10,39 x 0,197 |
| 424-15-12711 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 90 | INT TH | 335,0 x 264,0 x 5,0 | 13,19 x 10,39 x 0,197 |
| 424-15-12720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 396,5 x 280,0 x 5,0 | 15,61 x 11,02 x 0,197 |
| 425-07-3018C1 | DISC STEEL INTERMEDIATE | ----- | 3 | INT LG | 259,0 x 185,7 x 6,7 | 10,19 x 7,31 x 0,262 |
| 425-15-12740 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 465,5 x 323,1 x 5,8 | 18,33 x 12,72 x 0,228 |
| 425-15-22720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 398,0 x 280,0 x 5,0 | 15,67 x 11,02 x 0,197 |
| 425-32-22670 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 250,0 x 161,3 x 3,2 | 9,84 x 6,35 x 0,126 |
| 425-32-22680 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 277,2 x 179,4 x 4,0 | 10,91 x 7,06 x 0,157 |
| 425-33-11510 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |
| 426-13-48231 | DISC FRICTION FP | WAFFLE | 37 | INT TH | 219,0 x 138,5 x 2,8 | 8,62 x 5,45 x 0,110 |
| 426-13-48251 | DISC STEEL INTERMEDIATE | ----- | 84 | EXT TH | 232,9 x 148,0 x 2,6 | 9,17 x 5,83 x 0,102 |
| 426-15-12720 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,5 x 344,5 x 5,8 | 19,60 x 13,60 x 0,228 |
| 426-15-22740 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 466,9 x 323,4 x 3,2 | 18,38 x 12,73 x 0,126 |
| 426-15-42721 | DISC STEEL INTERMEDIATE | ----- | 98 | EXT TH | 298,2 x 234,0 x 3,2 | 11,74 x 9,21 x 0,126 |
| 426-15-42820 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 468,0 x 323,5 x 5,0 | 18,43 x 12,74 x 0,197 |
| 426-33-31240 | DISC FRICTION FP | 3 PASS | 68 | INT TH | 540,0 x 330,0 x 5,1 | 21,26 x 12,99 x 0,200 |
| 426-33-31250 | DISC STEEL INTERMEDIATE | ----- | 112 | EXT TH | 565,0 x 356,0 x 2,4 | 22,24 x 14,02 x 0,094 |
| 426-33-31260 | DISC STEEL INTERMEDIATE | ----- | | RING | 458,5 x 356,7 x 10,0 | 18,05 x 14,04 x 0,394 |
| 427-15-12730 | DISC STEEL INTERMEDIATE | ----- | 148 | EXT TH | 446,6 x 435,7 x 5,8 | 17,58 x 17,15 x 0,228 |
| 42C-13-17250 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 334,5 x 238,0 x 2,6 | 13,17 x 9,37 x 0,102 |
| 42Y-23-H0R10 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 42Y-23-H0R46 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 42Y-23-H0R47 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 561-15-42710 | DISC FRICTION GRPH | SPR/RAD | 131 | INT TH | 475,0 x 389,0 x 5,4 | 18,70 x 15,31 x 0,213 |
| 561-15-42711 | DISC FRICTION GRPH | SPR/RAD | 131 | INT TH | 475,0 x 389,0 x 5,4 | 18,70 x 15,31 x 0,213 |
| 561-15-42720 | DISC FRICTION GRPH | SPR/RAD | 120 | INT TH | 435,0 x 356,0 x 5,4 | 17,13 x 14,02 x 0,213 |
| 561-15-42721 | DISC FRICTION GRPH | SPR/RAD | 120 | INT TH | 435,0 x 356,0 x 5,4 | 17,13 x 14,02 x 0,213 |
| 561-15-42730 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 401,0 x 5,8 | 21,46 x 15,79 x 0,228 |
| 561-15-42740 | DISC STEEL INTERMEDIATE | ----- | 150 | EXT TH | 456,0 x 367,0 x 5,8 | 17,95 x 14,45 x 0,228 |
| 561-15-42810 | DISC FRICTION GRPH | SPR/RAD | 133 | INT TH | 475,0 x 395,0 x 5,4 | 18,70 x 15,55 x 0,213 |
| 561-15-42811 | DISC FRICTION GRPH | SPR/RAD | 133 | INT TH | 475,0 x 395,0 x 5,4 | 18,70 x 15,55 x 0,213 |
| 561-15-42820 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 407,0 x 5,8 | 21,46 x 16,02 x 0,228 |
| 561-15-52560 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 413,0 x 4,3 | 21,46 x 16,26 x 0,169 |
| 561-15-52570 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 135 | INT TH | 478,0 x 400,0 x 5,2 | 18,82 x 15,75 x 0,205 |
| 561-15-52571 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 135 | INT TH | 478,0 x 400,0 x 5,2 | 18,82 x 15,75 x 0,205 |
| 561-15-52811 | DISC FRICTION CARBON FP | WAFFLE | 133 | INT TH | 475,0 x 395,0 x 5,4 | 18,70 x 15,55 x 0,213 |
| 561-15-52930 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 407,0 x 5,8 | 21,46 x 16,02 x 0,228 |
| 561-15-52931 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 407,0 x 5,8 | 21,46 x 16,02 x 0,228 |
| 561-15-52940 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 498,0 x 367,0 x 5,8 | 19,61 x 14,45 x 0,228 |
| 561-15-52941 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 498,0 x 367,0 x 5,8 | 19,61 x 14,45 x 0,228 |
| 561-15-52950 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 401,0 x 5,8 | 21,46 x 15,79 x 0,228 |
| 561-15-52951 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 545,0 x 401,0 x 5,8 | 21,46 x 15,79 x 0,228 |
| 561-15-52960 | DISC STEEL INTERMEDIATE | ----- | 150 | EXT TH | 456,0 x 367,0 x 5,8 | 17,95 x 14,45 x 0,228 |
| 561-15-52961 | DISC STEEL INTERMEDIATE | ----- | 150 | EXT TH | 456,0 x 367,0 x 5,8 | 17,95 x 14,45 x 0,228 |
| 561-32-71260 | DISC FRICTION FP | 3 PASS | 226 | EXT TH | 680,3 x 510,0 x 4,4 | 26,78 x 20,08 x 0,173 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|-------------------|--------------------|-----------------|------------------------|-----------------------|
| 561-33-61230 | DISC STEEL INTERMEDIATE | ----- | 226 | EXT TH | 681,0 x 509,8 x 2,4 | 26,81 x 20,07 x 0,094 |
| 561-33-62260 | DISC DAMPER | ----- | 226 | EXT TH | 681,0 x 509,8 x 6,9 | 26,81 x 20,07 x 0,270 |
| 561-33-71230 | DISC STEEL INTERMEDIATE | ----- | 157 | EXT TH | 789,0 x 562,0 x 2,4 | 31,06 x 22,13 x 0,094 |
| 561-33-71240 | DISC FRICTION FP | 3 PASS | 109 | INT TH | 760,0 x 535,0 x 6,5 | 29,92 x 21,06 x 0,256 |
| 561-33-71260 | DISC FRICTION FP | DAMPER | 157 | EXT TH | 789,0 x 562,0 x 3,4 | 31,06 x 22,13 x 0,134 |
| 561-33-71261 | DISC FRICTION FP | DAMPER | 157 | EXT TH | 789,0 x 562,0 x 3,4 | 31,06 x 22,13 x 0,134 |
| 561-33-71270 | DISC DAMPER | ----- | 157 | EXT TH | 789,0 x 562,0 x 6,9 | 31,06 x 22,13 x 0,272 |
| 561-33-71271 | DISC DAMPER | ----- | 157 | EXT TH | 789,0 x 562,0 x 6,9 | 31,06 x 22,13 x 0,272 |
| 562-15-12860 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 146 | INT TH | 530,2 x 434,1 x 5,2 | 20,88 x 17,09 x 0,205 |
| 562-15-22711 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 555,0 x 386,5 x 7,0 | 21,85 x 15,22 x 0,276 |
| 562-15-22720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 405,7 x 278,3 x 5,0 | 15,97 x 10,96 x 0,197 |
| 562-15-22810 | DISC STEEL INTERMEDIATE | ----- | 164 | EXT TH | 495,3 x 402,0 x 5,2 | 19,50 x 15,83 x 0,205 |
| 562-15-22820 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 615,0 x 461,0 x 5,8 | 24,21 x 18,15 x 0,228 |
| 562-15-22830 | DISC STEEL INTERMEDIATE | STEPPED | 164 | EXT TH | 495,4 x 386,3 x 20,0 | 19,50 x 15,21 x 0,787 |
| 562-15-22870 | DISC FRICTION CARBON FP | WAFFLE | 151 | INT TH | 540,0 x 449,0 x 5,3 | 21,26 x 17,68 x 0,207 |
| 562-15-22740 | DISC STEEL INTERMEDIATE | END PLATE | 6 | EXT LG | 617,0 x 461,2 x 8,0 | 24,29 x 18,16 x 0,315 |
| 562-15-22850 | DISC STEEL INTERMEDIATE | ----- | 164 | EXT TH | 496,3 x 386,1 x 5,2 | 19,54 x 15,20 x 0,205 |
| 562-15-22860 | DISC FRICTION CARBON FP | WAFFLE | 126 | INT TH | 474,2 x 372,7 x 5,4 | 18,67 x 14,67 x 2,130 |
| 562-15-22880 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 407,6 x 279,7 x 5,0 | 16,05 x 11,01 x 0,197 |
| 562-15-22890 | DISC FRICTION CARBON FP | WAFFLE | 131 | INT TH | 475,0 x 389,0 x 5,4 | 18,70 x 15,31 x 0,213 |
| 562-15-22940 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 90 | INT TH | 335,0 x 264,0 x 5,0 | 13,29 x 10,39 x 0,197 |
| 562-15-32720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LUGS | 407,5 X 280,0 X 4,3 | 16,04 x 11,02 x 0,169 |
| 562-33-21230 | DISC STEEL INTERMEDIATE | ----- | 182 | (196)EX TH | 984,7 x 695,4 x 3,1 | 38,77 x 27,38 x 0,122 |
| 562-33-21231 | DISC STEEL INTERMEDIATE | ----- | 182 | (196)EX TH | 984,7 x 695,4 x 3,1 | 38,77 x 27,38 x 0,122 |
| 562-33-21240 | DISC FRICTION FP | 3 PASS | 136 | INT TH | 959,5 x 670,6 x 6,7 | 37,78 x 26,40 x 0,264 |
| 562-33-21241 | DISC FRICTION FP | 3 PASS | 136 | INT TH | 959,5 x 670,6 x 6,7 | 37,78 x 26,40 x 0,264 |
| 562-33-21242 | DISC FRICTION FP | 3 PASS | 136 | INT TH | 959,5 x 670,6 x 6,7 | 37,78 x 26,40 x 0,264 |
| 562-33-21260 | DISC DAMPER | ----- | 182 | (196)EX TH | 984,7 x 695,4 x 7,8 | 38,77 x 27,38 x 0,307 |
| 562-33-21261 | DISC DAMPER | ----- | 182 | (196)EX TH | 984,7 x 695,4 x 7,8 | 38,77 x 27,38 x 0,307 |
| 562-33-21262 | DISC DAMPER | ----- | 182 | (196)EX TH | 984,7 x 695,4 x 7,8 | 38,77 x 27,38 x 0,307 |
| 562-33-31240 | DISC FRICTION FP | 3 PASS | 136 | INT TH | 959,5 x 670,6 x 6,7 | 37,78 x 26,40 x 0,264 |
| 562-33-33240 | DISC FRICTION FP | 3 PASS | 136 | INT TH | 959,5 x 670,6 x 6,7 | 37,78 x 26,40 x 0,264 |
| 562-33-51230 | DISC STEEL INTERMEDIATE | ----- | 176 | EXT TH | 899,00 x 689,00 x 2,45 | 35,39 x 27,13 x 0,097 |
| 562-33-51240 | FRICTION | 2 PASS | 104 | INT TH | 870,00 x 650,00 x 5,10 | 34,25 x 25,59 x 0,201 |
| 562-33-51260 | DAMPER | DISC DAMPER | 176 | EXT TH | 899,00 x 689,00 X 7,15 | 35,39 x 27,13 x 0,282 |
| 566-15-62731 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 448,0 x 322,0 x 5,0 | 17,64 x 12,68 x 0,197 |
| 566-15-62732 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 448,0 x 322,0 x 5,0 | 17,64 x 12,68 x 0,197 |
| 566-15-72710 | DISC FRICTION GRPH | SPR/RAD | 105 | INT TH | 383,0 x 310,5 x 5,0 | 15,08 x 12,22 x 0,197 |
| 566-15-72710 | DISC FRICTION CARBON FP | WAFFLE | 105 | INT TH | 383,0 x 310,5 x 5,0 | 15,08 x 12,22 x 0,197 |
| 566-33-41230 | DISC STEEL INTERMEDIATE | ----- | 146 | (164)EX TH | 494,8 x 345,9 x 2,4 | 19,48 x 13,62 x 0,094 |
| 566-33-41240 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |

| | | | | | | |
|--------------|-------------------------|---------|-----|------------|---------------------|-----------------------|
| 566-33-41241 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,0 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |
| 566-33-41242 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,0 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |
| 566-33-41260 | DISC DAMPER | ----- | 146 | EXT TH | 494,8 x 345,9 x 7,2 | 19,48 x 13,62 x 0,283 |
| 566-33-41261 | DISC DAMPER | ----- | 146 | EXT TH | 494,8 x 345,9 x 7,2 | 19,48 x 13,62 x 0,283 |
| 56D-15-12710 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 174,7 x 166,2 x 0,7 | 6,88 x 6,54 x 0,028 |
| 56D-33-11251 | DISC STEEL INTERMEDIATE | ----- | 148 | EXT TH | 447,0 x 297,5 x 2,4 | 17,60 x 11,71 x 0,094 |
| 56D-33-11261 | DISC DAMPER | ----- | 148 | EXT TH | 447,0 x 297,5 x 6,9 | 17,60 x 11,71 x 0,272 |
| 56D-33-11271 | DISC FRICTION FP | 3 PASS | 148 | EXT TH | 447,0 x 297,5 x 3,5 | 17,60 x 11,71 x 0,136 |
| 56D-33-11510 | DISC FRICTION FP | 3 PASS | 96 | INT TH | 432,0 x 282,7 x 5,2 | 17,00 x 11,13 x 0,204 |
| 568-15-12721 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 555,0 x 386,5 x 7,0 | 21,85 x 15,22 x 0,276 |
| 569-15-32720 | DISC FRICTION GRPH | SPR/RAD | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-15-32721 | DISC FRICTION GRPH | SPR/RAD | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-15-32720 | DISC FRICTION CARBON FP | WAFFLE | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-15-32721 | DISC FRICTION CARBON FP | WAFFLE | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-15-32730 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 498,0 x 367,0 x 5,8 | 19,61 x 14,45 x 0,228 |
| 569-15-32740 | DISC STEEL INTERMEDIATE | ----- | 130 | EXT TH | 396,0 x 320,0 x 5,0 | 15,59 x 12,60 x 0,197 |
| 569-15-32741 | DISC STEEL INTERMEDIATE | ----- | 130 | EXT TH | 396,0 x 320,0 x 5,0 | 15,59 x 12,60 x 0,197 |
| 569-15-32810 | DISC FRICTION GRPH | SPR/RAD | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-32811 | DISC FRICTION GRPH | SPR/RAD | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-32810 | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-32811 | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-32820 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 498,0 x 381,0 x 5,8 | 19,60 x 15,00 x 0,228 |
| 569-15-32821 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 498,0 x 381,0 x 5,8 | 19,60 x 15,00 x 0,228 |
| 569-15-32830 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,4 x 381,5 x 7,3 | 19,58 x 15,02 x 0,287 |
| 569-15-52810 | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-52820 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,0 x 381,0 x 5,0 | 19,57 x 15,00 x 0,197 |
| 569-15-52821 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,0 x 381,0 x 5,0 | 19,57 x 15,00 x 0,197 |
| 569-15-52830 | DISC FRICTION CARBON FP | WAFFLE | 120 | INT TH | 435,0 x 356,0 x 5,4 | 17,13 x 14,02 x 0,213 |
| 569-15-52840 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,4 x 367,0 x 7,0 | 19,58 x 14,45 x 0,274 |
| 569-15-52841 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,4 x 367,0 x 7,0 | 19,58 x 14,45 x 0,274 |
| 569-15-52850 | DISC FRICTION CARBON FP | WAFFLE | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-15-52860 | DISC STEEL INTERMEDIATE | ----- | 130 | EXT TH | 396,0 x 320,0 x 5,0 | 15,59 x 12,60 x 0,197 |
| 569-15-52870 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 497,4 X 381,5 X 7,3 | 19,58 X 15,02 X 0,287 |
| 569-15-52910 | DISC FRICTION CARBON FP | WAFFLE | 124 | INT TH | 435,0 x 368,0 x 5,5 | 17,13 x 14,49 x 0,197 |
| 569-15-52930 | DISC FRICTION CARBON FP | WAFFLE | 120 | INT TH | 435,0 x 356,0 x 5,4 | 17,13 x 14,02 x 0,213 |
| 569-15-52950 | DISC FRICTION CARBON FP | WAFFLE | 103 | INT TH | 375,0 x 305,0 x 5,0 | 14,76 x 12,01 x 0,197 |
| 569-33-41230 | DISC STEEL INTERMEDIATE | ----- | 208 | (226)EX TH | 681,0 x 509,8 x 2,4 | 26,81 x 20,07 x 0,094 |
| 569-33-41240 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |
| 569-33-41241 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |
| 569-33-41242 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |
| 569-33-41260 | DISC DAMPER | ----- | 208 | (226)EX TH | 681,0 x 509,8 x 6,9 | 26,81 x 20,07 x 0,270 |
| 569-33-41261 | DISC DAMPER | ----- | 208 | (226)EX TH | 681,0 x 509,8 x 6,9 | 26,81 x 20,07 x 0,270 |
| 569-33-61240 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |
| 569-33-61241 | DISC FRICTION FP | 3 PASS | 166 | INT TH | 659,9 x 492,0 x 5,1 | 25,98 x 19,37 x 0,200 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|-------------------------|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 569-33-71260 | DISC FRICTION FP | DAMPER | 226 | EXT TH | 680,6 x 510,0 x 3,5 | 26,78 x 20,08 x 0,138 |
| 569-33-71280 | DISC STEEL INTERMEDIATE | ----- | | RING | 671,6 x 512,4 x 10,0 | 26,44 x 20,17 x 0,394 |
| 585-33-21240 | DISC FRICTION FP | 3 PASS | 99 | INT TH | 659,9 x 484,0 x 5,1 | 25,98 x 19,06 x 0,200 |
| 706-73-91440 | OBSOLETE AFTER STOCK | | 32 | (34)EX TH | 134,0 x 97,3 x 1,5 | 5,27 x 3,85 x 0,059 |
| 706-73-92350 | DISC FRICTION FP | 2 PASS | 20 | (23)IN TH | 120,0 x 88,0 x 3,3 | 4,72 x 3,46 x 0,130 |
| 706-75-90050 | DISC FRICTION FP | 2 PASS | 20 | (23)IN TH | 120,0 x 88,0 x 3,3 | 4,72 x 3,46 x 0,130 |
| 706-75-91340 | OBSOLETE | | 38 | (40)EX TH | 157,0 x 118,0 x 1,5 | 6,18 x 4,65 x 0,059 |
| 706-75-91350 | OBSOLETE | | 26 | (29)IN TH | 144,0 x 109,0 x 3,0 | 5,67 x 4,29 x 0,118 |
| 706-75-92140 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 161,0 x 118,0 x 1,8 | 6,34 x 4,65 x 0,071 |
| 706-75-92141 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 161,0 x 118,0 x 1,8 | 6,34 x 4,65 x 0,071 |
| 706-75-92150 | DISC FRICTION FP | 1 PASS | 26 | (29)IN TH | 144,0 x 109,0 x 2,5 | 5,67 x 4,29 x 0,098 |
| 706-75-92350 | DISC FRICTION FP | 1 PASS | 26 | (29)IN TH | 144,0 x 109,0 x 2,5 | 5,67 x 4,29 x 0,098 |
| 706-77-91341 | DISC STEEL INTERMEDIATE | ----- | 43 | (51) EXT TH | 198,0 x 150,0 x 1,6 | 7,80 x 5,91 x 0,061 |
| 706-77-91540 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 187,0 x 137,0 x 3,1 | 7,36 x 5,39 x 0,122 |
| 706-77-91550 | DISC FRICTION FP | 2 PASS | 7 | INT LG | 176,0 x 135,0 x 4,1 | 6,93 x 5,31 x 0,161 |
| 706-7G-91340 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 170,6 x 129,2 x 2,0 | 6,72 x 5,09 x 0,079 |
| 706-7G-91350 | DISC FRICTION FP | 1 PASS | 29 | INT TH | 155,0 x 120,0 x 2,5 | 6,10 x 4,72 x 0,098 |
| 706-7G-91441 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 167,5 x 124,0 x 2,0 | 6,59 x 4,88 x 0,079 |
| 706-7G-91450 | DISC FRICTION FP | 1 PASS | 14 | INT LG | 150,0 x 111,0 x 2,5 | 5,91 x 4,37 x 0,098 |
| 706-8H-15130 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 196,0 x 157,0 x 2,0 | 7,72 x 6,18 x 0,079 |
| 708-8H-15121 | DISC FRICTION FP | 2 PASS | 39 | INT TH | 183,0 x 158,0 x 1,5 | 7,20 x 6,22 x 0,059 |
| 708-8F-35120 | DISC FRICTION FP | 1 PASS | 6 | INT LG | 152,0 x 117,0 x 3,0 | 5,98 x 4,61 x 0,118 |
| 708-85-35230 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 171,5 x 131,5 x 2,0 | 6,75 x 5,18 x 0,079 |
| 708-8H-35120 | DISC FRICTION FP | 2 PASS | 6 | INT LG | 173,0 x 133,0 x 3,0 | 6,81 x 5,24 x 0,118 |
| 708-8H-35130 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 182,0 x 145,5 x 2,6 | 7,17 x 5,73 x 0,102 |
| 708-8H-35180 | DISC FRICTION FP | 2 PASS | 6 | INT LG | 173,0 x 133,0 x 3,0 | 6,81 x 5,24 x 0,118 |
| 711-47-11770 | DISC STEEL INTERMEDIATE | ----- | | RING | 85,0 x 70,6 x 3,0 | 3,45 x 2,78 x 0,118 |
| 712-82-12710 | DISC FRICTION CARBON FP | WAFFLE | 105 | INT TH | 400,0 x 309,0 x 5,5 | 15,75 x 12,17 x 0,215 |
| 712-85-12710 | DISC FRICTION CARBON FP | WAFFLE | 90 | INT TH | 335,0 x 265,0 x 5,0 | 13,19 x 10,43 x 0,197 |
| 712-85-12711 | DISC FRICTION CARBON FP | WAFFLE | 90 | INT TH | 335,0 x 265,0 x 5,0 | 13,19 x 10,43 x 0,197 |
| 712-85-12720 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 396,5 x 280,0 x 5,0 | 15,61 x 11,02 x 0,197 |
| 714-01-11410 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 125,0 x 69,5 x 3,0 | 4,92 x 2,74 x 0,118 |
| 714-07-12670 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 180,0 x 110,5 x 3,2 | 7,09 x 4,35 x 0,126 |
| 714-07-12680 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 197,9 x 128,0 x 2,0 | 7,79 x 5,04 x 0,079 |
| 714-07-12690 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 195,5 x 188,3 x 1,7 | 7,70 x 7,41 x 0,067 |
| 714-07-12691 | DISC STEEL INTERMEDIATE | ----- | | SPRING | 195,5 x 188,3 x 1,7 | 7,70 x 7,41 x 0,067 |
| 714-07-19710 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 180,0 x 110,5 x 3,2 | 7,09 x 4,35 x 0,126 |
| 714-07-29710 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 714-07-29720 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 714-08-19710 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 140,0 x 87,0 x 3,0 | 5,51 x 3,43 x 0,118 |
| 714-08-19711 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 140,0 x 87,0 x 3,0 | 5,51 x 3,43 x 0,118 |
| 714-08-19730 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 156,0 x 99,0 x 1,8 | 6,14 x 3,90 x 0,071 |
| 714-10-19730 | DISC STEEL INTERMEDIATE | ----- | 51 | EXT TH | 131,5 x 80,0 x 1,8 | 5,18 x 3,15 x 0,071 |
| 714-12-19710 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |

| | | | | | | |
|---------------|--|-----------|-----|------------|----------------------|-----------------------|
| 714-12-19711 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 714-12-19730 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 197,9 x 128,0 x 4,0 | 7,79 x 5,04 x 0,157 |
| 714-16-19730 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 772-05-02570 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 772-05-02590 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 772-10-12590 | DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 772-10-12720 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| AS35157213010 | DISC STEEL INTERMEDIATE | END PLATE | 6 | EXT LG | 143,3 x 88,4 x 7,6 | 5,64 x 3,48 x 0,300 |
| AS35633-3400 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| AS35634-3400 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| ED0675 | CLUTCH DISC SINTER BRONZE | WAGON | 115 | INT TH | 450,5 x 360,0 x 10,2 | 17,74 x 14,17 x 0,402 |
| ED4276 | DISC STEEL INTERMEDIATE | | 18 | HOLES | 530,0 x 394,0 X 3,0 | 20,87 x 15,51 x 0,118 |
| EH5306 | DISC STEEL INTERMEDIATE | ----- | 237 | EXT TH | 1189,0 x 865,0 x 3,7 | 46,81 x 34,06 x 0,146 |
| EH5307 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 168 | INT TH | 1164,0 x 830,0 x 7,7 | 45,83 x 32,68 x 0,301 |
| EH5308 | DISC DAMPER | ----- | 237 | EXT TH | 1189,0 x 865,0 x 8,4 | 46,81 x 34,06 x 0,331 |
| EJ6987 | DISC DAMPER | ----- | 237 | EXT TH | 1189,0 x 865,6 x 6,9 | 46,81 x 34,08 x 0,272 |
| EM8365 | DISC STEEL INTERMEDIATE | ----- | 237 | EXT TH | 1189,0 x 865,0 x 3,7 | 46,81 x 34,06 x 0,146 |
| EM8366 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 168 | INT TH | 1164,0 x 830,0 x 7,7 | 45,83 x 32,68 x 0,301 |
| EM8367 | DISC DAMPER | ----- | 237 | EXT TH | 1189,0 x 865,0 x 8,4 | 46,81 x 34,06 x 0,331 |
| EM8371 | DISC DAMPER | ----- | 237 | EXT TH | 1189,0 x 865,0 x 8,4 | 46,81 x 34,06 x 0,331 |
| EM8372 | CLUTCH DISC SINTER BRONZE | WAGON | 115 | INT TH | 450,5 x 360,0 x 10,2 | 17,74 x 14,17 x 0,402 |
| EM8373 | DISC STEEL INTERMEDIATE | | 18 | HOLES | 530,0 x 394,0 X 3,0 | 20,87 x 15,51 x 0,118 |
| VE1304 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 45 | INT TH | 266,5 x 187,2 x 2,8 | 10,49 x 7,37 x 0,110 |
| VE1305 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT TH | 281,9 x 200,1 x 3,1 | 11,10 x 7,88 x 0,122 |
| KRAMER | | | | | | |
| 803770 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EXT TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 803773 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 0212120215 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 136,4 x 92,0 x 2,4 | 5,37 x 3,62 x 0,094 |
| 0212120315 | DISC STEEL INTERMEDIATE | ----- | 21 | INT TH | 122,6 x 82,1 x 1,5 | 4,83 x 3,23 x 0,059 |
| 1000035878 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 136,4 x 92,0 x 2,4 | 5,37 x 3,62 x 0,094 |
| 1000035880 | DISC STEEL INTERMEDIATE | ----- | 21 | INT TH | 122,6 x 82,1 x 1,5 | 4,83 x 3,23 x 0,059 |
| 1000089319 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 1000089320 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 1000098261 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 1000098262 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 1000108546 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 1000150552 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 1000150553 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| KUBOTA | | | | | | |
| 3C081-65180 | DISC FRICTION FP | WAFFLE | 20 | INT TH | 244,0 x 50,3 x 4,3 | 9,61 x 1,98 x 0,167 |
| 3G700-4012-1 | DISC STEEL INTERMEDIATE | ----- | 61 | EXT TH | 131,2 x 99,0 x 1,8 | 5,17 x 3,90 x 0,071 |
| 6C090-22340 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 117,0 x 60,0 x 2,0 | 4,61 x 2,36 x 0,079 |
| 6C090-22350 | DISC FRICTION FP | ----- | 13 | INT TH | 109,5 x 26,0 x 3,4 | 4,31 x 1,02 x 0,134 |
| 6C140-22340 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 117,0 x 60,0 x 2,0 | 4,61 x 2,36 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|----------------------|
| 6C140-22350 | DISC FRICTION FP | ----- | 13 | INT TH | 109,5 x 26,0 x 3,4 | 4,31 x 1,02 x 0,134 |
| 32530-28280 | DISC FRICTION FP | WAFFLE | 20 | INT TH | 244,0 x 50,3 x 4,3 | 9,61 x 1,98 x 0,167 |
| 32530-28281 | DISC FRICTION FP | WAFFLE | 20 | INT TH | 244,0 x 50,3 x 4,3 | 9,61 x 1,98 x 0,167 |
| 36200-85131 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT SL | 268,0 x 170,0 x 2,3 | 10,55 x 6,69 x 0,091 |
| 36330-65133 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT SL | 268,0 x 170,0 x 2,3 | 10,55 x 6,69 x 0,091 |
| 36530-2713-1 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 134,6 x 83,2 x 2,2 | 5,30 x 3,28 x 0,087 |
| 36530-2714-1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 147,8 x 94,1 x 2,0 | 5,82 x 3,70 x 0,079 |
| 36602-23681 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 36 | INT TH | 133,5 x 90,0 x 2,5 | 5,26 x 3,54 x 0,098 |
| 36602-23691 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 98,5 x 1,8 | 5,49 x 3,88 x 0,069 |
| 36602-23911 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 36 | INT TH | 133,5 x 90,0 x 2,5 | 5,26 x 3,54 x 0,098 |
| 37720-28170 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 240,0 x 152,0 x 2,6 | 9,45 x 5,98 x 0,100 |
| T1060-28200 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 210,0 x 40,0 x 4,7 | 8,27 x 1,57 x 0,185 |
| CARR-110642 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| CARR-110643 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| CARR-110644 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| LANCER BOSS (STEINBOCK) | | | | | | |
| 7176811 | DISC STEEL INTERMEDIATE | FLEXI PLATE | | | | |
| 8534954 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 163,3 x 92,7 x 2,4 | 6,43 x 3,65 x 0,095 |
| 8556301 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| 8576361 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 8556563 | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 228,6 x 158,7 x 2,6 | 9,00 x 6,25 x 0,102 |
| 8657891 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 8665904 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 8665912 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 8668988 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 8668996 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 8699119 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 8699199 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 8755951 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 8755978 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 8827661 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 8827688 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,096 |
| 9104452 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| 9104559 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| 9104727 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2 x 96,3 x 1,5 | 5,40 x 3,79 x 0,059 |
| 9105615 | DISC STEEL INTERMEDIATE | ----- | 79 | EXT TH | 168,7 x 104,1 x 1,5 | 6,64 x 4,10 x 0,059 |
| 9107565 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,4 x 141,7 x 3,1 | 7,46 x 5,58 x 0,122 |
| 9107960 | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 9167453 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 9167456 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 9167461 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 9403519 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 274,3 x 201,9 x 2,7 | 10,80 x 7,95 x 0,107 |
| 9403527 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,5 x 187,7 x 3,9 | 9,98 x 7,39 x 0,153 |
| 9425283 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| LANDINI | | | | | | |

| | | | | | | |
|-------------------------|--|------------|----|------------|---------------------|----------------------|
| 975743M1 | DISC STEEL INTERMEDIATE | HARD/BLACK | 21 | INT TH | 229,0 x 171,0 x 2,0 | 9,01 x 6,73 x 0,078 |
| 3300184M1 | DISC STEEL INTERMEDIATE | ----- | 65 | INT TH | 259,8 x 190,0 x 2,0 | 10,23 x 7,48 x 0,079 |
| 3304635M2 | OBSOLETE | SPR/WAG | 23 | INT TH | 177,8 x 43,9 x 4,8 | 7,00 x 1,73 x 0,190 |
| 3304636M1 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 182,9 x 82,6 x 2,6 | 7,20 x 3,25 x 0,102 |
| 3308295M2 | DISC FRICTION FP | 3 PASS | 23 | INT TH | 178,0 x 44,0 x 4,8 | 7,01 x 1,73 x 0,189 |
| 3308296M2 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 184,0 x 114,0 x 2,6 | 7,24 x 4,49 x 0,102 |
| 3535759M1 | DISC STEEL INTERMEDIATE | HARD/BLACK | 21 | INT TH | 229,0 x 171,0 x 2,0 | 9,01 x 6,73 x 0,078 |
| 3538837M1 | DISC FRICTION GRPH | ----- | 27 | INT TH | 224,0 x 55,0 x 4,8 | 8,82 x 2,17 x 0,189 |
| 3538838M1 | OBSOLETE | ----- | 1 | EXT LG | 228,0 x 150,0 x 2,7 | 8,98 x 5,91 x 0,104 |
| 3550896M1 | DISC FRICTION FP | 3 PASS | 23 | INT TH | 178,0 x 44,0 x 4,8 | 7,01 x 1,73 x 0,189 |
| 3558371M1 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 58 | INT TH | 199,9 x 139,0 x 2,5 | 7,87 x 5,47 x 0,098 |
| 3558372M1 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 58 | INT TH | 199,9 x 139,0 x 2,5 | 7,87 x 5,47 x 0,098 |
| 3558408M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 218,0 x 147,5 x 4,0 | 8,58 x 5,81 x 0,157 |
| 3693937M1 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 3694567M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| LANSING | | | | | | |
| T004-001-127 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| T005-001-128 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 137,2 x 96,3 x 1,5 | 5,40 x 3,79 x 0,059 |
| T012-001-166 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| T012-001-170 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| T719-001-170 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| T735-001-039 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| T735-001-040 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 1036-328-001 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 1036-329-001 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)INT TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| LE TOURNEAU | | | | | | |
| DC 9047 | OBSOLETE AFTER STOCK | | 39 | EXT TH | 171,0 x 114,0 x 4,3 | 6,73 x 4,49 x 0,169 |
| LEYLAND (WILSON) | | | | | | |
| 500049 | OBSOLETE | ----- | 44 | INT TH | 198,1 x 125,7 x 3,0 | 7,80 x 4,95 x 0,118 |
| 500050 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 577242/3 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 599516 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 817803 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 820746 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 821516 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 842452 | OBSOLETE | ----- | 44 | INT TH | 198,1 x 125,7 x 3,0 | 7,80 x 4,95 x 0,118 |
| 842458 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 50357317 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| CBL2433 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| CBL3861 | OBSOLETE | SUNBURST | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| NAK2746 | OBSOLETE | WAFFLE | 12 | INT LG | 273,1 x 230,9 x 5,6 | 10,75 x 9,09 x 0,220 |
| NLK8637 | OBSOLETE | WAFFLE | 12 | INT LG | 273,1 x 230,9 x 5,6 | 10,75 x 9,09 x 0,220 |
| RLK2012 | OBSOLETE | WAFFLE | 12 | INT LG | 273,1 x 230,9 x 5,6 | 10,75 x 9,09 x 0,220 |
| 37H8181 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 37H8457 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|----------------------|
| NTT32 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| NTT33 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| LIEBHERR | | | | | | |
| 50 04 457 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 50 04 469 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 50 04 485 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,0 | 12,03 x 9,72 x 0,079 |
| 50 05 784 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 50 06 242 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 50 07 177 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 50 07 178 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 57 02 743 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 57 11 042 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 57 14 441 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 57 14 442 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 70 08 345 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 70 08 346 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 70 09 149 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 70 09 153 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 70 09 255 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 70 09 642 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 70 11 448 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 70 11 449 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 70 12 018 | DISC STEEL INTERMEDIATE | HARDENED | 10 | EXT SL | 212,4 x 178,2 x 1,8 | 8,36 x 7,02 x 0,069 |
| 70 12 047 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 32 | INT TH | 196,0 x 157,0 x 2,2 | 7,72 x 6,18 x 0,087 |
| 70 12 048 | DISC STEEL INTERMEDIATE | HARDENED | 10 | EXT SL | 212,4 x 164,2 x 1,8 | 8,36 x 6,46 x 0,069 |
| 70 13 332 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 70 13 335 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 70 15 912 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 70 15 914 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| 70 15 915 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 70 18 050 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 70 19 278 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 70 19 639 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 70 19 640 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 70 19 641 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 70 19 642 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 70 20 592 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 70 20 650 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 70 20 651 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 70 20 652 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 70 20 814 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 70 21 116 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 70 21 117 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |

| | | | | | | |
|-----------|--|-----------|----|-----------|---------------------|-----------------------|
| 70 21 171 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 70 21 172 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 70 25 468 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 70 25 537 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 70 25 574 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 70 28 451 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 70 28 452 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 6,0 | 19,21 x 12,20 x 0,236 |
| 70 28 641 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 73 65 256 | DISC STEEL INTERMEDIATE | SINEWAVED | 60 | INT TH | 269,9 x 178,3 x 3,0 | 10,63 x 7,02 x 0,118 |
| 76 10 387 | DISC STEEL INTERMEDIATE | HARDENED | 46 | INT TH | 224,9 x 132,9 x 2,5 | 8,85 x 5,23 x 0,098 |
| 76 10 388 | CLUTCH DISC SINTER BRONZE | SPIRAL | 78 | EXT TH | 235,8 x 154,9 X 4,0 | 9,28 X 6,10 X 0,157 |
| 76 15 103 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 76 15 184 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 76 15 800 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 76 17 718 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0 x 111,0 x 2,7 | 7,09 x 4,37 x 0,105 |
| 76 17 719 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0 x 34,0 x 4,8 | 5,98 x 1,34 x 0,189 |
| 76 17 849 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 76 18 237 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 76 18 492 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 76 18 493 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 76 18 951 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 76 18 952 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 199,0 x 130,0 x 2,6 | 7,83 x 5,12 x 0,102 |
| 76 18 958 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 76 18 977 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 76 19 323 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| 76 19 324 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |
| 76 19 325 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |
| 76 19 478 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 76 19 479 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 76 19 839 | DISC STEEL INTERMEDIATE | HARDENED | | WASHER | 46,0 x 26,2 x 1,0 | 1,81 x 1,03 x 0,039 |
| 76 20 194 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 196,0 x 170,0 x 2,2 | 7,72 x 6,69 x 0,087 |
| 76 21 789 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 76 22 078 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 76 22 082 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 76 22 088 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 76 22 089 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 76 22 487 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 76 22 488 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| 76 22 489 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 76 23 281 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 76 23 461 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 76 23 490 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 76 23 491 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 76 24 123 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 76 24 134 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 76 24 163 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 76 24 164 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 10029552 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 10029561 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 10032805 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 10032806 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| 10032844 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 10032845 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 10046873 | DISC FRICTION FP | WAFFLE | 27 | INT TH | 81,5 x 53,0 x 1,6 | 3,21 x 2,09 x 0,063 |
| 10046889 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0 x 105,6 x 3,8 | 7,01 x 4,16 x 0,148 |
| 10046890 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |
| 10100649 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | EXT TH | 236,0 x 155,0 x 4,0 | 9,29 x 6,10 x 0,157 |
| 10100650 | DISC STEEL INTERMEDIATE | ----- | 46 | INT TH | 225,0 x 132,0 x 2,5 | 8,86 x 5,20 x 0,098 |
| 10216943 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 36 | INT TH | 305,0 x 56,5 x 5,4 | 12,01 x 2,22 x 0,211 |
| 10216944 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 327,5 x 198,3 x 4,8 | 12,89 x 7,81 x 0,189 |
| 10219212 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,4 | 4,38 x 3,31 x 0,055 |
| 10330560 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 10410834 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 10410839 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 10411155 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,3 | 6,18 x 4,02 x 0,091 |
| 10413413 | DISC STEEL INTERMEDIATE | SUNBURST | 16 | EXT TH | 176,2 x 103,5 x 3,9 | 6,94 x 4,07 x 0,155 |
| 10413414 | DISC STEEL INTERMEDIATE | SUNBURST | 32 | (36)IN TH | 156,8 x 89,0 x 6,4 | 6,17 x 3,50 x 0,250 |
| 10423488 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 10423489 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 34 | (38)IN TH | 456,7 x 313,7 x 6,8 | 17,98 x 12,35 x 0,268 |
| 10492451 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 485,9 x 310,1 x 4,0 | 19,13 x 12,21 x 0,157 |
| 10663168 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 11114932 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 11492097 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| 500499308 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 501540414 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 501540514 | DISC STEEL INTERMEDIATE | ----- | 39 | INT TH | 178,0 x 112,0 x 2,2 | 7,01 x 4,41 x 0,086 |
| 570272508 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 570267608 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 571104408 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 571617908 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 571618008 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 571622608 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 571622708 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 571665308 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |

| | | | | | | |
|----------------------------------|--|--------------|----|-----------|---------------------|-----------------------|
| 571665408 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 571665808 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| ? | CLUTCH DISC SINTER BRONZE | SPR/RAD/WAG | 35 | INT TH | 140,0 x 102,5 x 2,1 | 5,51 x 4,04 x 0,083 |
| ? | DISC STEEL INTERMEDIATE | SPIRAL | 36 | EXT TH | 150,1 x 109,2 x 1,5 | 5,91 x 4,30 x 0,059 |
| LIMB | | | | | | |
| 3A20636 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| LINDE | | | | | | |
| T033002170 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| T068002013 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,4 x 141,7 x 3,1 | 7,46 x 5,58 x 0,122 |
| 1275040101 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5 x 101,5 x 2,8 | 5,96 x 4,00 x 0,108 |
| 1275043001 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 28155041300 | DISC STEEL INTERMEDIATE | ----- | 19 | INT TH | 160,8 x 36,4 x 2,0 | 6,33 x 1,43 x 0,079 |
| 28155041301 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 170,0 x 131,8 x 2,0 | 6,69 x 5,19 x 0,079 |
| 3563320600 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 3573240700 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 3573240701 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 3573240702 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 3573240703 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 3573240704 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| 3573240705 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 2,3 | 7,87 x 4,49 x 0,089 |
| 5075041301 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 114,0 x 46,0 x 2,2 | 4,49 x 1,81 x 0,087 |
| ? | DISC FRICTION FP | WAFFLE | 44 | INT TH | 162,0 x 105,8 x 2,1 | 6,38 x 4,17 x 0,083 |
| ? | DISC FRICTION FP | 2 PASS | 51 | INT TH | 134,8 x 95,0 x 2,1 | 5,31 x 3,74 x 0,087 |
| LINK BELT SPEEDER SHOVELS | | | | | | |
| LIUGONG | | | | | | |
| ? | CLUTCH DISC SINTER BRONZE | SPR/RAD | 50 | INT TH | 198,1 x 122,8 x 3,0 | 7,80 x 4,83 x 0,118 |
| ? | DISC STEEL INTERMEDIATE | ----- | 73 | EXT TH | 221,7 x 130,1 x 2,0 | 8,73 x 5,12 x 0,079 |
| ? | CLUTCH DISC SINTER BRONZE | SPR/RAD | 40 | INT TH | 168,0 x 97,5 x 2,5 | 6,61 x 3,84 x 0,098 |
| ? | DISC STEEL INTERMEDIATE | ----- | 73 | EXT TH | 185,0 x 105,0 x 1,5 | 7,28 x 4,13 x 0,059 |
| MIR-55C.40B.013 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | INT TH | 146,0 x 105,2 x 2,6 | 5,75 x 4,14 x 0,102 |
| MIR-55C.40B.014 | DISC STEEL INTERMEDIATE | ----- | 56 | (60)IN TH | 152,5 x 113,0 x 1,7 | 6,00 x 4,45 x 0,067 |
| SP100007 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| SP100461 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| SP110783 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 3,0 | 6,73 x 4,05 x 0,118 |
| ZL30E.5.1-12 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | INT TH | 146,0 x 105,2 x 2,6 | 5,75 x 4,14 x 0,102 |
| ZL30E.5.1-13 | DISC STEEL INTERMEDIATE | ----- | 56 | (60)IN TH | 152,5 x 113,0 x 1,7 | 6,00 x 4,45 x 0,067 |
| LUNDBERG HYMAS | | | | | | |
| 8300952 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| MACK TRUCK | | | | | | |
| 62SC-2551.18 | DISC FRICTION FP | 2 PASS | 53 | INT TH | 342,9 x 220,5 x 5,2 | 13,50 x 8,68 x 0,204 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 62SC-26 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,38 x 0,247 |
| 6770590 | CLUTCH DISC SINTER BRONZE | SPIRAL | 100 | INT TH | 409,4 x 314,2 x 4,5 | 16,12 x 12,37 x 0,178 |
| 308SH79 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 308SH82 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | INT TH | 246,1 x 178,1 x 4,9 | 9,69 x 7,01 x 0,193 |
| 308SH87 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 292,1 x 213,9 x 5,1 | 11,50 x 8,42 x 0,201 |
| 308SH108 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 308SH133 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 308SH135 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| MAFI | | | | | | |
| 000.602.5095 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5 x 101,5 x 2,8 | 5,96 x 4,00 x 0,108 |
| 000.602.5102 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 000.902.0421 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 000.902.0422 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 000.902.0423 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 000.902.0426 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 000.902.0427 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| MAHINDRA & MAHINDRA | | | | | | |
| 006500423C1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 006500424C1 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 006500425C1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| MAN | | | | | | |
| 81332140070 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 34 | INT TH | 146,7 x 99,7 x 2,1 | 5,78 x 3,93 x 0,083 |
| 81332140071 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,6 x 107,0 x 1,8 | 6,36 x 4,21 x 0,071 |
| MANITOU | | | | | | |
| 106375 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 106376 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,1 x 92,9 x 2,5 | 5,24 x 3,65 x 0,098 |
| 106603 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 106604 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,105 |
| 109594 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 109604 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 109604 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 128947 | DISC STEEL INTERMEDIATE | ----- | 22 | INT TH | 155,6 x 79,4 x 2,0 | 6,13 x 3,13 x 0,079 |
| 129068 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 12 | EXT SL | 181,5 x 120,3 x 2,5 | 7,15 x 4,74 x 0,098 |
| 129074 | DISC STEEL INTERMEDIATE | HARDENED | 20 | INT TH | 155,0 x 73,7 x 2,0 | 6,10 x 2,90 x 0,079 |
| 133987 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 133989 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 136083 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 136103 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 209373 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 209374 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 209574 | DISC STEEL INTERMEDIATE | FLEXI PLATE | | | | |
| 449273 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 449301 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 449375 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |

| | | | | | | |
|-----------|--|----------|----|------------|----------------------|----------------------|
| 449376 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 449384 | END PLATE | STEPPED | 4 | EXT LG | 129,0 x 74,0 x 5,0 | 5,08 x 2,91 x 0,197 |
| 449461 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 473725 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 473832 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 475312 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 475313 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 475314 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 475796 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 477279 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 477709 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 199,0 x 130,0 x 2,6 | 7,83 x 5,12 x 0,102 |
| 478128 | DISC FRICTION GRPH | SUNBURST | 19 | INT TH | 143,0 x 34,0 x 4,8 | 5,63 x 1,34 x 0,189 |
| 501266 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 149,0 x 80,0 x 2,7 | 5,87 x 3,15 x 0,105 |
| 508331 | CLUTCH DISC SINTER BRONZE | WAFFLE | 32 | INT TH | 90,0 x 64,3 x 1,6 | 3,54 x 2,53 x 0,063 |
| 508332 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 93,3 x 71,8 x 1,0 | 3,67 x 2,80 x 0,039 |
| 508333 | DISC STEEL INTERMEDIATE | ----- | 36 | EXT TH | 93,3 x 71,8 x 3,0 | 3,67 x 2,83 x 0,118 |
| 547511 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 549313 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0 x 110,0 x 2,6 | 7,68 x 4,33 x 0,102 |
| 549314 | DISC FRICTION GRPH | WAFFLE | 28 | INT TH | 169,0 x 56,0 x 4,8 | 6,65 x 2,21 x 0,189 |
| 551717 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,2 x 4,8 | 7,00 x 1,35 x 0,189 |
| 561797 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 561798 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| 562259 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 562516 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 562525 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 564439 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 564440 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 582476 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | (27) IN TH | 88,0 x 53,2 x 1,6 | 3,46 x 2,09 x 0,063 |
| 600482 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 600483 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 602074 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 602438 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 656123 | DISC FRICTION GRPH | SUNBURST | 25 | INT TH | 223,5 x 62,0 x 5,7 | 8,80 x 2,44 x 0,224 |
| 703134 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0 x 105,6 x 3,8 | 7,01 x 4,16 x 0,148 |
| 703135 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |
| 709715 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 69,3 x 42,2 x 1,0 | 2,73 x 1,66 x 0,040 |
| 717529 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 737216 | DISC FRICTION FP | WAFFLE | 28 | (32)IN TH | 253,0 x 160,0 x 6,1 | 9,96 x 6,30 x 0,240 |
| 737219 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 786594 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 894790 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 53017592 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| A4102837A | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| A4102839A | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| A4108242A | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------------|---|--------------------|--------------------|-----------------|---------------------|----------------------|
| A4199742A | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| MARATHON LE TOURNEAU | | | | | | |
| 4015420 | OBSOLETE | ----- | 54 | INT TH | 330,2 x 224,0 x 4,6 | 13,00 x 8,82 x 0,180 |
| 4039598 | OBSOLETE | ----- | 81 | EXT TH | 327,7 x 238,3 x 6,0 | 12,90 x 9,38 x 0,235 |
| MASSEY FERGUSON | | | | | | |
| 1089578 | DISC FRICTION DISC FRICTION CAR- BON FP FP | SUNBURST | 57 | INT TH | 303,8 x 235,2 x 3,9 | 11,96 x 9,26 x 0,153 |
| 185062M3 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 185464M1 | DISC STEEL INTERMEDIATE | ----- | 6 | (33)EX TH | 144,0 x 94,5 x 1,7 | 5,67 x 3,72 x 0,066 |
| 190177M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 513242M1 | DISC STEEL INTERMEDIATE | ----- | 33 | EXT TH | 144,0 x 94,5 x 1,4 | 5,67 x 3,72 x 0,055 |
| 514276M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 521282M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 533326M2 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 975743M1 | DISC STEEL INTERMEDIATE | HARD/BLACK | 21 | INT TH | 229,0 x 171,0 x 2,0 | 9,01 x 6,73 x 0,078 |
| 975744M1 | CLUTCH DISC SINTER BRONZE | ----- | 28 | EXT TH | 239,0 x 180,1 x 4,0 | 9,41 x 7,09 x 0,157 |
| 980130M1 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,6 x 212,6 x 4,7 | 12,03 x 8,37 x 0,187 |
| 980131M1 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 289,1 x 193,8 x 2,3 | 11,38 x 7,63 x 0,090 |
| 1420482M1 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 127,0 x 79,0 x 1,8 | 5,00 x 3,11 x 0,071 |
| 1420484M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 138,8 x 95,2 x 2,8 | 5,46 x 3,75 x 0,110 |
| 1423483M1 | CLUTCH DISC SINTER BRONZE | ----- | 28 | EXT TH | 239,0 x 180,1 x 4,0 | 9,41 x 7,09 x 0,157 |
| 1430064M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,5 x 117,6 x 3,1 | 7,46 x 4,63 x 0,122 |
| 1611165M1 | DISC STEEL INTERMEDIATE | ----- | 54 | (81)EX TH | 174,8 x 137,0 x 1,5 | 6,88 x 5,39 x 0,059 |
| 1611284M1 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 174,5 x 138,0 x 1,9 | 6,87 x 5,43 x 0,073 |
| 1618239M4 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 23 | INT TH | 152,0 x 70,0 x 3,0 | 5,98 x 2,76 x 0,118 |
| 1669474M1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 1669475M1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 1672626M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 1686359M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 57 | INT TH | 128,3 x 87,8 x 2,5 | 5,05 x 3,46 x 0,980 |
| 1688532M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 57 | INT TH | 128,5 x 87,9 x 1,5 | 5,06 x 3,46 x 0,059 |
| 1692155M1 | DISC STEEL INTERMEDIATE | ----- | 27 | (33)EX TH | 144,2 x 94,4 x 0,5 | 5,68 x 3,72 x 0,020 |
| 1692156M1 | DISC STEEL INTERMEDIATE | ----- | 27 | (33)EX TH | 144,2 x 94,4 x 0,8 | 5,68 x 3,72 x 0,030 |
| 1692157M1 | DISC STEEL INTERMEDIATE | ----- | 27 | (33)EX TH | 144,2 x 94,4 x 1,4 | 5,68 x 3,72 x 0,055 |
| 1754344M1 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 1754345M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 1804831M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 1816240M1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 95 | EXT TH | 304,8 x 212,9 x 4,3 | 12,00 x 8,38 x 0,168 |
| 1860532M9 | OBSOLETE | ----- | | FACING | 301,5 x 190,5 x 4,1 | 11,87 x 7,50 x 0,160 |
| 1860964M2 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 1860965M2 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 1862289M2 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 1867388M1 | DISC STEEL INTERMEDIATE | ----- | 33 | EXT TH | 144,0 x 94,5 x 1,4 | 5,67 x 3,72 x 0,055 |
| 1870074M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 1870860M1 | DISC STEEL INTERMEDIATE | ----- | 33 | EXT TH | 144,0 x 94,5 x 1,4 | 5,67 x 3,72 x 0,055 |

| | | | | | | |
|------------|---------------------------|-------------|-----|-----------|---------------------|-----------------------|
| 1870879M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 57 | INT TH | 128,3 x 87,9 x 2,5 | 5,05 x 3,46 x 0,098 |
| 2527328M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 2707456M1 | DISC STEEL INTERMEDIATE | ----- | 88 | INT TH | 365,8 x 273,1 x 2,3 | 14,40 x 10,75 x 0,090 |
| 2707457M1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 384,0 x 291,3 x 4,7 | 15,12 x 11,47 x 0,185 |
| 2718768M1 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| 2757328M1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 2815281M1 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 120 | EXT TH | 384,0 x 291,3 x 4,7 | 15,12 x 11,47 x 0,185 |
| 3045475M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 29 | INT TH | 135,5 x 44,0 x 3,3 | 5,33 x 1,73 x 0,128 |
| 3310959M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 32 | INT TH | 140,2 x 100,0 x 2,1 | 5,52 x 3,94 x 0,080 |
| 3310963M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 150,7 x 98,1 x 1,5 | 5,93 x 3,86 x 0,059 |
| 3380442M1 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 136,0 x 82,5 x 4,8 | 5,35 x 3,25 x 0,189 |
| 3381495M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 57 | INT TH | 128,5 x 87,7 x 2,5 | 5,06 x 3,45 x 0,098 |
| 3381567M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | (42)IN TH | 161,7 x 130,0 x 2,7 | 6,37 x 5,12 x 0,104 |
| 3382241M1 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 136,2 x 95,0 x 2,0 | 5,36 x 3,74 x 0,079 |
| 3384488M1 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 142,0 x 66,0 x 1,8 | 5,59 x 2,60 x 0,069 |
| 3385987M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | INT TH | 144,3 x 46,0 x 3,6 | 5,68 x 1,81 x 0,142 |
| 3386896M91 | DISC FRICTION FP | 4 PASS | 13 | INT TH | 355,0 x 70,0 x 7,8 | 13,98 x 2,75 x 0,307 |
| 3386897M92 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 355,0 x 70,0 x 7,8 | 13,98 x 2,75 x 0,307 |
| 3387346M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 164,7 x 95,8 x 2,5 | 6,48 x 3,77 x 0,098 |
| 3387347M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 57 | INT TH | 134,8 x 87,9 x 3,5 | 5,31 x 3,46 x 0,138 |
| 3581334M2 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | INT LG | 221,6 x 154,3 x 4,0 | 8,72 x 6,07 x 0,157 |
| 3583412M1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 42 | INT TH | 221,6 x 164,3 x 4,0 | 8,72 x 6,47 x 0,157 |
| 3613538M1 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 3616400M2 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 156,5 x 110,0 x 2,9 | 6,16 x 4,33 x 0,114 |
| 3616538M92 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 355,0 x 70,0 x 7,8 | 13,98 x 2,75 x 0,307 |
| 3616741M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 6 | EXT LG | 234,7 x 177,8 x 2,5 | 9,24 x 7,00 x 0,098 |
| 3616742M1 | DISC STEEL INTERMEDIATE | ----- | 6 | INT LG | 212,0 x 149,0 x 2,5 | 8,35 x 5,87 x 0,980 |
| 3616745M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 128,0 x 54,5 x 2,5 | 5,04 x 2,15 x 0,098 |
| 3616746M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 145,5 x 84,5 x 2,5 | 5,73 x 3,33 x 0,098 |
| 3616749M1 | DISC STEEL INTERMEDIATE | BRAKE ROTOR | 6 | HOLES | 212,0 x 84,5 x 6,0 | 8,45 x 3,33 x 0,236 |
| 3617344M1 | DISC STEEL INTERMEDIATE | ----- | 6 | INT LG | 174,3 x 124,3 x 3,5 | 6,86 x 4,89 x 0,136 |
| 3617346M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 6 | EXT LG | 191,7 x 143,5 x 2,5 | 7,55 x 5,65 x 0,098 |
| 3617347M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 99,7 x 54,5 x 2,5 | 3,93 x 2,15 x 0,098 |
| 3617348M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 123,0 x 72,5 x 2,5 | 4,84 x 2,85 x 0,098 |
| 3617649M91 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 343,2 x 70,0 x 5,0 | 13,51 x 2,76 x 0,197 |
| 3617651M91 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 343,0 x 70,0 x 5,0 | 13,50 x 2,76 x 0,197 |
| 3617652M91 | DISC FRICTION FP | 3 PASS | 13 | INT TH | 342,0 x 64,0 x 5,0 | 14,46 x 2,51 x 0,197 |
| 3617653M91 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 342,0 x 70,0 x 5,0 | 13,46 x 2,76 x 0,197 |
| 3619155M1 | DISC FRICTION FP | WAFFLE | 25 | (30)IN TH | 230,0 x 150,0 x 2,5 | 9,06 x 5,91 x 0,098 |
| 3619156M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 260,0 x 162,5 x 4,0 | 10,24 x 6,40 x 0,157 |
| 3700134M1 | DISC FRICTION FP | 2 PASS | 27 | INT TH | 223,5 x 55,0 x 4,8 | 8,80 x 2,17 x 0,189 |
| 3715250M2 | CLUTCH DISC SINTER BRONZE | WAFFLE | 29 | INT TH | 135,5 x 44,0 x 3,3 | 5,33 x 1,73 x 0,128 |
| 3716223M1 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 312,8 x 70,0 x 4,9 | 12,32 x 2,76 x 0,193 |
| 3761845M91 | CLUTCH DISC KIT | | | | | |
| 3779323M1 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| 3779323M2 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|-------------------|--------------------|-----------------|---------------------|----------------------|
| 3779324M1 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| 3779324M2 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| 3790270M1 | DISC FRICTION FP | WAFFLE | 6 | INT LG | 286,0 x 201,8 x 3,5 | 11,26 x 7,94 x 0,138 |
| 3790271M1 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 334,5 x 218,8 x 4,0 | 13,17 x 8,61 x 0,156 |
| 3790493M1 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | INT TH | 164,5 x 41,0 x 3,6 | 6,48 x 1,61 x 0,142 |
| 3795093M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 34 | INT TH | 165,2 x 66,2 x 4,3 | 6,50 x 2,61 x 0,169 |
| 3795094M1 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 171,6 x 98,1 x 5,0 | 6,76 x 3,86 x 0,197 |
| 3795499M1 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 354,0 x 70,0 x 5,0 | 13,94 x 2,76 x 0,197 |
| 3795762M1 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 353,9 x 70,0 x 5,2 | 13,93 x 2,76 x 0,202 |
| 3798531M1 | DISC FRICTION FP | 4 PASS | 13 | INT TH | 352,7 x 63,9 x 4,8 | 13,89 x 2,52 x 0,189 |
| 3811462M91 | CLUTCH DISC KIT | | | | | |
| 3819877M91 | CLUTCH DISC KIT | | | | | |
| 3823952M1 | DISC FRICTION FP | 2 PASS | 27 | INT TH | 223,5 x 55,0 x 4,8 | 8,80 x 2,17 x 0,189 |
| 3825367M1 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 27 | INT TH | 223,5 x 54,9 x 4,8 | 8,80 x 2,16 x 0,189 |
| 3900247M91 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 6 | EXT LG | 191,7 x 143,5 x 2,5 | 7,55 x 5,65 x 0,098 |
| 3900248M91 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 99,7 x 54,5 x 2,5 | 3,93 x 2,15 x 0,098 |
| 3900258M91 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 6 | EXT LG | 234,7 x 177,8 x 2,5 | 9,24 x 7,00 x 0,098 |
| 3900259M91 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 128,0 x 54,5 x 2,5 | 5,04 x 2,15 x 0,098 |
| 4232319M1 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0 x 110,0 x 2,6 | 7,68 x 4,33 x 0,102 |
| 4232320M1 | DISC FRICTION GRPH | WAFFLE | 28 | INT TH | 169,0 x 56,0 x 4,8 | 6,65 x 2,21 x 0,189 |
| 4312244M1 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 354,0 x 70,0 x 5,0 | 13,94 x 2,76 x 0,197 |
| 6190039M1 | DISC FRICTION FP | 2 PASS | 43 | (45)INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,084 |
| 6190042M1 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 6190105M1 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 6190106M1 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| 6190295M1 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| 6193507M1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 6193508M1 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 6193509M1 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 6523693M1 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 57 | INT TH | 128,5 x 87,7 x 2,5 | 5,06 x 3,45 x 0,098 |
| 887890M91 | OBSOLETE | ----- | | FACING | 301,5 x 190,5 x 4,1 | 11,87 x 7,50 x 0,160 |
| 80104609 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 253,5 x 187,5 x 3,9 | 9,98 x 7,38 x 0,153 |
| VA117167 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 172,0 x 94,0 x 2,7 | 6,77 x 3,70 x 0,104 |
| VA143847 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 165,0 x 41,0 x 4,7 | 6,50 x 1,61 x 0,185 |
| MATBRO | | | | | | |
| 500919 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 500920 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 501544 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 502697 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| 503259 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 199,0 x 130,0 x 2,6 | 7,83 x 5,12 x 0,102 |
| 503260 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 503910 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0 x 34,0 x 4,8 | 5,98 x 1,34 x 0,189 |
| 504598 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 4802056 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |

| | | | | | | |
|-----------------------------------|---------------------------|---------|----|-----------|---------------------|-----------------------|
| 4802056 (ALTER-NATIVE) | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| MERCEDES BUS | | | | | | |
| 000 257 0047 | OBSOLETE AFTER STOCK | | 64 | (76)EX TH | 362,0 x 308,0 x 4,0 | 14,25 x 12,12 x 0,158 |
| 000 272 0925 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 000 272 1025 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 000 272 1125 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,5 | 6,41 x 3,69 x 0,098 |
| 000 272 1225 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,0 | 6,41 x 3,69 x 0,079 |
| 000 257 1747 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,5 | 16,44 x 14,33 x 0,138 |
| 000 272 2125 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 48 | INT TH | 278,0 x 238,0 x 3,0 | 10,94 x 9,37 x 0,117 |
| 000 272 3125 | DISC FRICTION FP | 2 PASS | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 000 272 3225 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 000 272 3826 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,5 | 11,05 x 8,70 x 0,098 |
| 000 272 3926 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,0 | 11,05 x 8,70 x 0,079 |
| 000 272 4026 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 000 272 4126 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,5 | 12,03 x 9,30 x 0,098 |
| 000 272 4226 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 000 272 4326 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 000 272 4926 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,0 | 12,03 x 9,72 x 0,079 |
| 000 272 5426 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 000 272 5626 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,5 | 12,03 x 9,30 x 0,137 |
| 000 272 5726 | DISC FRICTION FP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 000 272 8026 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 010 250 8103 | OBSOLETE AFTER STOCK | | 60 | INT TH | 353,0 x 295,0 x 3,3 | 13,90 x 11,61 x 0,130 |
| 301 272 0426 | OBSOLETE | | 6 | EXT LG | 308,0 x 231,0 x 4,0 | 12,12 x 9,09 x 0,158 |
| 301 272 0526 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 308,0 x 231,0 x 3,0 | 12,12 x 9,09 x 0,118 |
| 301 272 0626 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 308,0 x 231,0 x 3,5 | 12,12 x 9,09 x 0,138 |
| 307 270 2338 | TAN DISC FRICTION FP | 2 PASS | 56 | INT TH | 282,3 x 222,0 x 3,5 | 11,11 x 8,74 x 0,138 |
| 307 272 0426 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 308,0 x 231,0 x 5,0 | 12,12 x 9,09 x 0,197 |
| 307 272 1126 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 308,0 x 231,0 x 4,5 | 12,12 x 9,09 x 0,177 |
| 307 272 1426 | OBSOLETE AFTER STOCK | | 10 | EXT LG | 308,0 x 231,0 x 3,0 | 12,12 x 9,09 x 0,118 |
| 307 272 1526 | OBSOLETE AFTER STOCK | | 10 | EXT LG | 308,0 x 231,0 x 4,0 | 12,12 x 9,09 x 0,158 |
| 307 272 1626 | OBSOLETE AFTER STOCK | | 10 | EXT LG | 308,0 x 231,0 x 5,0 | 12,12 x 9,09 x 0,197 |
| 307 272 2525 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 2,5 | 7,78 x 5,94 x 0,098 |
| 307 272 2625 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 3,0 | 7,78 x 5,94 x 0,118 |
| 307 272 2725 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 3,5 | 7,78 x 5,94 x 0,138 |
| 307 272 2825 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 5,0 | 7,78 x 5,94 x 0,197 |
| 307 272 3825 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 4,0 | 7,78 x 5,94 x 0,158 |
| 307 272 3925 | OBSOLETE AFTER STOCK | | 8 | INT LG | 197,5 x 151,0 x 4,5 | 7,78 x 5,94 x 0,177 |
| 357 270 0138 | GREEN PA | 2 PASS | 12 | EXT LG | 208,8 x 161,3 x 2,8 | 8,22 x 6,35 x 0,110 |
| 642 272 0026 | OBSOLETE | ----- | 27 | (36)EX TH | 308,0 x 231,0 x 3,0 | 12,13 x 9,09 x 0,118 |
| 642 272 0126 | DISC STEEL INTERMEDIATE | ----- | 18 | (36)EX TH | 308,0 x 231,0 x 4,0 | 12,13 x 9,09 x 0,157 |
| MICHIGAN (also see Euclid) | | | | | | |
| 3944568 | DISC FRICTION FP | 2 PASS | 23 | INT TH | 308,0 x 87,5 x 6,2 | 12,13 x 3,44 x 0,244 |
| MITSUBISHI | | | | | | |
| 134G-382121 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 52201-06390 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 191,9 x 124,1 x 3,3 | 7,55 x 4,88 x 0,129 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 58822-22500 | DISC STEEL INTERMEDIATE | END PLATE | 5 | EXT LG | 264,0 x 177,0 x 3,1 | 10,40 x 6,97 x 0,122 |
| 58822-32300 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,9 x 168,6 x 3,0 | 8,50 x 6,64 x 0,116 |
| 60325-01300 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT TH | 229,0 x 177,1 x 3,2 | 9,02 x 4,61 x 0,126 |
| 60332-00800 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 195,0 x 120,0 x 2,9 | 7,68 x 4,72 x 0,114 |
| 60332-00801 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 195,0 x 120,0 x 2,9 | 7,68 x 4,72 x 0,114 |
| 60335-00200 | DISC FRICTION FP | 2 PASS | 71 | INT TH | 314,0 x 207,0 x 3,7 | 12,36 x 8,15 x 0,144 |
| 62625-05200 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,0 x 253,0 x 4,6 | 12,24 x 9,96 x 0,181 |
| 62625-05201 | DISC FRICTION FP | 2 PASS | 101 | INT TH | 311,0 x 253,0 x 4,6 | 12,24 x 9,96 x 0,181 |
| 62635-00200 | DISC FRICTION FP | 2 PASS | 71 | INT TH | 314,0 x 207,0 x 3,7 | 12,36 x 8,15 x 0,144 |
| 62635-00300 | DISC FRICTION FP | 2 PASS | 71 | INT TH | 314,0 x 207,0 x 3,7 | 12,36 x 8,15 x 0,144 |
| 62635-00400 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 336,0 x 234,0 x 2,5 | 13,23 x 9,21 x 0,098 |
| 64323-45200 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,7 x 80,0 x 2,2 | 5,42 x 3,15 x 0,087 |
| 64323-45300 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 3,6 | 4,92 x 2,70 x 0,142 |
| 65425-13700 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 3,6 | 4,92 x 2,70 x 0,142 |
| 65425-13800 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,7 x 80,0 x 2,2 | 5,42 x 3,15 x 0,087 |
| 65425-23800 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 137,7 x 80,0 x 2,2 | 5,42 x 3,15 x 0,087 |
| 65727-03200 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 69241-00802 | DISC FRICTION FP | 2 PASS | 108 | INT TH | 280,0 x 212,0 x 3,8 | 11,02 x 8,35 x 0,150 |
| 69241-00901 | DISC STEEL INTERMEDIATE | SPRING POCKETS | 5 | EXT LG | 335,3 x 224,5 x 5,0 | 13,20 x 8,84 x 0,197 |
| 69241-01101 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 322,2 x 224,5 x 5,0 | 12,69 x 8,84 x 0,197 |
| 69241-03400 | OBSOLETE | ----- | 5 | EXT LG | 353,0 x 263,0 x 5,0 | 13,90 x 10,35 x 0,197 |
| 69241-03403 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 353,0 x 263,0 x 5,0 | 13,90 x 10,35 x 0,197 |
| 69242-03800 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 69242-13700 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 156,0 x 88,0 x 2,9 | 6,14 x 3,46 x 0,114 |
| 69242-13800 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 170,0 x 100,0 x 2,0 | 6,69 x 3,94 x 0,079 |
| 69271-23400 | DISC FRICTION FP | 3 PASS | 79 | INT TH | 468,0 x 310,0 x 4,8 | 18,43 x 12,20 x 0,189 |
| 69271-38600 | DISC FRICTION FP | WAFFLE | 79 | INT TH | 468,0 x 310,0 x 4,7 | 18,43 x 12,20 x 0,183 |
| 70002-08760 | DISC STEEL INTERMEDIATE | ----- | 18 | RND LUGS | 143,0 x 68,0 x 2,0 | 5,63 x 2,68 x 0,079 |
| 91224-06500 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 3,6 | 4,92 x 2,70 x 0,142 |
| 91224-16500 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 3,6 | 4,92 x 2,70 x 0,142 |
| 91324-02700 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 91324-02701 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 91324-02702 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 91324-04700 | DISC STEEL INTERMEDIATE | END PLATE | 24 | EXT TH | 132,0 x 80,0 x 3,9 | 5,20 x 3,15 x 0,152 |
| 91324-12600 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 91324-12601 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 91524-14300 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 91824-08100 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 91824-08101 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 91824-08200 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 91824-12600 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,9 | 6,13 x 3,46 x 0,114 |
| 91824-12700 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 91B24-00800 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |

| | | | | | | |
|-------------------|--|-----------|-----|------------|---------------------|-----------------------|
| 91B24-02200 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 91B24-02300 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 91B24-02400 | DISC STEEL INTERMEDIATE | END PLATE | 24 | EXT TH | 132,0 x 80,0 x 3,9 | 5,20 x 3,15 x 0,152 |
| 91K24-04400 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 150,0 x 80,0 x 1,5 | 5,91 x 3,15 x 0,059 |
| 92226-08800 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 92226-09600 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 169,9 x 100,1 x 2,2 | 6,69 x 3,94 x 0,087 |
| 92227-03600 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 92326-13100 | DISC FRICTION FP | WAFFLE | 78 | INT TH | 248,0 x 195,0 x 3,6 | 9,76 x 7,68 x 0,140 |
| 92326-13200 | OBSOLETE AFTER STOCK | ----- | 5 | EXT LG | 293,9 x 203,5 x 3,2 | 11,57 x 8,01 x 0,125 |
| 92326-13300 | OBSOLETE AFTER STOCK | ----- | 5 | EXT LG | 293,9 x 203,5 x 3,2 | 11,57 x 8,01 x 0,125 |
| 92326-13300 | OBSOLETE AFTER STOCK | | 5 | EXT LG | 293,9 x 203,5 x 3,2 | 11,57 x 8,01 x 0,126 |
| 92326-24701 | DISC FRICTION FP | WAFFLE | 78 | INT TH | 248,0 x 195,0 x 3,6 | 9,76 x 7,68 x 0,140 |
| 92434-01500 | DISC FRICTION FP | 3 PASS | 63 | INT TH | 381,0 x 246,0 x 4,7 | 15,00 x 9,69 x 0,183 |
| 92434-01600 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 393,6 x 282,2 x 3,1 | 15,50 x 11,11 x 0,122 |
| 92525-02800 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 320,0 x 224,0 x 3,5 | 12,60 x 8,82 x 0,138 |
| 92525-13100 | DISC FRICTION FP | 2 PASS | 108 | INT TH | 280,0 x 212,0 x 3,8 | 11,02 x 8,35 x 0,150 |
| 92534-03600 | DISC FRICTION FP | 3 PASS | 79 | INT TH | 468,0 x 310,0 x 4,8 | 18,43 x 12,20 x 0,189 |
| 92534-03700 | DISC STEEL INTERMEDIATE | ----- | 120 | EXT TH | 486,0 x 330,0 x 3,1 | 19,13 x 12,99 x 0,122 |
| 92534-03800 | OBSOLETE | ----- | 120 | EXT TH | 486,0 x 330,0 x 6,0 | 19,13 x 12,99 x 0,236 |
| 93724-02600 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 161,5 x 100,0 x 2,3 | 6,36 x 3,94 x 0,091 |
| 93724-02601 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 161,5 x 100,0 x 2,3 | 6,36 x 3,94 x 0,091 |
| 93724-02700 | DISC STEEL INTERMEDIATE | END PLATE | 52 | EXT TH | 161,5 x 100,0 x 6,0 | 6,36 x 3,94 x 0,236 |
| MC664574 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 215,9 x 168,6 x 3,0 | 8,50 x 6,64 x 0,116 |
| MC664582 | DISC FRICTION FP | 2 PASS | 108 | INT TH | 280,0 x 212,0 x 3,8 | 11,02 x 8,35 x 0,150 |
| NL540012165 | OBSOLETE | WAFFLE | 20 | INT TH | 105,1 x 50,2 x 2,0 | 4,14 x 1,98 x 0,079 |
| 50C2506200 | OBSOLETE | | 32 | (41)INT TH | 88,6 x 60,1 x 1,5 | 3,49 x 2,37 x 0,060 |
| MITSUI TCM | | | | | | |
| 10433-40091 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 10433-40916 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 11243-82141 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 11243-82151 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |
| 112T2-52261 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| 112T2-52281 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 115G3-82751 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 115G3-82761 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,7 x 81,0 x 1,8 | 5,38 x 3,19 x 0,071 |
| 123S-82111 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,5 x 81,0 x 1,8 | 5,30 x 3,19 x 0,071 |
| 124U3-82351B | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 124U3-82361A | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,6 x 87,0 x 3,0 | 6,00 x 3,43 x 0,118 |
| 134B3-82401 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 134B3-82411 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,7 x 81,0 x 1,8 | 5,38 x 3,19 x 0,071 |
| 134G3-82121 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 134G3-82131 | DISC STEEL INTERMEDIATE | END PLATE | 24 | EXT TH | 132,0 x 80,0 x 3,9 | 5,20 x 3,15 x 0,152 |
| 15943-82451 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,6 x 87,0 x 2,0 | 6,00 x 3,43 x 0,079 |
| 15943-82452 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,6 x 87,0 x 3,0 | 6,00 x 3,43 x 0,118 |
| 15943-82462 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,6 | 5,26 x 3,03 x 0,102 |
| 15943-83141 | OBSOLETE AFTER STOCK | | 8 | EXT LG | 151,7 x 88,0 x 3,5 | 5,97 x 3,46 x 0,138 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|---------------------|
| 15943-83241A | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,2 x 87,3 x 4,0 | 5,99 x 3,44 x 0,157 |
| 20802-51971 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,1 | 4,92 x 2,70 x 0,081 |
| 90208-77300 | OBSOLETE AFTER STOCK | | 32 | (42)EX TH | 184,2 x 92,7 x 2,6 | 7,25 x 3,65 x 0,102 |
| 90208-77311A | OBSOLETE AFTER STOCK | | 32 | (42)EX TH | 184,2 x 92,7 x 2,6 | 7,25 x 3,65 x 0,102 |
| 90209-92800 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 90217-16202 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 90217-75700 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 90227-49500 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| AE-41080-2073 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,7 x 81,0 x 1,8 | 5,38 x 3,19 x 0,071 |
| AE-41080-2073A | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,7 x 81,0 x 1,8 | 5,38 x 3,19 x 0,071 |
| AE-41080-2074 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-41080-2074A | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-41080-2075A | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| AE-41080-2076 | CLUTCH DISC SINTER BRONZE | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,1 | 4,92 x 2,70 x 0,083 |
| AE-602-893-102 | CLUTCH DISC SINTER BRONZE | SUNBRST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-602-893-103 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-602-893-105 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-602-893-108 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| AE-602-894-104 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |
| AE-602-894-108 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 134,4 x 81,0 x 1,6 | 5,29 x 3,19 x 0,063 |
| BK-703100-8000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 149,9 x 87,6 x 1,5 | 5,90 x 3,45 x 0,059 |
| BK-703100-9000 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| BK-703701-0001 | DISC STEEL INTERMEDIATE | ----- | 10 | EXT LG | 172,2 x 108,0 x 2,0 | 6,78 x 4,25 x 0,079 |
| BK-703701-1001 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 154,7 x 95,0 x 3,7 | 6,09 x 3,74 x 0,144 |
| BK-706500-8000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 149,9 x 87,4 x 2,3 | 5,90 x 3,44 x 0,091 |
| BK-708900-9000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,2 x 80,0 x 1,6 | 5,37 x 3,15 x 0,063 |
| BK-709500-5000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 150,4 x 87,4 x 2,0 | 5,92 x 3,44 x 0,079 |
| BK-726302-3000 | OBSOLETE AFTER STOCK | | 8 | EXT LG | 151,7 x 88,0 x 3,5 | 5,97 x 3,46 x 0,136 |
| BK-750102-4000 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| BK-750110-9000 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| BK-750112-3000 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 154,7 x 95,0 x 3,7 | 6,09 x 3,74 x 0,144 |
| G-3-8088D | CLUTCH DISC SINTER BRONZE | SUN/WAG | 66 | EXT TH | 142,6 x 85,7 x 2,8 | 5,61 x 3,37 x 0,110 |
| G-3-8088R | DISC FRICTION FP | WAFFLE | 66 | EXT TH | 141,3 x 85,5 x 2,5 | 5,56 x 3,37 x 0,098 |
| G-3-8089 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| G-3-8089C | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| G-3-8135 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 75,0 x 42,0 x 1,3 | 2,95 x 1,65 x 0,051 |
| G-3-8136 | CLUTCH DISC SINTER BRONZE | WAFFLE | 8 | EXT LG | 90,0 x 48,0 x 2,2 | 3,54 x 1,89 x 0,087 |
| G-3-8673C | CLUTCH DISC SINTER BRONZE | RADIAL | 8 | EXT LG | 102,9 x 58,0 x 2,5 | 4,05 x 2,28 x 0,098 |
| G-3-8674 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 86,6 x 51,6 x 1,2 | 3,41 x 2,03 x 0,047 |
| MOROOKA | | | | | | |
| 1731746 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 86,6 x 60,1 x 1,5 | 3,41 x 2,37 x 0,059 |
| MOXY | | | | | | |
| 052758 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 052772 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 152065 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |

| | | | | | | |
|--------|--|------------------|----|--------|---------------------|-----------------------|
| 152066 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 152067 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 152068 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 152069 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 152073 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 152074 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 152075 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 152085 | DISC FRICTION DISC FRICTION MO- LYBBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 152106 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 152126 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 152373 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| 152374 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 152414 | OBSOLETE AFTER STOCK | | 75 | INT TH | 373,2 x 295,5 x 3,3 | 14,69 x 11,63 x 0,128 |
| 152415 | OBSOLETE AFTER STOCK | | 14 | EXT SL | 399,5 x 310,3 x 3,0 | 15,73 x 12,22 x 0,118 |
| 153415 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 153416 | DISC FRICTION DISC FRICTION MO- LYBBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 252016 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 3,5 | 14,16 x 11,85 x 0,137 |
| 252382 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 252392 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 252535 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 352149 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 352150 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 352151 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 352152 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 352153 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,0 | 7,33 x 5,22 x 0,077 |
| 352154 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 352155 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 352156 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 352157 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 352158 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 352160 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 352161 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| 507178 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 4,0 | 6,69 x 5,22 x 0,157 |
| 508791 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| 508795 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 508796 | BRNZ/PLN | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,0 | 6,95 x 5,51 x 0,077 |
| 510813 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 510814 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 510815 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 510816 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|----------------------|--------------------|-------------------------|---------------------|----------------------|
| 510817 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 510818 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 510968 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| NABCO | | | | | | |
| 2162-3-175433-01 | DISC FRICTION FP | ----- | 57 | INT TH | 166,0 x 137,5 x 3,0 | 6,54 x 5,41 x 0,118 |
| 2162-3-175434-01 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 180,0 x 147,0 x 2,3 | 7,09 x 5,79 x 0,091 |
| NAF | | | | | | |
| ? | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 169,0 x 70,0 x 4,9 | 6,65 x 2,76 x 0,193 |
| 7002.739 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0 x 106,0 x 5,0 | 11,73 x 4,17 x 0,197 |
| 7344.034 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 334,0 x 225,0 x 3,0 | 13,15 x 8,86 x 0,118 |
| 7344.036 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 253,0 x 150,0 x 2,6 | 9,96 x 5,91 x 0,102 |
| 7344.040 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 196,0 x 110,0 x 2,5 | 7,72 x 4,33 x 0,098 |
| 7344.048 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 333,5 x 225,5 x 2,5 | 13,13 x 8,88 x 0,098 |
| 7345.027 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0 x 106,0 x 5,0 | 11,73 x 4,17 x 0,197 |
| 7345.036 | DISC FRICTION GRPH | WAFFLE | 26 | INT TH | 223,6 x 51,3 x 4,8 | 8,80 x 2,02 x 0,189 |
| 7345.039 | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 169,0 x 36,0 x 4,8 | 6,65 x 1,42 x 0,189 |
| 7345.040 | DISC FRICTION GRPH | SUNBURST | 24 | INT TH | 169,0 x 45,1 x 4,8 | 6,65 x 1,78 x 0,189 |
| 7345.053 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0 x 106,0 x 3,9 | 11,73 x 4,17 x 0,152 |
| 7345.056 | DISC FRICTION GRPH | SUNBURST | 54 | INT TH | 196,0 x 105,5 x 3,2 | 7,72 x 4,15 x 0,126 |
| 7345.057 | DISC FRICTION GRPH | WAFFLE | 26 | INT TH | 223,6 x 51,3 x 4,8 | 8,80 x 2,02 x 0,189 |
| 7345.061 | DISC FRICTION FP | WAFFLE | 49 | (58)IN TH | 297,5 x 116,2 x 5,0 | 11,71 x 4,57 x 0,197 |
| 7345.069 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 49 | (58)IN TH | 298,2 x 116,5 x 5,0 | 11,74 x 4,59 x 0,197 |
| 7345.070 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 169,0 x 41,1 x 4,9 | 6,65 x 1,62 x 0,193 |
| ? | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,6 x 110,0 x 2,7 | 7,70 x 4,33 x 0,106 |
| ? | CLUTCH DISC SINTER BRONZE | SUNBURST | 24 | INT TH | 174,8 x 45,2 x 3,0 | 6,88 x 1,78 x 0,118 |
| ? | DISC FRICTION FP | WAFFLE | 45 | (54)IN TH | 298,0 x 106,2 x 5,0 | 11,73 x 4,18 x 0,197 |
| NEWAGE | | | | | | |
| 200/0750 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 152,0 x 30,1 x 4,8 | 5,98 x 1,18 x 0,189 |
| 200/0890 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT SL | 167,0 x 122,0 x 2,5 | 6,57 x 4,80 x 0,098 |
| 215-0750 | 2 X PISTON | 4 X DISC FRICTION FP | 4 X | DISC STEEL INTERMEDIATE | | |
| 215/0751 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 151,7 x 30,4 x 4,8 | 5,97 x 1,20 x 0,189 |
| 250/0750 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 178,0 x 36,0 x 4,8 | 7,00 x 1,42 x 0,189 |
| 250/0890 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 202,0 x 140,0 x 2,5 | 7,95 x 5,51 x 0,098 |
| 400/0750 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 224,0 x 42,8 x 4,8 | 8,82 x 1,69 x 0,189 |
| 415-0750 | 2 X PISTON | 4 X DISC FRICTION FP | 4 X | DISC STEEL INTERMEDIATE | | |
| 415/0751 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 178,0 x 36,4 x 4,8 | 7,01 x 1,43 x 0,189 |
| 615/0751 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 223,8 x 43,0 x 4,8 | 8,81 x 1,69 x 0,189 |
| 615/0891 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 238,8 x 174,2 x 2,7 | 9,40 x 6,86 x 0,106 |
| 915/0751 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 257,8 x 47,0 x 4,8 | 10,15 x 1,85 x 0,189 |
| 915/0891 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 270,0 x 206,0 x 2,6 | 10,63 x 8,11 x 0,102 |

| NEW HOLLAND | | | | | | |
|-------------|--|------------|-----|-----------|---------------------|----------------------|
| 547395 | DISC STEEL INTERMEDIATE | ----- | 65 | INT TH | 259,8 x 190,0 x 2,5 | 10,23 x 7,48 x 0,098 |
| 566519 | DISC STEEL INTERMEDIATE | HARD/BLACK | 21 | INT TH | 229,0 x 171,0 x 2,0 | 9,02 x 6,73 x 0,079 |
| 567386 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,0 x 213,0 x 4,7 | 12,01 x 8,39 x 0,185 |
| 587050 | CLUTCH DISC SINTER BRONZE | ----- | 95 | EXT TH | 305,0 x 213,0 x 4,7 | 12,01 x 8,39 x 0,185 |
| 749868 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 2810279 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 265,8 x 147,0 x 4,0 | 10,46 x 5,79 x 0,157 |
| 2810288 | DISC FRICTION DISC FRICTION CARBON FP FP | 4 PASS | 32 | INT TH | 236,0 x 94,1 x 5,5 | 9,29 x 3,70 x 0,217 |
| 4993585 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 304,0 x 57,0 x 10,0 | 11,97 x 2,24 x 0,394 |
| 4997208 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 261,0 x 50,0 x 10,0 | 10,28 x 1,97 x 0,394 |
| 5094585 | DISC FRICTION GRPH | SUN/RAD | 22 | INT TH | 165,0 x 41,0 x 4,8 | 6,50 x 1,61 x 0,189 |
| 5096755 | DISC FRICTION GRPH | SUN/RAD | 22 | INT TH | 165,0 x 41,0 x 4,8 | 6,50 x 1,61 x 0,189 |
| 5102783 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 365,0 x 62,0 x 10,0 | 14,37 x 2,44 x 0,394 |
| 5105966 | DISC FRICTION GRPH | SUNBURST | 43 | INT TH | 228,0 x 125,0 x 3,5 | 8,98 x 4,92 x 0,138 |
| 5107223 | OBSOLETE | ----- | 93 | EXT TH | 283,3 x 217,5 x 4,5 | 11,15 x 8,56 x 0,177 |
| 5110138 | DISC STEEL INTERMEDIATE | ----- | | HOLES | 325,0 x 175,0 x 5,0 | 12,80 x 6,89 x 0,197 |
| 5110139 | DISC STEEL INTERMEDIATE | ----- | | | 374,0 x 215,0 x 5,0 | 14,72 x 8,46 x 0,197 |
| 5111281 | DISC STEEL INTERMEDIATE | ----- | | HOLES | 445,0 x 240,0 x 7,0 | 17,52 x 9,45 x 0,276 |
| 5112343 | OBSOLETE AFTER STOCK | | 6 | EXT LG | 190,0 x 119,0 x 2,0 | 7,48 x 4,69 x 0,079 |
| 5112630 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 168,0 x 98,0 x 7,0 | 6,61 x 3,86 x 0,276 |
| 5113236 | DISC STEEL INTERMEDIATE | ----- | 53 | EXT TH | 173,0 x 119,0 x 2,0 | 6,81 x 4,69 x 0,079 |
| 5118101 | OBSOLETE | ----- | 21 | INT TH | 111,0 x 52,0 x 4,0 | 4,37 x 2,05 x 0,157 |
| 5119327 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 172,0 x 94,0 x 2,7 | 6,77 x 3,70 x 0,104 |
| 5119329 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 165,0 x 41,0 x 4,8 | 6,50 x 1,61 x 0,189 |
| 5121103 | OBSOLETE AFTER STOCK | | 35 | (71)EX TH | 201,0 x 120,0 x 1,5 | 7,91 x 4,72 x 0,059 |
| 5123165 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 165,0 x 41,0 x 4,8 | 6,50 x 1,61 x 0,189 |
| 5132278 | DISC STEEL INTERMEDIATE | HARDENED | 38 | (76)EX TH | 176,0 x 92,0 x 1,5 | 6,93 x 3,62 x 0,059 |
| 5132279 | DISC STEEL INTERMEDIATE | HARDENED | 38 | (76)EX TH | 176,0 x 92,0 x 1,5 | 6,93 x 3,62 x 0,059 |
| 5132309 | DISC STEEL INTERMEDIATE | ----- | 38 | (76)EX TH | 176,0 x 124,0 x 3,2 | 6,93 x 4,88 x 0,126 |
| 5137544 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 5140243 | DISC FRICTION GRPH | SUNBURST | 32 | INT TH | 140,0 x 91,0 x 2,4 | 5,51 x 3,58 x 0,094 |
| 5140244 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 152,0 x 100,0 x 1,5 | 5,98 x 3,94 x 0,059 |
| 5143721 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 153,0 x 99,4 x 1,5 | 6,02 x 3,90 x 0,059 |
| 5146315 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 215,0 x 132,0 x 5,0 | 8,46 x 5,20 x 0,197 |
| 5146478 | OBSOLETE | ----- | 100 | EXT TH | 199,0 x 92,0 x 1,5 | 7,83 x 3,62 x 0,059 |
| 5154521 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 327,0 x 60,0 x 10,0 | 12,87 x 2,36 x 0,394 |
| 5154521 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 327,0 x 60,0 x 10,0 | 12,87 x 2,36 x 0,394 |
| 5154760 | DISC FRICTION FP | WAFFLE | 44 | INT TH | 158,7 x 111,9 x 2,8 | 6,25 x 4,41 x 0,110 |
| 5154761 | DISC FRICTION FP | WAFFLE | 44 | INT TH | 158,7 x 111,9 x 2,8 | 6,25 x 4,41 x 0,110 |
| 5158120 | DISC FRICTION FP | WAFFLE | | PAD | | |
| 5158123 | DISC FRICTION FP | WAFFLE | | PAD | | |
| 5158919 | DISC FRICTION FP | WAFFLE | 32 | INT TH | 140,0 x 91,0 x 2,4 | 5,51 x 3,58 x 0,094 |
| 5159755 | DISC FRICTION FP | WAFFLE | 32 | INT TH | 140,0 x 91,0 x 1,8 | 5,51 x 3,58 x 0,071 |
| 5159830 | DISC FRICTION GRPH | SUN/RAD | 22 | INT TH | 165,0 x 41,0 x 4,8 | 6,50 x 1,61 x 0,189 |
| 5161904 | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 254,0 x 194,0 x 2,0 | 10,00 x 7,64 x 0,079 |
| 5161932 | OBSOLETE | SUNBURST | 29 | INT TH | 224,0 x 78,0 x 4,9 | 8,82 x 3,07 x 0,193 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 5162231 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 5163379 | OBSOLETE | WAFFLE | 87 | EXT TH | 264,0 x 206,0 x 3,6 | 10,39 x 8,11 x 0,142 |
| 5163734 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 228,6 x 150,0 x 2,6 | 9,00 x 5,91 x 0,102 |
| 5163840 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 152,0 x 100,0 x 1,5 | 5,98 x 3,94 x 0,059 |
| 5163844 | DISC FRICTION FP | WAFFLE | 32 | INT TH | 140,0 x 91,0 x 1,7 | 5,51 x 3,58 x 0,067 |
| 5163904 | DISC FRICTION FP | WAFFLE | 32 | INT TH | 140,0 x 91,0 x 1,7 | 5,51 x 3,58 x 0,067 |
| 5164930 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 148,6 x 107,7 x 2,8 | 5,85 x 4,24 x 0,108 |
| 5165058 | CLUTCH DISC KIT | | | | | |
| 5165061 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,5 | 6,07 x 4,48 x 0,059 |
| 5165954 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 5167863 | CLUTCH DISC KIT | | | | | |
| 5167875 | CLUTCH DISC KIT | | | | | |
| 5175567 | DISC FRICTION CARBON FP | SUNBURST | 54 | INT TH | 212,8 x 135,6 x 4,5 | 8,38 x 5,34 x 0,177 |
| 5180633 | DISC FRICTION CARBON FP | SUNBURST | 13 | INT TH | 258,8 x 50,5 x 10,0 | 10,19 x 1,99 x 0,394 |
| 5184313 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 261,0 x 50,0 x 9,6 | 10,28 x 1,97 x 0,378 |
| 5187222 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,079 |
| 5191497 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 327,0 x 53,0 x 10,0 | 12,87 x 2,09 x 0,393 |
| 5199724 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 168,0 x 130,0 x 2,0 | 6,61 x 5,12 x 0,079 |
| 5213636 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 6914431 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 6914432 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 6914433 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 6914479 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| 7380530 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 8015306 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 160,0 x 109,5 x 4,0 | 6,30 x 4,31 x 0,157 |
| 85812138 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,098 |
| 8603203 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 8603272 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 8603277 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 8603278 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 8603279 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| 8603280 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 8603411 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 8603412 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 8603413 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 8603486 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 8603581 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 8603582 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 8603592 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 8605403 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 8770554 | CLUTCH DISC KIT | | | | | |

| | | | | | | |
|----------|--|-----------|----|---------|---------------------|-----------------------|
| 9564850 | OBSOLETE AFTER STOCK | | 12 | EXT LG | 320,0 x 268,0 x 2,5 | 12,60 x 10,55 x 0,098 |
| 9564851 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 9564887 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 9564888 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 9564934 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 9567332 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 9571353 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 9571354 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 9571369 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 9580400 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 9580526 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 9581438 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 9582361 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 9596286 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 9601625 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 9606003 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 9609500 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 9609501 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 9609502 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 9613190 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 9648797 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 9648798 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 9671205 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 9687959 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 9688127 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 9710562 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| 9823827 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,6 | 6,07 x 4,48 x 0,100 |
| 9843824 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 9845268 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 9966308 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 9966309 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 9966310 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 9968289 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| 9968290 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| 9970713 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 165,0 x 41,0 x 4,7 | 6,50 x 1,61 x 0,185 |
| 44011292 | OBSOLETE | | 26 | INT TH | 280,0 x 64,0 x 5,0 | 11,02 x 2,52 x 0,197 |
| 44011293 | DISC STEEL INTERMEDIATE | ----- | | EXT LGS | 286,0 x 110,0 x 3,0 | 11,26 x 4,33 x 0,118 |
| 44019288 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 168,0 x 98,0 x 3,0 | 6,61 x 3,86 x 0,118 |
| 47033066 | DISC FRICTION GRPH | SUNBURST | 32 | INT TH | 140,0 x 91,0 x 2,4 | 5,51 x 3,58 x 0,094 |
| 47106252 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 47106254 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 288,0 x 156,0 x 3,0 | 11,34 x 6,14 x 0,118 |
| 47111390 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 189,0 x 136,2 x 3,2 | 7,44 x 5,36 x 0,124 |
| 47123297 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 47126358 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 326,7 x 60,2 x 9,6 | 12,86 x 2,37 x 0,378 |
| 47126359 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 327,0 x 60,0 x 10,0 | 12,87 x 2,36 x 0,394 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|-----------------------------|---|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 47136624 CLUTCH DISC KIT | DISC FRICTION FP | WAFFLE | 63 | INT TH | 154,3 x 124,6 x 2,4 | 6,07 x 4,91 x 0,094 |
| 47136624 CLUTCH DISC KIT | DISC STEEL INTERMEDIATE | ----- | 56 | EXT TH | 167,0 x 130,2 x 2,2 | 6,57 x 5,13 x 0,087 |
| 71100503 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 129,6 x 84,8 x 2,5 | 5,10 x 3,34 x 0,098 |
| 71102762 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 71448948 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 71482511 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 71482536 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 71482537 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 75285967 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 75287708 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 75287709 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 75288736 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 266,0 x 163,0 x 4,0 | 10,47 x 6,42 x 0,157 |
| 75311443 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 75311444 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 75311475 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 75311476 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 75311816 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 75311817 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| 75312375 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 245,6 x 58,3 x 4,5 | 9,67 x 2,30 x 0,177 |
| 75312847 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 76043194 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 400,0 x 122,5 x 6,2 | 15,75 x 4,82 x 0,244 |
| 76081024 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 76086106 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 76086109 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 76086266 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 76086267 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 76087703 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,6 x 312,0 x 5,0 | 16,48 x 12,28 x 0,197 |
| 76087704 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,8 x 250,6 x 10,0 | 16,48 x 12,28 x 0,394 |
| 79039484 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 64 | INT TH | 355,6 x 200,2 x 7,1 | 14,00 x 7,88 x 0,280 |
| 79042697 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 79042698 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 138,6 x 90,5 x 1,6 | 5,46 x 3,56 x 0,063 |
| 81565601 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 81801897 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 81802479 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 81802535 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,6 | 9,00 x 5,00 x 0,102 |
| 81802536 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 81804831 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 81804832 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81805123 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,2 | 6,07 x 4,48 x 0,087 |
| 81808604 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |

| | | | | | | |
|----------|---|----------|----|----------|---------------------|----------------------|
| 81808607 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 81816970 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 81818854 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 81822308 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81824512 | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 239,4 x 190,5 x 3,0 | 9,43 x 7,50 x 0,118 |
| 81824527 | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 248,8 x 218,4 x 2,0 | 9,80 x 8,60 x 0,080 |
| 81824528 | DISC STEEL INTERMEDIATE | ----- | 15 | EXT LG | 248,8 x 190,5 x 2,5 | 9,80 x 7,50 x 0,098 |
| 81825844 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81830023 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81830026 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81833734 | CLUTCH DISC SINTER BRONZE | SUNBURST | 80 | INT TH | 229,1 x 168,4 x 2,0 | 9,02 x 6,63 x 0,079 |
| 81864400 | DISC STEEL INTERMEDIATE | ----- | 34 | EXT TH | 153,9 x 119,8 x 1,8 | 6,06 x 4,72 x 0,071 |
| 81865601 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 81859452 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 81866377 | DISC FRICTION FP | 1 PASS | 63 | INT TH | 143,4 x 115,2 x 1,7 | 5,65 x 4,54 x 0,068 |
| 81866478 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 228,5 x 147,0 x 2,7 | 9,00 x 5,79 x 0,106 |
| 81870755 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 81874478 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 209,2 x 124,0 x 4,5 | 8,24 x 4,88 x 0,177 |
| 81879076 | DISC STEEL INTERMEDIATE | ----- | 66 | EXT TH | 168,0 x 119,0 x 1,8 | 6,61 x 4,69 x 0,069 |
| 82001251 | DISC FRICTION FP | 2 PASS | 63 | INT TH | 155,0 x 115,0 x 2,3 | 6,10 x 4,53 x 0,089 |
| 82001345 | DISC STEEL INTERMEDIATE | ----- | 66 | EXT TH | 168,0 x 119,0 x 2,0 | 6,61 x 4,69 x 0,079 |
| 82002188 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 168,0 x 130,0 x 2,0 | 6,61 x 5,12 x 0,079 |
| 82002190 | DISC STEEL INTERMEDIATE | ----- | 32 | EXT TH | 168,0 x 130,0 x 2,2 | 6,61 x 5,12 x 0,087 |
| 82014455 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 83902572 | DISC FRICTION GRPH | SUNBURST | 17 | INT TH | 368,0 x 79,0 x 9,6 | 14,49 x 3,11 x 0,376 |
| 83908952 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 83917372 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 83918314 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 83919119 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,1 x 92,9 x 2,5 | 5,24 x 3,65 x 0,098 |
| 83924789 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 93,0 x 2,1 | 5,25 x 3,66 x 0,083 |
| 83925696 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 83927551 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 131,5 x 64,0 x 1,5 | 5,18 x 2,52 x 0,058 |
| 83930407 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 83930408 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 83930409 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 83933808 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 36 | INT TH | 71,7 x 44,8 x 1,5 | 2,82 x 1,76 x 0,059 |
| 83934201 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 83945586 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 83947188 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 80 | INT TH | 229,1 x 168,4 x 4,5 | 9,02 x 6,63 x 0,177 |
| 83955538 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 83956598 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 146,1 x 2,6 | 9,00 x 5,75 x 0,102 |
| 83956599 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 83956644 | DISC FRICTION FP | ----- | | BRK BAND | 210,1 x 19,1 x 1,5 | 8,27 x 0,75 x 0,058 |
| 83958330 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,6 | 6,07 x 4,48 x 0,100 |
| 83959620 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 83959626 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|----------------------|----------------------|
| 83959970 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 83959971 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 236,0 x 85,0 x 2,7 | 9,29 x 3,35 x 0,106 |
| 83962386 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 36 | INT TH | 133,5 x 90,0 x 2,5 | 5,26 x 3,54 x 0,098 |
| 83962387 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 98,5 x 1,8 | 5,49 x 3,88 x 0,069 |
| 83981343 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 83983209 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 83985647 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 133,5 x 90,0 x 2,4 | 5,26 x 3,54 x 0,096 |
| 83985648 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 98,5 x 1,8 | 5,49 x 3,88 x 0,069 |
| 83985649 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 98,5 x 1,6 | 5,49 x 3,88 x 0,063 |
| 83989830 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 83997678 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 228,5 x 147,0 x 2,7 | 9,00 x 5,79 x 0,106 |
| 84159174 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 39 | INT TH | 228,0 x 162,0 x 2,9 | 8,98 x 6,38 x 0,114 |
| 84177629 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 152,0 x 100,0 x 1,5 | 5,98 x 3,94 x 0,059 |
| 84201664 | DISC FRICTION GRPH | SUNBURST | 14 | INT TH | 326,7 x 60,2 x 9,5 | 12,86 x 2,37 x 0,374 |
| 84263419 | CLUTCH DISC SINTER BRONZE | SUNBURST | 46 | EXT TH | 189,0 x 136,2 x 3,2 | 7,44 x 5,36 x 0,124 |
| 84300615 | DISC STEEL INTERMEDIATE | HARDENED | 12 | INT LG | 178,0 x 117,2 x 2,0 | 7,01 x 4,61 x 0,079 |
| 84396891 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 84396893 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 85807004 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 85807016 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 85808315 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 85808316 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 85808317 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 85808338 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,0 | 5,47 x 3,90 x 0,077 |
| 85808339 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,0 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| 85808340 | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,0 x 99,0 x 2,7 | 5,47 x 3,90 x 0,104 |
| 85827747 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 85827748 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| 85999292 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 86014786 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 15 | INT TH | 367,8 x 87,5 x 9,4 | 14,48 x 3,44 x 0,370 |
| 86014787 | DISC FRICTION GRPH | SUNBURST | 17 | INT TH | 368,0 x 79,0 x 9,6 | 14,49 x 3,11 x 0,376 |
| 86020643 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 86029058 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 86500733 | TAN DISC FRICTION FP | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 86502577 | DISC FRICTION FP | WAFFLE | | PAD | | |
| 86502678 | DISC FRICTION FP | WAFFLE | | PAD | | |
| 86529646 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 86990276 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 140,8 x 98,9 x 2,0 | 5,54 x 3,89 x 0,079 |
| 87305713 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 87308018 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 209,2 x 124,0 x 4,5 | 8,24 x 4,88 x 0,177 |
| 87341835 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 87404476 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 154,0 x 97,0 x 1,9 | 6,06 x 3,82 x 0,075 |
| 87404486 | DISC FRICTION FP | WAFFLE | 60 | (70)IN TH | 141,0 x 87,5 x 1,8 | 5,55 x 3,44 x 0,071 |

| | | | | | | |
|----------|--|----------|----|--------|---------------------|-----------------------|
| 87441328 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| 87454125 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 87454126 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| 87454127 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 87454128 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| 87454129 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,2 | 7,47 x 3,63 x 0,126 |
| 87454130 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 87454841 | DISC FRICTION FP | WAFFLE | 78 | INT TH | 446,0 x 312,0 x 4,8 | 17,56 x 12,28 x 0,187 |
| 87454847 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 473,0 x 322,0 x 4,0 | 18,62 x 12,68 x 0,157 |
| 87516068 | DISC FRICTION CARBON FP CLOTH | WAFFLE | 14 | INT TH | 326,5 x 60,2 x 9,8 | 12,85 x 2,37 x 0,386 |
| 87518036 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 224,0 x 53,3 x 4,8 | 8,82 x 2,10 x 0,190 |
| 87521418 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| 87521419 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0 x 262,0 x 2,4 | 14,72 x 10,31 x 0,094 |
| 87521431 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 87521432 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,0 | 6,49 x 4,24 x 0,118 |
| 87525157 | DISC FRICTION FP | 3 PASS | 14 | INT TH | 327,0 x 60,0 x 10,0 | 12,87 x 2,36 x 0,394 |
| 87530788 | CLUTCH DISC KIT | | | | | |
| 87530789 | CLUTCH DISC KIT | | | | | |
| 87530793 | CLUTCH DISC KIT | | | | | |
| 87530794 | CLUTCH DISC KIT | | | | | |
| 87530795 | CLUTCH DISC KIT | | | | | |
| 87530796 | CLUTCH DISC KIT | | | | | |
| 87582473 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 87582474 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 87582475 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 87582476 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 87588632 | DISC FRICTION FP/STL | WAFFLE | 20 | EXT LG | 373,4 x 262,6 x 3,4 | 7,32 x 10,34 x 0,134 |
| 87602403 | CLUTCH DISC SINTER BRONZE | | 4 | EXT LG | 125,8 x 85,0 x 2,2 | 7,32 x 3,35 x 0,866 |
| 87602404 | DISC STEEL INTERMEDIATE | HARDENED | 27 | INT TH | 107,0 x 78,7 x 1,4 | 7,32 x 3,10 x 0,055 |
| 87622084 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 158,0 x 107,2 x 1,2 | 7,32 x 4,22 x 0,047 |
| 87625345 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 54 | INT TH | 324,3 x 224,4 x 5,0 | 7,32 x 8,83 x 0,197 |
| 87625346 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 348,7 x 243,5 x 5,0 | 7,32 x 9,59 x 0,197 |
| 87701327 | 5 X DISC FRICTION FP + 5 X DISC STEEL INTERMEDIATE | | | | | |
| 87704110 | DISC FRICTION FP | WAFFLE | 63 | INT TH | 159,7 x 124,3 x 2,4 | 6,29 x 4,89 x 0,095 |
| 87708433 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 5,0 | 13,21 x 7,42 x 0,197 |
| 87708434 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0 x 43,0 x 6,7 | 11,38 x 1,69 x 0,262 |
| 87708435 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 8,0 | 13,21 x 7,42 x 0,315 |
| 87723854 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 87723855 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 288,0 x 156,0 x 3,0 | 11,34 x 6,14 x 0,118 |
| 87730817 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 39 | INT TH | 228,0 x 162,0 x 2,9 | 8,98 x 6,38 x 0,114 |
| 87738316 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 158,0 x 107,2 x 2,0 | 6,22 x 4,22 x 0,079 |
| 87774810 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 158,0 x 107,2 x 1,2 | 6,22 x 4,22 x 0,047 |
| 87774811 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 140,8 x 98,9 x 2,0 | 5,54 x 3,89 x 0,079 |
| 87775977 | DISC FRICTION FP | WAFFLE | 6 | INT LG | 222,2 x 161,2 x 5,8 | 8,75 x 6,35 x 0,226 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|----------------------|
| 87791077 | DISC STEEL INTERMEDIATE | ----- | 29 | EXT TH | 119,5 x 88,8 x 1,0 | 4,70 x 3,50 x 0,039 |
| 87791078 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 38 | INT TH | 113,0 x 77,1 x 1,5 | 4,45 x 3,04 x 0,059 |
| 89823447 | DISC FRICTION GRPH | SUNBURST | 17 | INT TH | 368,0 x 79,0 x 9,6 | 14,49 x 3,11 x 0,376 |
| 89823827 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 2,6 | 6,07 x 4,48 x 0,100 |
| 83930407 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 83930408 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 83930409 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| NIIGATA | | | | | | |
| 3-8088 | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 142,6 x 85,7 x 2,8 | 5,61 x 3,37 x 0,110 |
| 3-8088A,E | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 142,6 x 85,7 x 2,5 | 5,61 x 3,37 x 0,098 |
| 3-8088R,S,W,X | DISC FRICTION FP | WAFFLE | 66 | EXT TH | 141,3 x 85,5 x 2,5 | 5,56 x 3,37 x 0,098 |
| 3-8088U | DISC FRICTION FP | WAFFLE | 66 | EXT TH | 143,1 x 93,5 x 2,4 | 5,63 x 3,68 x 0,094 |
| 3-8088V | DISC FRICTION FP/STL | WAFFLE | 66 | EXT TH | 143,1 x 93,5 x 1,8 | 5,63 x 3,68 x 0,071 |
| 3-8089 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| 3-8089A | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 134,0 x 77,2 x 2,0 | 5,24 x 3,04 x 0,079 |
| 3-8089C | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| 3-8089-G | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 132,8 x 85,5 x 1,5 | 5,23 x 3,37 x 0,059 |
| 3-8135 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 75,0 x 42,0 x 1,3 | 2,95 x 1,65 x 0,051 |
| 3-8136 | CLUTCH DISC SINTER BRONZE | WAFFLE | 8 | EXT LG | 90,0 x 48,0 x 2,2 | 3,54 x 1,89 x 0,087 |
| 3-8673C | CLUTCH DISC SINTER BRONZE | RADIAL | 8 | EXT LG | 102,9 x 58,0 x 2,5 | 4,05 x 2,28 x 0,098 |
| 3-8673E | CLUTCH DISC SINTER BRONZE | RADIAL | 8 | EXT LG | 102,9 x 58,0 x 2,5 | 4,05 x 2,28 x 0,098 |
| 3-8674 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 86,6 x 51,6 x 1,2 | 3,41 x 2,03 x 0,047 |
| 3-8824A | DISC STEEL INTERMEDIATE | DISHED | 48 | INT TH | 151,0 x 98,2 x 1,5 | 5,94 x 3,87 x 0,059 |
| 3-8825E | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 110,0 x 2,2 | 6,46 x 4,33 x 0,087 |
| 3-8827A | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 101,6 x 64,6 x 1,9 | 4,00 x 2,54 x 0,073 |
| 3-8828E | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,8 | 4,42 x 2,81 x 0,110 |
| 3-30045 | DISC STEEL INTERMEDIATE | ----- | 89 | EXT TH | 285,8 x 225,0 x 2,3 | 11,25 x 8,86 x 0,091 |
| 3-31024 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 110,0 x 2,2 | 6,46 x 4,33 x 0,087 |
| 3-31024-F | DISC FRICTION FP | WAFFLE | 76 | EXT TH | 164,0 x 110,0 x 2,4 | 6,46 x 4,33 x 0,094 |
| 3-31024-G | DISC FRICTION FP/PLAIN | WAFFLE | 76 | EXT TH | 164,0 x 110,0 x 1,8 | 6,46 x 4,33 x 0,071 |
| 3-31025B | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 151,0 x 98,2 x 2,0 | 5,94 x 3,87 x 0,079 |
| 3-31025-C | DISC STEEL INTERMEDIATE | DISHED | 48 | INT TH | 151,0 x 98,2 x 1,5 | 5,94 x 3,87 x 0,059 |
| 3-37461 | CLUTCH DISC SINTER BRONZE | SUNBURST | 72 | EXT TH | 155,7 x 105,0 x 2,2 | 6,13 x 4,13 x 0,087 |
| 3-37480-A | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 146,2 x 90,0 x 2,0 | 5,76 x 3,54 x 0,079 |
| 3-37480 | DISC STEEL INTERMEDIATE | DISHED | 48 | INT TH | 151,0 x 98,2 x 1,5 | 5,94 x 3,87 x 0,059 |
| 3-42582 | DISC FRICTION FP | WAFFLE | 66 | EXT TH | 141,3 x 85,5 x 2,5 | 5,56 x 3,37 x 0,098 |
| 5-34400 | DISC STEEL INTERMEDIATE | ----- | 59 | INT TH | 177,0 x 121,5 x 2,4 | 6,97 x 4,78 x 0,094 |
| 5-34401 | CLUTCH DISC SINTER BRONZE | SUNBURST | 88 | EXT TH | 189,0 x 134,3 x 3,1 | 7,44 x 5,29 x 0,122 |
| 5-43327-C | DISC FRICTION FP | 2 PASS | 88 | EXT TH | 189,5 x 134,0 x 2,8 | 7,46 x 5,28 x 0,110 |
| NISSAN | | | | | | |
| 31530-50K00 | 1 X IM2061 | 1 X IM-2074MP | | | | |
| 31532-22H00 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-22H01 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-25H00 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-25H01 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |

| | | | | | | |
|--------------------|---|----------|----|------------|---------------------|----------------------|
| 31532-40K00 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-4G000 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-41K00 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-51H00 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 31532-53H00 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 31532-FJ100 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-GL00A | DISC FRICTION FP | WAFFLE | 38 | INT TH | 133,6 x 77,0 x 3,0 | 5,26 x 3,03 x 0,116 |
| 31532-L1000 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-L1500 | 2 PASS | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 31532-L6000 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 31534-25H00 | DISC STEEL INTERMEDIATE | DISHED | 42 | EXT TH | 131,4 x 80,0 x 2,0 | 5,17 x 3,15 x 0,079 |
| 31536-22H00 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 131,4 x 77,2 x 1,8 | 5,17 x 3,04 x 0,071 |
| 31536-25H00 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 131,4 x 80,0 x 1,6 | 5,17 x 3,15 x 0,063 |
| 31536-41K00 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 31536-4G000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 80,0 x 1,6 | 5,18 x 3,15 x 0,063 |
| 31536-53H00 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| 31536-FJ100 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 31536-GL00A | DISC STEEL INTERMEDIATE | ----- | 34 | EXT TH | 143,0 x 87,5 x 2,3 | 5,63 x 3,44 x 0,090 |
| 31536-L1002 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 80,0 x 1,6 | 5,18 x 3,15 x 0,063 |
| 31536-L1500 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 80,0 x 1,6 | 5,18 x 3,15 x 0,063 |
| 31536-L6000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 149,9 x 87,4 x 2,3 | 5,90 x 3,44 x 0,091 |
| 31536-L6001 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 149,9 x 87,4 x 2,3 | 5,90 x 3,44 x 0,091 |
| 31536-L9060 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,5 x 87,3 x 2,3 | 5,49 x 3,44 x 0,091 |
| 31537-25H02 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 131,4 x 80,0 x 4,4 | 5,17 x 3,15 x 0,171 |
| 31537-25H04 | END PLATE | ----- | 42 | EXT TH | 131,4 x 80,0 x 4,7 | 5,17 x 3,15 x 0,186 |
| 31537-40K00 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,0 x 77,0 x 3,0 | 5,16 x 3,03 x 0,118 |
| 31537-L1000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,0 x 77,0 x 4,0 | 5,16 x 3,03 x 0,157 |
| 31537-L1002 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 130,8 x 77,0 x 3,5 | 5,15 x 3,03 x 0,137 |
| 44060-GA10A | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | INT TH | 112,0 x 78,5 x 1,8 | 4,41 x 3,09 x 0,069 |
| 44063-GA10A | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 133,7 x 86,2 x 1,7 | 5,26 x 3,39 x 0,068 |
| NOUVA DETAS | | | | | | |
| 1640020 | DISC FRICTION GRPH | SUNBURST | 36 | (73)EX TH | 151,5 x 101,5 x 3,5 | 5,96 x 4,00 x 0,138 |
| O & K | | | | | | |
| 243 276 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 059 7367 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 097 1051 | OBSOLETE | ----- | 54 | (66)EX TH | 326,0 x 194,2 x 4,0 | 12,83 x 7,65 x 0,157 |
| 118 6315 | CLUTCH DISC SINTER BRONZE | WAFFLE | 65 | (75)EX TH | 190,5 x 132,0 x 1,8 | 7,50 x 5,20 x 0,071 |
| 118 6316 | DISC STEEL INTERMEDIATE | HARDENED | 31 | INT TH | 180,0 x 122,1 x 2,0 | 7,09 x 4,81 x 0,078 |
| 140 7157 | OBSOLETE AFTER STOCK | | 98 | (112)EX TH | 340,0 x 235,0 x 4,5 | 13,39 x 9,25 x 0,177 |
| 140 9327 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 141 0250 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 141 7003 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 143 1128 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 143 1129 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 143 1430 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 143 5645 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| 143 5646 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 144 4870 | DISC STEEL INTERMEDIATE | HARDENED | 48 | EXT TH | 99,5 x 77,2 x 1,1 | 3,92 x 3,04 x 0,043 |
| 144 4871 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | INT TH | 93,8 x 72,5 x 2,3 | 3,69 x 2,85 x 0,091 |
| 146 2673 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 147 3558 (CLUTCH DISC KIT Number) | CLUTCH DISC SINTER BRONZE | SPIRAL | 32 | EXT TH | 133,0 x 92,5 x 1,5 | 5,24 x 3,64 x 0,059 |
| 147 6518 | DISC STEEL INTERMEDIATE | HARDENED | 31 | INT TH | 180,0 x 122,1 x 2,0 | 7,09 x 4,81 x 0,078 |
| 147 7302 | OBSOLETE AFTER STOCK | | 45 | INT TH | 123,9 x 89,2 x 2,0 | 4,88 x 3,51 x 0,079 |
| 147 9860 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8 x 154,0 x 2,7 | 9,24 x 6,60 x 0,106 |
| 147 9886 | CLUTCH DISC SINTER BRONZE | WAFFLE | 65 | (75)EX TH | 190,5 x 132,0 x 1,8 | 7,50 x 5,20 x 0,071 |
| 148 2096 | CLUTCH DISC SINTER BRONZE | WAFFLE | 54 | EXT TH | 109,5 x 81,6 x 1,9 | 4,31 x 3,21 x 0,075 |
| 148 2097 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 102,0 x 77,0 x 1,5 | 4,02 x 3,03 x 0,059 |
| 148 2127 | CLUTCH DISC SINTER BRONZE | SUN/WAF | 42 | (48)EX TH | 248,5 x 164,7 x 2,6 | 9,78 x 6,48 x 0,102 |
| 154 7834 | OBSOLETE AFTER STOCK | | 35 | (44)IN TH | 180,0 x 109,0 x 2,0 | 7,09 x 4,29 x 0,079 |
| 217 7461 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 305,0 x 170,0 x 4,5 | 12,01 x 6,69 x 0,177 |
| 222 3816 | OBSOLETE AFTER STOCK | | 64 | EXT TH | 129,5 x 96,1 x 1,7 | 5,10 x 3,78 x 0,065 |
| 226 8264 | OBSOLETE | SPR/RAD | 95 | EXT TH | 289,0 x 189,7 x 3,5 | 11,38 x 7,47 x 0,138 |
| 226 8265 | OBSOLETE | ----- | 36 | INT TH | 274,8 x 180,3 x 3,0 | 10,82 x 7,10 x 0,118 |
| 281 0279 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 265,8 x 147,0 x 4,0 | 10,46 x 5,79 x 0,157 |
| 281 0288 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 32 | INT TH | 236,0 x 94,1 x 5,5 | 9,29 x 3,70 x 0,217 |
| 289 4131 | CLUTCH DISC SINTER BRONZE | WAFFLE | 54 | EXT TH | 109,5 x 81,6 x 1,9 | 4,31 x 3,21 x 0,075 |
| 289 4142 | DISC STEEL INTERMEDIATE | HARDENED | 33 | (39)IN TH | 234,8 x 154,0 x 2,7 | 9,24 x 6,60 x 0,106 |
| 289 4284 | CLUTCH DISC SINTER BRONZE | SUN/WAF | 42 | (48)EX TH | 248,5 x 164,7 x 2,6 | 9,78 x 6,48 x 0,102 |
| 460 9399 | DISC STEEL INTERMEDIATE | ----- | 146 | (164)EX TH | 494,8 x 345,9 x 2,4 | 19,48 x 13,62 x 0,094 |
| 460 9400 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |
| 461 1633 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 461 1634 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 461 1825 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 461 2207 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 461 2217 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 462 2237 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 462 3153 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 462 3209 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 478 4907 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 478 4908 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 492 0199 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 266,0 x 163,0 x 4,0 | 10,47 x 6,42 x 0,157 |
| 492 0200 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 3 PASS | 28 | INT TH | 246,0 x 140,0 x 4,5 | 9,69 x 5,51 x 0,177 |
| 492 0753 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 325,0 x 198,0 x 4,5 | 12,80 x 7,80 x 0,177 |
| 492 2368 | DISC FRICTION FP | 2 PASS | 18 | INT TH | 154,7 x 34,2 x 4,9 | 6,09 x 1,35 x 0,193 |
| 600 0209 | HARDENED | ----- | 22 | INT TH | 146,0 x 64,0 x 2,0 | 5,75 x 2,52 x 0,079 |
| 600 0210 | CLUTCH DISC SINTER BRONZE | WAFFLE | 50 | EXT TH | 152,5 x 109,0 x 2,8 | 6,00 x 4,29 x 0,110 |

| | | | | | | |
|----------------|---|-----------|-----|-----------|---------------------|-----------------------|
| 690 2022 | CLUTCH DISC SINTER BRONZE | WAF/RAD | 54 | EXT TH | 109,4 x 82,1 x 1,6 | 4,31 x 3,23 x 0,063 |
| 730 4760 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 738 0057 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 738 0059 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,0 | 11,05 x 8,70 x 0,079 |
| 738 0065 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,0 | 6,41 x 3,69 x 0,079 |
| 738 0079 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 738 0133 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,0 | 12,03 x 9,72 x 0,079 |
| 738 0529 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 738 0530 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 738 1130 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 738 1131 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 738 1132 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 738 1246 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 738 1248 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 738 1261 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 738 2122 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 738 2519 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 738 2674 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 739 1576 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 739 5157 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 739 5158 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 739 5210 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 739 6255 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 739 6717 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 739 6895 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 802 8455 | DISC FRICTION FP | 3 PASS | 92 | INT TH | 650,0 x 460,0 x 5,1 | 25,59 x 18,11 x 0,201 |
| 802 8456 | DISC STEEL INTERMEDIATE | ----- | 132 | EXT TH | 677,7 x 492,6 x 2,4 | 26,68 x 19,39 x 0,094 |
| 802 8457 | DISC DAMPER | ----- | 132 | EXT TH | 677,7 x 492,6 x 6,9 | 26,68 x 19,39 x 0,272 |
| 847 9085 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| OKAMURA | | | | | | |
| 483016A | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 483017A | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 483116A | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 132,0 x 80,0 x 1,6 | 5,20 x 3,15 x 0,063 |
| 1158300600 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,9 | 6,13 x 3,46 x 0,114 |
| 1158310300 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 1158310400 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| OMCI | | | | | | |
| 125242 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 300,0 x 127,0 x 4,6 | 11,81 x 5,00 x 0,181 |
| 125368 | DISC FRICTION GRPH | SUNBURST | 25 | INT TH | 223,5 x 62,0 x 5,7 | 8,80 x 2,44 x 0,224 |
| 126367 | OBSOLETE | | 64 | INT TH | 355,5 x 200,0 x 7,3 | 14,00 x 7,87 x 0,285 |
| 126409 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT SL | 450,0 x 235,0 x 7,1 | 17,72 x 9,25 x 0,278 |
| 186045 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 195,0 x 130,0 x 3,8 | 7,68 x 5,12 x 0,150 |
| 186046 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 214,0 x 145,2 x 2,0 | 8,43 x 5,72 x 0,079 |
| 274018 | DISC FRICTION GRPH | SUN/RAD | 16 | INT TH | 204,0 x 40,0 x 4,9 | 8,03 x 1,57 x 0,193 |
| 274019 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 209,0 x 140,0 x 2,7 | 8,28 x 5,51 x 0,106 |
| 286057 | DISC FRICTION FP | 3 PASS | 72 | INT TH | 467,0 x 281,0 x 5,5 | 18,38 x 11,06 x 0,217 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 286058 | DISC STEEL INTERMEDIATE | ----- | 120 | EXT TH | 483,0 x 300,0 x 5,0 | 19,02 x 11,81 x 0,197 |
| 325104 | DISC FRICTION GRPH | SUNBURST | 35 | INT TH | 249,0 x 84,3 x 5,3 | 9,80 x 3,32 x 0,209 |
| AC4.125242 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 300,0 x 127,0 x 4,6 | 11,81 x 5,00 x 0,181 |
| AC4.125368 | DISC FRICTION GRPH | SUNBURST | 25 | INT TH | 223,5 x 62,0 x 5,7 | 8,80 x 2,44 x 0,224 |
| AC4.274018 | DISC FRICTION GRPH | SUN/RAD | 16 | INT TH | 204,0 x 40,0 x 4,9 | 8,03 x 1,57 x 0,193 |
| DO1.274019 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 209,0 x 140,0 x 2,7 | 8,28 x 5,51 x 0,106 |
| DO2.325104 | DISC FRICTION GRPH | SUNBURST | 35 | INT TH | 249,0 x 84,3 x 5,3 | 9,80 x 3,32 x 0,209 |
| 235.000.0414 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 156,7 x 103,2 x 1,7 | 6,17 x 4,06 x 0,067 |
| 235.000.0415 | CLUTCH DISC SINTER BRONZE | SUNBURST | 38 | INT TH | 140,7 x 90,4 x 2,5 | 5,54 x 3,95 x 0,098 |
| 40140072 | DISC FRICTION CARBON FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,193 |
| AC4.274018 | DISC FRICTION GRPH | SUN/RAD | 16 | INT TH | 204,0 x 40,0 x 4,9 | 8,03 x 1,57 x 0,193 |
| DO1.274019 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 209,0 x 140,0 x 2,7 | 8,28 x 5,51 x 0,106 |
| 3-000-210-51-008 | CLUTCH DISC SINTER BRONZE | SUNBURST | 68 | EXT TH | 208,0 x 145,0 x 3,5 | 8,19 x 5,71 x 0,138 |
| 3-000-340-51-001 | DISC STEEL INTERMEDIATE | SINEWAVED | 45 | INT TH | 195,0 x 130,0 x 2,3 | 7,68 x 5,12 x 0,091 |
| 3-002-340-63-020 | OBSOLETE | SINEWAVED | 60 | INT TH | 270,0 x 175,0 x 3,0 | 10,63 x 6,89 x 0,118 |
| 3-021-632-59-029 | CLUTCH DISC SINTER BRONZE | WAFFLE | 51 | EXT TH | 256,0 x 198,2 x 4,0 | 10,08 x 7,80 x 0,157 |
| 3-021-744-39-00000 | DISC STEEL INTERMEDIATE | SINEWAVED | 57 | INT TH | 141,0 x 110,4 x 2,0 | 5,55 x 4,35 x 0,079 |
| 3-021-744-59-000 | DISC STEEL INTERMEDIATE | SINEWAVED | 48 | INT TH | 245,0 x 188,0 x 3,0 | 9,65 x 7,40 x 0,118 |
| 3-100-010-25-010 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 122,0 x 72,0 x 2,4 | 4,80 x 2,83 x 0,094 |
| 3-100-010-31-010 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 137,0 x 84,0 x 2,4 | 5,39 x 3,31 x 0,094 |
| 3-100-010-39-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,094 |
| 3-100-010-39-010 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,094 |
| 3-100-010-39-029000 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 144,5 x 102,0 x 2,4 | 5,69 x 4,02 x 0,094 |
| 3-100-010-43-010 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 177,0 x 118,0 x 2,4 | 6,97 x 4,65 x 0,094 |
| 3-100-015-25-005 | CLUTCH DISC SINTER BRONZE | SPIRAL | 6 | EXT LG | 122,0 x 72,2 x 1,5 | 4,80 x 2,84 x 0,059 |
| 3-100-140-31-001 | OBSOLETE | SINEWAVED | 3 | INT TH | 123,0 x 72,2 x 1,5 | 4,84 x 2,84 x 0,059 |
| 3-100-210-43-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 68 | EXT TH | 173,0 x 118,0 x 2,4 | 6,81 x 4,65 x 0,094 |
| 3-100-210-47-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| 3-100-210-55-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 78 | EXT TH | 236,0 x 155,0 x 4,0 | 9,29 x 6,10 x 0,157 |
| 3-100-210-75-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 100 | EXT TH | 403,8 x 285,0 x 5,5 | 15,90 x 11,22 x 0,217 |
| 3-100-233-63-029 | CLUTCH DISC SINTER BRONZE | WAFFLE | 95 | EXT TH | 287,0 x 189,0 x 4,0 | 11,30 x 7,44 x 0,157 |
| 3-100-340-39-001 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 140,0 x 90,0 x 2,4 | 5,51 x 3,54 x 0,094 |
| 3-100-340-43-000 | DISC STEEL INTERMEDIATE | ----- | 44 | INT TH | 162,0 x 105,0 x 2,3 | 6,38 x 4,13 x 0,091 |
| 3-100-340-47-000 | DISC STEEL INTERMEDIATE | ----- | 41 | INT TH | 178,0 x 119,0 x 2,3 | 7,01 x 4,69 x 0,091 |
| 3-100-340-55-001 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 225,0 x 140,0 x 3,0 | 8,86 x 5,51 x 0,118 |
| 3-100-340-75-000 | DISC STEEL INTERMEDIATE | SINEWAVED | 68 | INT TH | 380,0 x 268,0 x 4,0 | 14,96 x 10,55 x 0,157 |
| 3-100-610-31-005 | CLUTCH DISC SINTER BRONZE | SPIRAL | 32 | EXT TH | 133,2 x 91,0 x 2,4 | 5,24 x 3,58 x 0,094 |
| 3-100-610-39-008 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 36 | EXT TH | 151,2 x 102,0 x 2,4 | 5,95 x 4,02 x 0,094 |
| PANHARD | | | | | | |
| 0014706 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |

| | | | | | | |
|-------------------|--|-----------|----|-----------|----------------------|-----------------------|
| 0014707 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| P&H | | | | | | |
| 1015Z834 | DISC STEEL INTERMEDIATE | ----- | 39 | EXT TH | 126,2 x 92,0 x 0,8 | 4,97 x 3,62 x 0,031 |
| 1015Z1006 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 1015Z1305 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| 1018Z3302 | DISC FRICTION FP | 2 PASS | 39 | INT TH | 119,0 x 78,4 x 2,3 | 4,68 x 3,09 x 0,090 |
| 1018Z4530 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| PERLINI | | | | | | |
| 210500356 | DISC FRICTION FP | 3 PASS | 98 | INT TH | 714,7 x 483,2 x 5,1 | 28,14 x 19,02 x 0,200 |
| PETTIBONE | | | | | | |
| 40560-28 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 40560-3 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 40560-9 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 44238-64 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 44238-65 | DISC FRICTION FP | 1 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 44238-66 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 44238-67 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 44238-80 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 44238-81 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| 44367-9 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 44367-10 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 9449009 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 2,5 | 5,48 x 3,88 x 0,100 |
| LL-7160-301 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| LL-7160-302 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| LL-7160-516 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| LL-7160-525 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 004739337D | | | | | | |
| 004739337D | CLUTCH DISC SINTER BRONZE | WAFFLE | 18 | INT TH | 128,3 x 90,2 x 1,9 | 5,05 x 3,55 x 0,075 |
| 004739338E | | | | | | |
| 004739338E | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 138,0 x 102,0 x 1,2 | 5,43 x 4,02 x 0,047 |
| PPM | | | | | | |
| A8143127 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | EXT TH | 75,5 x 57,2 x 1,7 | 2,97 x 2,25 x 0,065 |
| B8143128 | DISC STEEL INTERMEDIATE | ----- | 27 | INT TH | 71,2 x 52,5 x 1,1 | 2,80 x 2,07 x 0,043 |
| 5370650724 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 5370650725 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 177,8 x 34,3 x 4,8 | 7,00 x 1,35 x 0,189 |
| 5370651185 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0 x 111,0 x 2,7 | 7,09 x 4,37 x 0,105 |
| 5370651186 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 152,0 x 34,0 x 4,8 | 5,980 x 1,340 x 0,189 |
| 5370651789 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 5370651794 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 5370651822 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | RADIAL | 34 | INT TH | 109,8 x 66,0 x 1,3 | 4,32 x 2,60 x 0,052 |
| 5370651824 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 122,6 x 72,2 x 1,8 | 4,83 x 2,84 x 0,071 |
| 5370651825 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM/DISC STEEL INTERMEDIATE | RADIAL | 34 | INT TH | 109,8 x 66,0 x 2,9 | 4,32 x 2,60 x 0,112 |
| 5370651880 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 5370652194 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0 x 105,6 x 3,8 | 7,01 x 4,16 x 0,148 |
| 5370652413 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|------------------------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 5370652542 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 5370652544 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 5904646721 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 5904658567 | DISC STEEL INTERMEDIATE | HARDENED | | WASHER | 46,0 x 26,2 x 1,0 | 1,81 x 1,03 x 0,039 |
| 5904662535 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 5904662537 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| PRM NEWAGE | | | | | | |
| MT731 | CLUTCH DISC SINTER BRONZE | WAFFLE | 17 | INT TH | 71,4 x 34,0 x 1,6 | 2,81 x 1,34 x 0,063 |
| MT725 | CLUTCH DISC SINTER BRONZE | WAFFLE | 24 | INT TH | 88,9 x 49,1 x 1,6 | 3,50 x 1,93 x 0,063 |
| IM3209 | CLUTCH DISC SINTER BRONZE | WAFFLE | 20 | INT TH | 112,8 x 60,5 x 2,2 | 4,44 x 2,38 x 0,085 |
| IM3182MP | DISC STEEL INTERMEDIATE | ----- | 9 | EXT SL | 114,0 x 57,0 x 1,6 | 4,49 x 2,24 x 0,063 |
| MT982 | DISC STEEL INTERMEDIATE | ----- | 17 | (33)EX TH | 99,6 x 57,0 x 1,6 | 3,92 x 2,24 x 0,063 |
| MT116 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT SL | 95,2 x 46,0 x 1,6 | 3,75 x 1,81 x 0,063 |
| REINTJES | | | | | | |
| K22-BGA 180 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 140,0 x 90,0 x 2,4 | 5,51 x 3,54 x 0,094 |
| K23-BGA 180 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 36 | EXT TH | 151,2 x 102,0 x 2,4 | 5,95 x 4,02 x 0,094 |
| RENAULT TRACTOR | | | | | | |
| 60.00.101.693 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 60.00.101.694 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 60.00.101.695 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 60.05.018.577 | DISC FRICTION FP | WAFFLE | 25 | (30)IN TH | 230,0 x 150,0 x 2,5 | 9,06 x 5,91 x 0,098 |
| 60.05.018.590 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 260,0 x 162,5 x 4,0 | 10,24 x 6,40 x 0,157 |
| 77.00.014.997 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 205,0 x 38,6 x 4,8 | 8,07 x 1,52 x 0,189 |
| 77.00.015.006 | DISC FRICTION FP | WAFFLE | 46 | INT TH | 223,0 x 48,0 x 4,8 | 8,78 x 1,89 x 0,189 |
| 77.00.016.494 | DISC FRICTION FP | WAFFLE | 37 | INT TH | 165,1 x 38,6 x 4,8 | 6,50 x 1,52 x 0,189 |
| 77.00.016.511 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 184,0 x 119,5 x 3,0 | 7,24 x 4,70 x 0,118 |
| 77.00.035.960 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 167,0 x 111,7 x 3,3 | 6,57 x 4,40 x 0,130 |
| 77.00.037.434 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 167,0 x 111,7 x 3,3 | 6,57 x 4,40 x 0,130 |
| 77.00.055.217 | DISC FRICTION FP | WAFFLE | 46 | INT TH | 223,0 x 48,0 x 4,8 | 8,78 x 1,89 x 0,189 |
| 77.00.063.962 | DISC FRICTION FP | 4 PASS | 14 | INT TH | 354,0 x 70,0 x 5,0 | 13,94 x 2,76 x 0,197 |
| RENAULT TRUCK | | | | | | |
| 5001843336 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,6 x 107,0 x 1,8 | 6,36 x 4,21 x 0,071 |
| 5001843337 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 34 | INT TH | 146,7 x 99,7 x 2,1 | 5,78 x 3,93 x 0,083 |
| ROCKWELL/ AXLETECH/ MERITOR | | | | | | |
| 068120-2 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 246,5 x 162,3 x 3,8 | 9,70 x 6,39 x 0,150 |
| 313017 | OBSOLETE | 3 PASS | 42 | INT TH | 317,0 x 173,7 x 4,2 | 12,48 x 6,84 x 0,165 |
| 1036137 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 247,0 x 162,0 x 3,4 | 9,72 x 6,38 x 0,134 |
| 1036137 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 228,5 x 60,0 x 3,2 | 9,00 x 2,36 x 0,126 |
| 3281-N-1184 | DISC STEEL INTERMEDIATE | ----- | 46 | EXT TH | 241,1 x 161,7 x 3,8 | 9,49 x 6,37 x 0,150 |
| 3281-P-42 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 5,0 | 18,19 x 13,78 x 0,197 |
| 3281-W-23 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 3281-X-24 | DISC STEEL INTERMEDIATE | ----- | 60 | (68)EX TH | 350,0 x 260,0 x 3,0 | 13,78 x 10,24 x 0,118 |
| 3281-Z-1144 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 228,0 x 48,0 x 3,2 | 8,98 x 1,89 x 0,126 |
| 3281-Z-1196 | AFP | WAFFLE | 43 | (49)IN TH | 360,0 x 202,7 x 5,3 | 14,17 x 7,98 x 0,209 |

| | | | | | | |
|-------------------------------------|--|----------|----|-----------|---------------------|-----------------------|
| 328101013E | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 328101014E | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 376,6 x 226,5 x 9,1 | 14,82 x 8,92 x 0,358 |
| 328101015E | DISC FRICTION FP | WAFFLE | 14 | INT TH | 360,0 x 66,5 x 5,3 | 14,17 x 2,61 x 0,209 |
| 328101016E | DISC FRICTION FP | WAF/RAD | 22 | INT TH | 228,6 x 66,8 x 3,2 | 9,00 x 2,63 x 0,125 |
| 328101019E | OBSOLETE | | 39 | INT TH | 338,7 x 193,0 x 4,5 | 13,34 x 7,60 x 0,175 |
| 328101020E | AFP | WAFFLE | 43 | (49)IN TH | 360,0 x 202,7 x 5,3 | 14,17 x 7,98 x 0,209 |
| 3281G1203 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 389,7 x 220,0 x 4,6 | 15,34 x 8,66 x 0,179 |
| 3281M1261 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 376,6 x 226,5 x 4,6 | 14,82 x 8,91 x 0,179 |
| A-3213-K-37 | OBSOLETE | 2 PASS | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| A-3281-K-37 | DISC FRICTION GRPH | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| A-3281-S-19 | DISC FRICTION GRPH | WAFFLE | 54 | INT TH | 450,3 x 269,5 x 5,5 | 17,73 x 10,61 x 0,216 |
| A-3281-S-1189 | DISC FRICTION FP | WAF/RAD | 22 | INT TH | 228,6 x 66,8 x 3,2 | 9,00 x 2,63 x 0,125 |
| A-3281-Y-25 | OBSOLETE | | 39 | INT TH | 338,7 x 193,0 x 4,5 | 13,34 x 7,60 x 0,175 |
| A3281Y1247 | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| C-305193 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5 x 99,1 x 1,6 | 5,61 x 3,90 x 0,063 |
| C-317753-X1 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| C-317754-X1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 29 | INT TH | 168,1 x 119,3 x 2,5 | 6,62 x 4,70 x 0,100 |
| C-317756-X1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 198,1 x 140,5 x 2,5 | 7,80 x 5,53 x 0,100 |
| CL-11-551-3 | DISC STEEL INTERMEDIATE | ----- | 83 | EXT TH | 355,0 x 238,4 x 6,3 | 13,98 x 9,38 x 0,247 |
| UCL-16-11553 | DISC FRICTION FP | 2 PASS | 53 | INT TH | 342,9 x 220,5 x 5,2 | 13,50 x 8,68 x 0,204 |
| 84660408 | OBSOLETE | 2 PASS | 50 | INT TH | 400,0 x 245,6 x 5,0 | 15,75 x 9,67 x 0,197 |
| SAME/ LAMBORGHINI/ HURLIMANN | | | | | | |
| 0.007.2688.0 | OBSOLETE | ----- | 15 | INT TH | 173,0 x 44,0 x 3,5 | 6,81 x 1,73 x 0,138 |
| 0.007.7597.0/10 | OBSOLETE AFTER STOCK | | 60 | INT TH | 254,0 x 176,0 x 3,0 | 10,00 x 6,93 x 0,118 |
| 0.008.4255.0 | DISC STEEL INTERMEDIATE | ----- | 19 | INT TH | 145,0 x 59,0 x 3,5 | 5,71 x 2,32 x 0,138 |
| 0.008.4661.0 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 224,0 x 55,0 x 7,0 | 8,82 x 2,17 x 0,276 |
| 0.008.5079.2 | OBSOLETE | ----- | 58 | INT TH | 168,0 x 116,0 x 3,5 | 6,61 x 4,57 x 0,138 |
| 0.008.5173.2 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 224,0 x 38,0 x 7,0 | 8,82 x 1,50 x 0,276 |
| 0.008.5191.0 | OBSOLETE | ----- | 15 | INT TH | 130,0 x 44,0 x 2,0 | 5,12 x 1,73 x 0,079 |
| 0.008.5267.2 | DISC FRICTION FP | WAFFLE | 12 | INT TH | 224,0 x 34,0 x 7,0 | 8,82 x 1,34 x 0,276 |
| 0.008.5343.2 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 178,0 x 44,0 x 5,0 | 7,01 x 1,73 x 0,197 |
| 0.008.7262.3/10 | DISC FRICTION GRPH | SUNBURST | 22 | INT TH | 143,0 x 41,0 x 4,9 | 5,63 x 1,61 x 0,193 |
| 0.900.1131.6 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| 0.009.7066.2 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 13 | INT TH | 282,0 x 46,5 x 7,0 | 11,10 x 1,83 x 0,276 |
| 0.009.7067.2 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 282,0 x 46,5 x 7,0 | 11,10 x 1,83 x 0,276 |
| 0.010.2892.2 | CLUTCH DISC SINTER BRONZE | SUNBURST | 6 | EXT LG | 193,7 x 136,3 x 3,0 | 7,63 x 5,37 x 0,098 |
| 0.011.0587.2 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 12 | INT TH | 223,6 x 38,1 x 6,8 | 8,80 x 1,50 x 0,267 |
| 0.011.3765.0 | DISC FRICTION FP | WAFFLE | 12 | INT TH | 282,0 x 46,5 x 7,1 | 11,10 x 1,83 x 0,280 |
| 0.013.9453.0 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 135,6 x 101,2 x 1,8 | 5,34 x 3,98 x 0,069 |
| 0.015.4482.2 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 12 | INT TH | 223,6 x 38,1 x 6,8 | 8,80 x 1,50 x 0,267 |
| 0.015.6021.2 | DISC FRICTION FP | WAFFLE | 12 | INT TH | 224,0 x 34,0 x 7,0 | 8,82 x 1,34 x 0,276 |
| 0.154.5459.0/01 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 0.154.5459.0/10 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 224,0 x 55,0 x 4,8 | 8,82 x 2,17 x 0,189 |
| 0.154.5459.0/13 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 224,0 x 55,0 x 4,8 | 8,82 x 2,17 x 0,189 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------------|--|--------------------|--------------------|-----------------|----------------------|----------------------|
| 0.154.5460.0/01 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 0.154.5460.0/14 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 0.163.3654.0 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 52 | INT TH | 148,6 x 107,4 x 2,3 | 5,85 x 4,23 x 0,090 |
| 0.163.3655.0 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 0.164.3642.0 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 45 | INT TH | 133,4 x 92,7 x 2,1 | 5,25 x 3,65 x 0,082 |
| 0.164.3643.0 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 0.170.5434.0/12 | DISC FRICTION GRPH | SUN/RAD | 12 | INT TH | 304,0 x 51,0 x 10,0 | 11,97 x 2,01 x 0,394 |
| 0.171.5434.0 | OBSOLETE | SUNBURST | 12 | INT TH | 260,0 x 51,0 x 10,0 | 10,24 x 2,01 x 0,394 |
| 0.188.5434.0/02 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 12 | INT TH | 342,0 x 58,0 x 10,0 | 13,46 x 2,28 x 0,394 |
| 0.188.5458.0 | OBSOLETE AFTER STOCK | | 26 | INT TH | 185,0 x 64,0 x 3,5 | 7,28 x 2,52 x 0,138 |
| 0.194.5464.2 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 178,0 x 38,0 x 5,2 | 7,01 x 1,50 x 0,205 |
| 0.194.5465.0 | DISC STEEL INTERMEDIATE | ----- | | EXT LG | 184,0 x 128,0 x 2,7 | 7,24 x 5,04 x 0,104 |
| 0.224.5434.0 | CLUTCH DISC SINTER BRONZE | ----- | 27 | INT TH | 224,0 x 55,0 x 4,8 | 8,82 x 2,17 x 0,189 |
| 0.233.5452.0/10 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LUG | 340,0 x 200,0 x 13,0 | 13,39 x 7,87 x 0,512 |
| 0.255.3936.0 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT TH | 135,6 x 101,2 x 1,8 | 5,34 x 3,98 x 0,069 |
| 0.255.3970.2 | DISC FRICTION GRPH | SUNBURST | 48 | INT TH | 124,0 x 97,3 x 2,5 | 4,88 x 3,83 x 0,098 |
| 0.255.5447.2/10 | DISC FRICTION DISC FRICTION CARBON FP FP | SUNBURST | 13 | INT TH | 282,0 x 46,5 x 7,0 | 11,10 x 1,83 x 0,276 |
| 0.255.5452.0 | DISC STEEL INTERMEDIATE | ----- | 19 | INT TH | 145,0 x 59,0 x 3,5 | 5,71 x 2,32 x 0,138 |
| 0.256.5434.0/10 | DISC FRICTION GRPH | SUNBURST | 23 | INT TH | 178,0 x 44,0 x 5,0 | 7,01 x 1,73 x 0,197 |
| 0.256.5456.0 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 184,0 x 114,0 x 2,6 | 7,24 x 4,49 x 0,102 |
| 0.270.4351.0 | OBSOLETE | ----- | 2 | EXT LG | 181,0 x 100,0 x 2,5 | 7,13 x 3,94 x 0,098 |
| 0.275.4351.0 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 228,0 x 140,0 x 2,5 | 8,98 x 5,51 x 0,098 |
| 0.292.5714.0/10 | DISC FRICTION GRPH | SUNBURST | 87 | EXT TH | 264,0 x 206,0 x 3,5 | 10,39 x 8,11 x 0,138 |
| 0.292.5715.0 | DISC STEEL INTERMEDIATE | ----- | 62 | INT TH | 254,0 x 194,0 x 2,0 | 10,00 x 7,64 x 0,079 |
| 0.445.5447.0 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 282,0 x 46,5 x 7,0 | 11,10 x 1,83 x 0,276 |
| 0.900.0116.1 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 0.900.0801.2 | DISC FRICTION GRPH | SUNBURST | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| SAMSUNG (also see Clark) | | | | | | |
| 3146763 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 419-15-12290L | RED DISC FRICTION FP | WAFFLE | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 419-15-12310L | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 7114-32560 | DISC FRICTION FP | 2 PASS | 48 | INT TH | 219,0 x 144,2 x 4,5 | 8,62 x 5,68 x 0,177 |
| 7123-22310 | DISC STEEL INTERMEDIATE | ----- | 77 | EXT TH | 274,0 x 182,0 x 4,0 | 10,79 x 7,17 x 0,157 |
| 7124-22440 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 325,0 x 224,0 x 4,5 | 12,80 x 8,82 x 0,177 |
| 7124-22540 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,9 | 13,58 x 9,57 x 0,154 |
| 7124-22550 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,2 | 13,58 x 9,57 x 0,165 |
| 7124-22560 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 4,5 | 13,58 x 9,57 x 0,177 |
| 7124-22570 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 5,0 | 13,58 x 9,57 x 0,197 |
| 7124-22650 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,0 | 13,58 x 9,57 x 0,118 |
| 7124-22660 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,3 | 13,58 x 9,57 x 0,128 |
| 7124-22670 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,5 | 13,58 x 9,57 x 0,138 |
| 7124-22690 | OBSOLETE | ----- | 75 | EXT TH | 345,0 x 243,0 x 2,5 | 13,58 x 9,57 x 0,098 |
| 7124-22700 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 345,0 x 243,0 x 3,8 | 13,58 x 9,57 x 0,148 |

| | | | | | | |
|------------------|---------------------------|-------------|----|-----------|---------------------|----------------------|
| 7124-52490 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 7124-52500 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,0 | 15,08 x 9,96 x 0,154 |
| 7124-52510 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,3 | 15,08 x 9,96 x 0,167 |
| 7124-52520 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 4,5 | 15,08 x 9,96 x 0,177 |
| 7124-52530 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 5,0 | 15,08 x 9,96 x 0,197 |
| 7124-52650 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,3 | 15,08 x 9,96 x 0,128 |
| 7124-52660 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,5 | 15,08 x 9,96 x 0,138 |
| 7124-52670 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 3,8 | 15,08 x 9,96 x 0,148 |
| 7124-52680 | DISC STEEL INTERMEDIATE | ----- | 75 | EXT TH | 383,0 x 253,0 x 2,5 | 15,08 x 9,96 x 0,098 |
| 7173-00820 | DISC FRICTION FP | 2 PASS | 62 | INT TH | 204,0 x 152,7 x 3,7 | 8,03 x 6,01 x 0,148 |
| 7173-00830 | DISC STEEL INTERMEDIATE | ----- | 70 | (74)EX TH | 209,0 x 161,0 x 2,5 | 8,23 x 6,34 x 0,100 |
| 7173-01570 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 134,0 x 87,8 x 2,3 | 5,28 x 3,46 x 0,093 |
| 7173-01580 | DISC STEEL INTERMEDIATE | ----- | 56 | EXT TH | 142,0 x 96,0 x 2,0 | 5,59 x 3,78 x 0,079 |
| 7173-01581 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 152,5 x 95,0 x 2,0 | 6,00 x 3,74 x 0,079 |
| 7173-02140 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 7173-04550 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,64 x 2,68 x 0,087 |
| 8230-13910 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 188,5 x 158,0 x 1,5 | 7,42 x 6,22 x 0,059 |
| 8230-13940 | DISC FRICTION FP | 2 PASS | 56 | (60)IN TH | 180,0 x 145,0 x 4,0 | 7,09 x 5,71 x 0,157 |
| ? | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| SANDERSON | | | | | | |
| 0323994.0 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 195,0 x 110,0 x 2,6 | 7,68 x 4,33 x 0,102 |
| 0323995.0 | DISC FRICTION GRPH | WAFFLE | 28 | INT TH | 169,0 x 56,0 x 4,8 | 6,65 x 2,21 x 0,189 |
| 500215 | DISC FRICTION FP | 2 PASS | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 504651 | DISC FRICTION FP | WAFFLE | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,189 |
| 504652 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 236,0 x 85,0 x 2,7 | 9,29 x 3,35 x 0,106 |
| 506010 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 506931 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| SCANIA | | | | | | |
| 174222 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | INT TH | 254,0 x 193,8 x 4,5 | 10,00 x 7,63 x 0,177 |
| 242040 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 284679 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | INT TH | 254,0 x 193,8 x 4,5 | 10,00 x 7,63 x 0,177 |
| 315346 | DISC STEEL INTERMEDIATE | ----- | 87 | EXT TH | 263,5 x 206,0 x 2,1 | 10,37 x 8,11 x 0,081 |
| 326019 | OBSOLETE | ----- | 44 | INT TH | 198,1 x 125,7 x 3,0 | 7,80 x 4,95 x 0,118 |
| 342041 | OBSOLETE | ----- | 44 | INT TH | 198,1 x 125,7 x 3,0 | 7,80 x 4,95 x 0,118 |
| 355402 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| SCHAEFF | | | | | | |
| 5904646721 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 5904658108 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 5904658211 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 5904658212 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 5904658213 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 5904658262 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 5904658263 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 5904658505 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 5904658624 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| SCHOPF | | | | | | |
| 33339 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|----------------------------|---------------------------|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 33748 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 37967 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| 37968 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 41462 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 41463 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 41465 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 44262 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 44263 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 44264 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 44266 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 44269 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 44270 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 75356 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 75357 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 75542 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| SELF CHANGING GEARS | | | | | | |
| 52073 | CLUTCH DISC SINTER BRONZE | ----- | 71 | EXT TH | 181,4 x 127,0 x 2,4 | 7,14 x 5,00 x 0,094 |
| SENNEBOGEN | | | | | | |
| 15968 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 22958 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 22961 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 23946 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 29261 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 29262 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 29263 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 29264 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 39934 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 39935 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 55431 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| SELICK | | | | | | |
| 260674 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| SHINKO | | | | | | |
| 0614-30271-0 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| SISU | | | | | | |
| N2219018H | DISC FRICTION FP | 3 PASS | 63 | INT TH | 435,0 x 252,0 x 6,7 | 17,13 x 9,92 x 0,262 |
| N2220119H | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 453,0 x 298,0 x 5,0 | 17,83 x 11,73 x 0,197 |
| 801904699 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 802308777 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 802309501 | AFP | WAFFLE | 60 | INT TH | 450,0 x 300,0 x 5,3 | 17,72 x 11,81 x 0,209 |
| 802310716 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 802311013 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 802311014 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| SMV | | | | | | |
| 52768346 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| SOILMEC | | | | | | |

| | | | | | | |
|---|---------------------------|-----------|-----|-----------|---------------------|-----------------------|
| ? | DISC STEEL INTERMEDIATE | ----- | 39 | INT TH | 178,0 x 112,0 x 2,2 | 7,01 x 4,41 x 0,086 |
| ? | CLUTCH DISC SINTER BRONZE | SPR/RAD | 62 | EXT TH | 188,0 x 132,0 x 2,4 | 7,40 x 5,20 x 0,094 |
| ? | CLUTCH DISC SINTER BRONZE | WAFFLE | 30 | INT TH | 123,0 x 75,0 x 2,2 | 4,84 x 2,95 x 0,087 |
| ? | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 136,9 x 84,1 x 1,5 | 5,39 x 3,31 x 0,059 |
| 680700040 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 127,0 x 79,0 x 1,8 | 5,00 x 3,11 x 0,071 |
| 680900040 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 138,8 x 95,2 x 2,8 | 5,46 x 3,75 x 0,110 |
| SPICER (DANA, TURNER POWERTRAIN) | | | | | | |
| CKC64525 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| CKC66118 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| CKC66409 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| CKC67807 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,0 | 5,24 x 3,65 x 0,079 |
| CKC68632 | DISC FRICTION FP | 2 PASS | 40 | INT TH | 127,1 x 82,2 x 2,5 | 5,00 x 3,24 x 0,980 |
| CKC68633 | DISC STEEL INTERMEDIATE | ----- | 26 | EXT TH | 143,5 x 89,5 x 2,2 | 5,65 x 3,52 x 0,084 |
| P18609 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| P20602 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 1,8 | 5,85 x 4,24 x 0,070 |
| STEYR | | | | | | |
| 3777700440801 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| 1-31-722-105 | CLUTCH DISC SINTER BRONZE | SUNBURST | 30 | EXT TH | 118,3 x 77,3 x 2,2 | 4,66 x 3,04 x 0,087 |
| 1-31-722-310 | DISC FRICTION FP | WAFFLE | 10 | EXT LG | 211,0 x 149,4 x 2,5 | 8,31 x 5,88 x 0,098 |
| 1-31-722-372 | DISC STEEL INTERMEDIATE | SINEWAVED | 47 | (48)IN TH | 198,0 x 131,6 x 2,8 | 7,80 x 5,18 x 0,110 |
| 1-31-722-378 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 110,9 x 70,7 x 1,5 | 4,37 x 2,78 x 0,059 |
| 1-33-744-605 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 1-33-744-614 | DISC FRICTION GRPH | SUNBURST | 13 | INT TH | 215,0 x 36,5 x 10,0 | 8,46 x 1,44 x 0,394 |
| STILL | | | | | | |
| 149930 | DISC FRICTION GRPH | SUNBURST | 36 | (73)EX TH | 151,5 x 101,5 x 3,5 | 5,96 x 4,00 x 0,138 |
| 149932 | GRAPH/STL | SUN/PLAIN | 36 | (73)EX TH | 151,5 x 101,5 x 2,8 | 5,96 x 4,00 x 0,108 |
| 149943 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 9846631 | DISC FRICTION GRPH | SUN/RAD | 16 | INT TH | 204,0 x 40,0 x 4,9 | 8,03 x 1,57 x 0,193 |
| STROMAG | | | | | | |
| 298-850264-000 | OBSOLETE | | 63 | (77)EX TH | 156,0 x 112,0 x 1,9 | 6,14 x 4,41 x 0,073 |
| SUMITOMO EATON | | | | | | |
| EE0539B | DISC FRICTION FP | WAFFLE | 48 | INT TH | 140,0 x 96,0 x 2,9 | 5,51 x 3,78 x 0,114 |
| LKM0060 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 190,0 x 159,0 x 4,0 | 7,48 x 6,26 x 0,157 |
| LZM0228 | ELASTOMER | RADIAL | 30 | (38)IN TH | 178,0 x 148,0 x 3,6 | 7,01 x 5,83 x 0,142 |
| LZM0310 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 190,0 x 159,0 x 4,0 | 7,48 x 6,26 x 0,157 |
| SVETRUCK | | | | | | |
| 904017 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 104 | INT TH | 437,9 x 325,1 x 4,3 | 17,24 x 12,80 x 0,169 |
| 904018 | DISC STEEL INTERMEDIATE | ----- | 142 | EXT TH | 455,0 x 342,0 x 3,2 | 17,91 x 13,46 x 0,126 |
| 907753 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 907995 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 104 | INT TH | 437,9 x 325,1 x 4,3 | 17,24 x 12,80 x 0,169 |
| TADANO | | | | | | |
| 32306-99802 | DISC FRICTION FP | WAFFLE | 34 | INT TH | 167,6 x 105,0 x 2,0 | 6,60 x 4,13 x 0,080 |
| 32307-99800 | DISC STEEL INTERMEDIATE | ----- | 85 | EXT TH | 181,5 x 116,0 x 1,8 | 7,15 x 4,57 x 0,071 |
| 223-21008100 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| 346-72025670 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 173,8 x 103,0 x 2,5 | 6,84 x 4,06 x 0,098 |
| 347-62026010 | DISC STEEL INTERMEDIATE | BLACK | 12 | EXT LG | 183,4 x 118,0 x 1,6 | 7,22 x 4,65 x 0,063 |
| 360-70441000 | DISC FRICTION FP | WAFFLE | | RING | 122,5 x 71,0 x 3,0 | 4,82 x 2,80 x 0,118 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 360-70445010 | DISC FRICTION FP | WAFFLE | | RING | 122,5 x 71,0 x 3,0 | 4,82 x 2,80 x 0,118 |
| 363-50035770 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 132,8 x 85,5 x 1,5 | 5,23 x 3,37 x 0,059 |
| 363-50035780 | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 143,1 x 93,0 x 2,8 | 5,63 x 3,66 x 0,110 |
| 363-50035910 | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 143,1 x 93,0 x 2,8 | 5,63 x 3,66 x 0,110 |
| 363-50205690 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 110,0 x 2,2 | 6,46 x 4,33 x 0,087 |
| 363-50205700 | DISC STEEL INTERMEDIATE | DISHED | 48 | INT TH | 151,0 x 98,2 x 1,5 | 5,94 x 3,87 x 0,059 |
| 363-50245530 | DISC STEEL INTERMEDIATE | ----- | 48 | INT TH | 151,0 x 98,2 x 1,5 | 5,94 x 3,87 x 0,059 |
| 363-50366000 | DISC FRICTION FP | 2 PASS | 41 | INT TH | 125,0 x 68,6 x 2,1 | 4,92 x 2,70 x 0,081 |
| 363-50445230 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 131,4 x 80,0 x 1,6 | 5,17 x 3,15 x 0,063 |
| 363-70045270 | CLUTCH DISC SINTER BRONZE | SUNBURST | 66 | EXT TH | 142,6 x 85,7 x 2,8 | 5,61 x 3,37 x 0,110 |
| 363-70045280 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| 363-70055120 | DISC STEEL INTERMEDIATE | ----- | 89 | EXT TH | 285,8 x 225,0 x 2,3 | 11,25 x 8,86 x 0,091 |
| 363-70375290 | DISC FRICTION FP/STL | WAFFLE | 66 | EXT TH | 143,1 x 93,5 x 1,8 | 5,63 x 3,68 x 0,071 |
| 363-70375300 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 132,8 x 85,5 x 1,5 | 5,23 x 3,37 x 0,059 |
| 363-70375310 | DISC FRICTION FP | WAFFLE | 66 | EXT TH | 143,1 x 93,5 x 2,4 | 5,63 x 3,68 x 0,094 |
| TAILIFT | | | | | | |
| 32560514 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 140,0 x 77,0 x 1,5 | 0,55 x 3,03 x 0,059 |
| 92560513 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| TAMROCK | | | | | | |
| 4690267 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 4690268 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 4697094 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 4697216 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 4697678 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 4697679 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 457,2 x 313,4 x 6,8 | 18,00 x 12,34 x 0,268 |
| 4697727 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 4698030 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 4698031 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 4698068 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 4698069 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4698491 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 4698492 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 4699659 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 4699660 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 4699665 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 4699801 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 4699943 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 4699959 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 4700418 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 4700419 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4700426 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 4700428 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 4700647 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 4700648 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 4700651 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |

| TAYLOR | | | | | | |
|--------------------------|--|------------------|-----|-----------|----------------------|-----------------------|
| 4522-392 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 4522-403 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 4522-404 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 4522-405 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |
| TCI | | | | | | |
| 93636 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 93637 | DISC FRICTION FP | 1 PASS | 43 | (45)IN TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 93638 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 93639 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 93645 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| TCM FORKLIFT, SEE MITSUI | | | | | | |
| 16262-52601 | DISC STEEL INTERMEDIATE | ----- | 56 | (60)EX TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,071 |
| 16262-53091 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 163F3-02181 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 343,7 x 65,3 x 6,0 | 13,53 x 2,57 x 0,236 |
| 163F3-52201 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 197,3 x 103,1 x 3,5 | 7,77 x 4,06 x 0,138 |
| 163G3-02131 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 361,6 x 122,5 x 6,2 | 14,24 x 4,82 x 0,244 |
| 163G3-02141 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 385,5 x 282,0 x 4,9 | 15,18 x 11,10 x 0,193 |
| 163H3-02111 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 387,5 x 122,5 x 6,2 | 15,26 x 4,82 x 0,244 |
| 163H3-02131 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 403,1 x 306,5 x 4,8 | 15,87 x 12,07 x 0,189 |
| 163H3-52311 | OBSOLETE | RADIAL | 4 | EXT LG | 210,0 x 124,0 x 4,5 | 8,27 x 4,88 x 0,177 |
| 163H3-52321 | DISC STEEL INTERMEDIATE | CONCENTRIC | 30 | INT TH | 167,6 x 112,8 x 3,5 | 6,60 x 4,44 x 0,14 |
| 163J2-52511 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 173,9 x 110,2 x 2,4 | 6,85 x 4,34 x 0,094 |
| 163J2-53021 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 163J3-02111 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 400,0 x 122,5 x 6,2 | 15,75 x 4,82 x 0,244 |
| 163J3-02131 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 418,6 x 312,0 x 5,0 | 16,48 x 12,28 x 0,197 |
| 163J2-52501 | DISC FRICTION FP | 2 PASS | 26 | INT TH | 160,0 x 97,5 x 2,2 | 6,30 x 3,84 x 0,087 |
| 163J2-52591 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 174,1 x 110,0 x 1,7 | 6,85 x 4,33 x 0,066 |
| 16323-02061 | DISC FRICTION FP | WAFFLE | 25 | INT TH | 256,0 x 95,3 x 6,2 | 10,08 x 3,75 x 0,224 |
| 16382-54221 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 138,6 x 90,5 x 1,6 | 5,46 x 3,56 x 0,063 |
| 16382-54232 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 16382-54721 | CLUTCH DISC SINTER BRONZE | SUNBURST | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 16383-02171 | DISC FRICTION FP | WAFFLE | 23 | INT TH | 280,0 x 87,5 x 6,2 | 11,02 x 3,44 x 0,244 |
| 16422-52271 | DISC STEEL INTERMEDIATE | ----- | 68 | EXT TH | 173,9 x 113,0 x 1,7 | 6,85 x 4,45 x 0,067 |
| 16422-52281 | DISC FRICTION FP | WAFFLE | 52 | INT TH | 160,0 x 107,5 x 2,2 | 6,30 x 4,23 x 0,087 |
| 16422-52801 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 130,0 x 85,0 x 2,5 | 5,12 x 3,35 x 0,098 |
| 16503-02332 | DISC FRICTION FP | WAFFLE | 35 | INT TH | 370,1 x 126,2 x 7,2 | 14,57 x 4,97 x 0,283 |
| 16602-52691 | CLUTCH DISC SINTER BRONZE | SUNBURST | 52 | INT TH | 148,6 x 107,5 x 3,0 | 5,85 x 4,23 x 0,118 |
| 16603-02911 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 362,0 x 126,2 x 7,2 | 14,25 x 4,97 x 0,283 |
| 16703-02303 | OBSOLETE | ----- | 9 | EXT LG | 404,0 x 278,0 x 11,5 | 15,91 x 10,94 x 0,453 |
| 16703-02481 | OBSOLETE AFTER STOCK | WAFFLE | 35 | INT TH | 390,4 x 126,2 x 7,2 | 15,37 x 4,97 x 0,283 |
| 16763-02101 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 344,0 x 122,5 x 6,2 | 13,54 x 4,82 x 0,244 |
| 16772-52461 | DISC FRICTION FP | 2 PASS | 52 | INT TH | 160,0 x 107,5 x 2,2 | 6,30 x 4,23 x 0,087 |
| 16783-02331 | DISC FRICTION FP | WAFFLE | 33 | INT TH | 400,0 x 122,5 x 6,2 | 15,75 x 4,82 x 0,244 |
| 16903-02341 | DISC FRICTION FP | 3 PASS | 112 | INT TH | 480,1 x 330,0 x 5,1 | 18,90 x 12,99 x 0,200 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 16903-02351 | DISC STEEL INTERMEDIATE | ---- | 146 | (164)EX TH | 494,8 x 345,9 x 2,4 | 19,48 x 13,62 x 0,094 |
| 18223-02452 | DISC FRICTION FP | 2 PASS | 23 | INT TH | 308,0 x 87,5 x 6,2 | 12,13 x 3,44 x 0,244 |
| TEREX (ALSO SEE ALLISON) | | | | | | |
| 9157053 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 9157072 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| 9398051 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 9398081 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 9398104 | DISC STEEL INTERMEDIATE | ---- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 9398105 | DISC STEEL INTERMEDIATE | ---- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 9398107 | DISC STEEL INTERMEDIATE | ---- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 9398112 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 9398144 | DISC STEEL INTERMEDIATE | ---- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 9398148 | DISC STEEL INTERMEDIATE | ---- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 9398591 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 9399455 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 9399470 | OBSOLETE AFTER STOCK | | 75 | INT TH | 373,2 x 295,5 x 3,3 | 14,69 x 11,63 x 0,128 |
| 9399534 | DISC STEEL INTERMEDIATE | ---- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |
| 9399545 | DISC STEEL INTERMEDIATE | ---- | 14 | EXT SL | 399,5 x 310,3 x 3,0 | 15,73 x 12,22 x 0,118 |
| 9433804 | DISC FRICTION GRPH | SUNBURST | 45 | (54)IN TH | 298,0 x 106,0 x 3,9 | 11,73 x 4,17 x 0,152 |
| 9433805 | DISC STEEL INTERMEDIATE | ---- | 6 | EXT LG | 334,0 x 225,0 x 3,0 | 13,15 x 8,86 x 0,118 |
| 15000717 | DISC FRICTION FP | 3 PASS | 99 | (102)IN TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 15000719 | DISC STEEL INTERMEDIATE | ---- | 140 | (144)EX TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 15000720 | DISC DAMPER | ---- | 140 | (144)EX TH | 737,9 x 539,8 x 6,9 | 29,05 x 21,25 x 0,270 |
| 15235882 | DISC FRICTION FP | 3 PASS | 99 | (102)IN TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 15248874 | DISC FRICTION FP | 3 PASS | 92 | INT TH | 650,0 x 460,0 x 5,1 | 25,59 x 18,11 x 0,201 |
| 15248888 | DISC STEEL INTERMEDIATE | ---- | 132 | EXT TH | 677,7 x 492,6 x 2,4 | 26,68 x 19,39 x 0,094 |
| 15248889 | DISC DAMPER | ---- | 132 | EXT TH | 677,7 x 492,6 x 6,9 | 26,68 x 19,39 x 0,272 |
| 15265538 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 15267525 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 15267531 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 15267537 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 15269366 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 15269367 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 15269368 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 15269369 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 15269370 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 15269371 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 15269372 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 15269373 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| 15269375 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 15269376 | DISC STEEL INTERMEDIATE | ---- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |

| | | | | | | |
|----------|--|------------------|-----|------------|---------------------|-----------------------|
| 15269377 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 15269378 | BRNZ/PLN | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,0 | 6,95 x 5,51 x 0,077 |
| 15271592 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 15271593 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 15271594 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 15271595 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 15271597 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,0 | 7,32 x 5,22 x 0,077 |
| 15271598 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 15271599 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 15271600 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 15271601 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 15271602 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 15271603 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| 15271604 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 15271605 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| 15272500 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 15272501 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 15272502 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 15272537 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 15272538 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 15272539 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 15273279 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 15273282 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 15273283 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 15275520 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 15275521 | DISC STEEL INTERMEDIATE | ----- | 30 | (55)EX TH | 474,0 x 338,6 x 4,7 | 18,66 x 13,33 x 0,185 |
| 15275704 | DISC FRICTION FP | WAFFLE | 78 | INT TH | 446,0 x 312,0 x 4,8 | 17,56 x 12,28 x 0,187 |
| 15275705 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 473,0 x 322,0 x 4,0 | 18,62 x 12,68 x 0,157 |
| 15275783 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 15275784 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 15302796 | DISC FRICTION FP | 3 PASS | 99 | (102)IN TH | 715,3 x 511,3 x 5,1 | 28,16 x 20,13 x 0,200 |
| 15302797 | DISC STEEL INTERMEDIATE | ----- | 140 | (144)EX TH | 737,9 x 539,8 x 2,5 | 29,05 x 21,25 x 0,100 |
| 15302798 | DISC DAMPER | ----- | 140 | (144)EX TH | 737,9 x 539,8 x 6,9 | 29,05 x 21,25 x 0,270 |
| 15500052 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 4,0 | 6,69 x 5,22 x 0,157 |
| 15500384 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 15500385 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 15501082 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 15501083 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 15501084 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 15501085 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 15501087 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 15501612 | DISC FRICTION GRPH | SUNBURST | 54 | INT TH | 196,0 x 105,5 x 3,2 | 7,72 x 4,15 x 0,126 |
| 15501613 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 210,4 x 152,3 x 2,0 | 8,28 x 6,00 x 0,079 |
| 15501754 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 334,0 x 225,0 x 3,0 | 13,15 x 8,86 x 0,118 |
| 15501931 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 15501932 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| 15502718 | DISC FRICTION FP | WAFFLE | 49 | (58)IN TH | 297,5 x 116,2 x 5,0 | 11,71 x 4,57 x 0,197 |
| 15503273 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 78 | INT TH | 445,5 x 312,3 x 4,0 | 17,54 x 12,30 x 0,157 |
| 15503274 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 2,6 | 18,86 x 12,68 x 0,102 |
| 15503275 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 3,2 | 18,86 x 12,68 x 0,126 |
| 15503276 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 3,0 | 18,86 x 12,68 x 0,118 |
| 15503277 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 2,8 | 18,86 x 12,68 x 0,110 |
| 15503278 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 4,0 | 18,86 x 12,68 x 0,157 |
| 15503646 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT TH | 333,5 x 225,5 x 3,5 | 13,13 x 8,88 x 0,136 |
| 15504023 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 49 | (58)IN TH | 298,2 x 116,5 x 5,0 | 11,74 x 4,59 x 0,197 |
| 22833701 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 22833706 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 7-126-479 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| 7-229-649 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| V007483 | CLUTCH DISC SINTER BRONZE | SPIRAL | 27 | EXT TH | 84,2 x 58,5 x 1,8 | 3,31 x 2,30 x 0,071 |
| V007484 | DISC STEEL INTERMEDIATE | ----- | 28 | INT TH | 76,7 x 54,2 x 1,0 | 3,02 x 2,13 x 0,039 |
| V008887 | CLUTCH DISC SINTER BRONZE | WAFFLE | 54 | EXT TH | 109,5 x 81,6 x 1,9 | 4,31 x 3,21 x 0,075 |
| V008888 | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 102,0 x 77,0 x 1,5 | 4,02 x 3,03 x 0,059 |
| B8343136 | CLUTCH DISC SINTER BRONZE | WAFFLE | 28 | INT TH | 102,0 x 55,5 x 1,8 | 4,02 x 2,19 x 0,071 |
| V8638911 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 115,0 x 65,0 x 1,5 | 4,53 x 2,56 x 0,059 |
| THWAITES | | | | | | |
| T2503 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| T2854 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 15 | INT TH | 178,0 x 36,0 x 4,8 | 7,00 x 1,42 x 0,189 |
| T2855 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 202,0 x 140,0 x 2,5 | 7,95 x 5,51 x 0,098 |
| T3570 | OBSOLETE AFTER STOCK | | 1 | EXT LG | 158,8 x 83,8 x 2,7 | 6,25 x 3,30 x 0,105 |
| T3571 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 152,4 x 35,6 x 4,8 | 6,00 x 1,40 x 0,190 |
| T3947 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| T3948 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| T53874 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 180,0 x 111,1 x 2,7 | 7,09 x 4,37 x 0,106 |
| TIMBERJACK | | | | | | |
| 406216 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 6775541 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 60 | INT TH | 253,5 x 187,7 x 3,9 | 9,98 x 7,39 x 0,153 |
| F047367 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 253,0 x 150,0 x 2,6 | 9,96 x 5,91 x 0,102 |
| F056912 | DISC FRICTION GRPH | SUNBURST | 24 | INT TH | 169,0 x 45,1 x 4,8 | 6,65 x 1,78 x 0,189 |
| TONANCO | | | | | | |
| 3045-2180 | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 103,0 x 2,9 | 6,46 x 4,06 x 0,114 |
| 3045-2190 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,6 | 6,00 x 3,64 x 0,063 |

| | | | | | | |
|---------------------------------|--|----------|-----|-----------|----------------------|-----------------------|
| 3147-2180 | OBSOLETE | SUNBURST | 84 | EXT TH | 214,7 x 158,4 x 2,9 | 8,45 x 6,24 x 0,114 |
| 3147-2190 | OBSOLETE | ----- | 60 | INT TH | 200,8 x 145,3 x 2,0 | 7,91 x 5,72 x 0,079 |
| 3247-2180 | OBSOLETE | SUNBURST | 92 | EXT TH | 235,0 x 179,0 x 2,9 | 9,25 x 7,05 x 0,114 |
| 3247-2190 | OBSOLETE | ----- | 62 | INT TH | 221,0 x 165,0 x 2,0 | 8,70 x 6,50 x 0,079 |
| TORO / TAMROCK / SANDVIK | | | | | | |
| 4678031 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 4690267 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 4690268 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 4697094 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 4697216 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 4697450 | DISC STEEL INTERMEDIATE | SUNBURST | 16 | EXT TH | 176,2 x 103,5 x 3,9 | 6,94 x 4,07 x 0,155 |
| 4697678 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 4697679 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 457,2 x 313,4 x 6,8 | 18,00 x 12,34 x 0,268 |
| 4697727 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 4698030 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 4698031 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 4698069 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4698491 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 4698492 | DISC FRICTION GRPH | SUNBURST | 52 | INT TH | 175,3 x 107,6 x 2,9 | 6,90 x 4,20 x 0,114 |
| 4699313 | DISC STEEL INTERMEDIATE | SUNBURST | 32 | (36)IN TH | 156,8 x 89,0 x 6,4 | 6,17 x 3,50 x 0,250 |
| 4699659 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 4699660 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 4699665 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 4699801 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 4699869 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 4699875 | DISC STEEL INTERMEDIATE | ----- | 106 | EXT TH | 341,0 x 267,5 x 12,5 | 13,43 x 10,53 x 0,492 |
| 4699876 | DISC STEEL INTERMEDIATE | ----- | 106 | EXT TH | 341,0 x 267,5 x 4,8 | 13,43 x 10,53 x 0,189 |
| 4699943 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 4699959 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 4700419 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4700426 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 4700428 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 4700647 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 4700648 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 4700651 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 55053759 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 55054883 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 56001037 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 60 | INT TH | 292,0 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 56002410 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 56002411 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 34 | (38)IN TH | 456,7 x 313,7 x 6,8 | 17,98 x 12,35 x 0,268 |
| 56002412 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 56006630 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,203 |
| 56006631 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 56015301 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 52 | INT TH | 175,3 x 106,7 x 3,0 | 6,90 x 4,20 x 0,116 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 56018038 | DISC STEEL INTERMEDIATE | ----- | 16 | EXT LG | 590,5 x 416,2 x 4,8 | 23,25 x 16,39 x 0,189 |
| 56018039 | DISC FRICTION CARBON FP | 3 PASS | 34 | INT TH | 573,0 x 313,8 x 6,8 | 22,56 x 12,55 x 0,268 |
| 56023743 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 501,0 x 338,0 x 4,8 | 19,72 x 13,31 x 0,189 |
| 56025587 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 56044065 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 69040274 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 77006538 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 77021036 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| 77021037 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| TOYOTA | | | | | | |
| 32153-32381-71 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | INT TH | 173,8 x 103,0 x 2,5 | 6,84 x 4,06 x 0,098 |
| 32158-33900-71 | DISC FRICTION FP | WAFFLE | 38 | INT TH | 158,0 x 95,2 x 2,7 | 6,22 x 3,75 x 0,106 |
| 32159-33900-71 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 164,3 x 107,0 x 2,0 | 6,47 x 4,21 x 0,079 |
| 32343-30520-71 | DISC FRICTION FP | 2 PASS | 29 | INT TH | 155,0 x 89,0 x 2,6 | 6,10 x 3,50 x 0,102 |
| 32344-30520-71 | DISC STEEL INTERMEDIATE | ----- | 52 | EXT TH | 161,5 x 100,0 x 2,3 | 6,36 x 3,94 x 0,091 |
| 32411-23630-71 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| 32412-22030-71 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 32412-23630-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 32412-33900-71 | DISC FRICTION FP | 2 PASS | 34 | INT TH | 173,0 x 105,0 x 2,6 | 6,81 x 4,13 x 0,102 |
| 32413-31710-71 | DISC STEEL INTERMEDIATE | ----- | 18 | EXT LG | 165,5 x 100,0 x 2,0 | 6,52 x 3,94 x 0,079 |
| 32416-23011-71 | DISC STEEL INTERMEDIATE | ----- | 28 | (35)EX TH | 139,0 x 91,2 x 1,6 | 5,47 x 3,59 x 0,063 |
| 32425-U2170-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 139,2 x 88,4 x 2,0 | 5,48 x 3,48 x 0,079 |
| 32425-23330-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 139,2 x 88,4 x 2,0 | 5,48 x 3,48 x 0,079 |
| 32431-12010-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,3 x 114,3 x 1,8 | 6,35 x 4,50 x 0,071 |
| 32431-10510-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,4 x 88,1 x 1,2 | 5,37 x 3,47 x 0,047 |
| 32431-12050-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,3 x 114,3 x 1,8 | 6,35 x 4,50 x 0,071 |
| 32431-22010-71 | DISC STEEL INTERMEDIATE | DISHED | 8 | EXT LG | 161,3 x 114,3 x 2,3 | 6,35 x 4,50 x 0,091 |
| 32431-23330-71 | DISC STEEL INTERMEDIATE | NOTCHES | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| 32431-23630-71 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,5 x 88,5 x 2,0 | 5,65 x 3,48 x 0,079 |
| 32432-10510-71 | DISC STEEL INTERMEDIATE | DISHED | 8 | EXT LG | 136,4 x 88,1 x 1,2 | 5,37 x 3,47 x 0,047 |
| 32432-12010-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 3,0 | 5,16 x 3,12 x 0,118 |
| 32432-12030-71 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,6 | 5,88 x 4,24 x 0,102 |
| 32432-12050-71 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,9 | 5,88 x 4,24 x 0,115 |
| 32432-12051-71 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,9 | 5,88 x 4,24 x 0,115 |
| 32432-22010-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,9 | 6,13 x 3,46 x 0,114 |
| 32432-22011-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,9 | 6,13 x 3,46 x 0,114 |
| 32432-22030-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 32432-23010-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 3,0 | 5,16 x 3,12 x 0,118 |
| 32432-32890-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 32433-10510-71 | CLUTCH DISC SINTER BRONZE | SUNBURST | 30 | INT TH | 124,5 x 79,2 x 2,9 | 4,90 x 3,12 x 0,115 |
| 32439-23630-71 | DISC STEEL INTERMEDIATE | DISHED | 6 | EXT LG | 143,3 x 88,3 x 2,3 | 5,64 x 3,48 x 0,091 |
| 32442-12620-71 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 32442-U1130-71 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 32444-23330-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 139,2 x 88,4 x 2,2 | 5,48 x 3,48 x 0,087 |

| | | | | | | |
|------------------|---------------------------|----------|-----|-----------|---------------------|----------------------|
| 32451-33060-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,3 x 114,3 x 1,9 | 6,35 x 4,50 x 0,075 |
| 32452-33060-71 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,6 | 5,88 x 4,24 x 0,102 |
| 32461-23030-71 | DISC FRICTION FP | 2 PASS | 42 | INT TH | 149,4 x 107,7 x 2,6 | 5,88 x 4,24 x 0,102 |
| 32461-23330-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 32461-23630-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 32461-23830-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 32461-F2100-71 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 32482-33900-71 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 183,4 x 118,0 x 2,0 | 7,22 x 4,65 x 0,079 |
| 32551-31190-71 | OBSOLETE AFTER STOCK | | 43 | INT TH | 173,8 x 103,0 x 2,5 | 6,84 x 4,06 x 0,098 |
| 35634-3400-A | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 35634-3700 | DISC FRICTION FP | WAFFLE | 30 | INT TH | 131,0 x 79,2 x 2,6 | 5,16 x 3,12 x 0,102 |
| 40511-20060-71 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,9 | 4,92 x 2,70 x 0,114 |
| 40512-20060-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 77,2 x 1,0 | 5,18 x 3,04 x 0,039 |
| 40516-40120-71 | OBSOLETE | SPR/RAD | 43 | INT TH | 173,8 x 103,0 x 3,0 | 6,84 x 4,06 x 0,118 |
| 40517-40120-71 | DISC STEEL INTERMEDIATE | BLACK | 12 | EXT LG | 183,4 x 118,0 x 1,6 | 7,22 x 4,65 x 0,063 |
| 40521-30260-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,9 | 6,13 x 3,46 x 0,114 |
| 40521-30261-71 | DISC FRICTION FP | 2 PASS | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 40521-30261-71 | CLUTCH DISC SINTER BRONZE | SUNBURST | 37 | INT TH | 155,7 x 87,9 x 2,6 | 6,13 x 3,46 x 0,102 |
| 40522-30261-71 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 165,6 x 100,1 x 2,0 | 6,52 x 3,94 x 0,079 |
| 40586-40120-71 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | INT TH | 173,8 x 103,0 x 2,5 | 6,85 x 4,06 x 0,102 |
| 40587-40120-71 | DISC STEEL INTERMEDIATE | BLACK | 12 | EXT LG | 183,4 x 118,0 x 2,0 | 7,22 x 4,65 x 0,079 |
| 40615-20060-71 | CLUTCH DISC SINTER BRONZE | SUNBURST | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 40615-20060-71 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 40616-20060-71 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 131,6 x 80,0 x 1,6 | 5,18 x 3,15 x 0,063 |
| TROJAN | | | | | | |
| 6901324 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 6901705 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 6901816 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 6901914 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| TUG | | | | | | |
| TP-10271 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| TWIN DISC | | | | | | |
| 2215E | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 84,0 x 63,5 x 2,5 | 3,31 x 2,50 x 0,098 |
| 3771D | CLUTCH DISC SINTER BRONZE | RADIAL | 12 | EXT LG | 167,5 x 116,0 x 2,1 | 6,59 x 4,57 x 0,083 |
| 3771G | CLUTCH DISC SINTER BRONZE | ----- | 12 | EXT LG | 166,5 x 116,0 x 2,2 | 6,56 x 4,57 x 0,085 |
| 204097 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 101,6 x 64,8 x 1,5 | 4,00 x 2,55 x 0,063 |
| 225102 | OBSOLETE AFTER STOCK | | 90 | INT TH | 316,0 x 225,0 x 2,2 | 12,44 x 8,86 x 0,085 |
| 205105C | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,6 x 151,6 x 3,1 | 8,45 x 5,97 x 0,122 |
| 206063C | DISC STEEL INTERMEDIATE | ----- | 64 | INT TH | 228,6 x 158,7 x 2,6 | 9,00 x 6,25 x 0,102 |
| 206063F | DISC STEEL INTERMEDIATE | HARDENED | 64 | INT TH | 228,7 x 158,7 x 2,4 | 9,00 x 6,25 x 0,093 |
| 206067C,T | CLUTCH DISC SINTER BRONZE | SUNBURST | 93 | EXT TH | 239,8 x 171,6 x 3,5 | 9,44 x 6,76 x 0,138 |
| 206067J,Z | DISC FRICTION FP | WAFFLE | 93 | EXT TH | 239,8 x 171,6 x 3,6 | 9,44 x 6,76 x 0,142 |
| 206106C,K,P | CLUTCH DISC SINTER BRONZE | SUNBURST | 100 | EXT TH | 214,6 x 151,6 x 3,1 | 8,45 x 5,97 x 0,122 |
| 206106X,Y | DISC FRICTION FP | WAFFLE | 100 | EXT TH | 214,6 x 151,4 x 3,2 | 8,45 x 5,96 x 0,125 |
| 206107B | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,7 x 2,3 | 8,00 x 5,46 x 0,091 |
| 206177A,M,N | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,4 x 141,7 x 3,1 | 7,46 x 5,58 x 0,122 |
| 206177S | DISC FRICTION FP | WAFFLE | 88 | EXT TH | 189,6 x 141,7 x 3,2 | 7,46 x 5,58 x 0,125 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 206178C | DISC STEEL INTERMEDIATE | ----- | 52 | INT TH | 177,8 x 128,2 x 2,3 | 7,00 x 5,05 x 0,091 |
| 215736 | DISC STEEL INTERMEDIATE | HARDENED | 56 | INT TH | 203,3 x 138,0 x 2,3 | 8,00 x 5,43 x 0,091 |
| 215736B | DISC STEEL INTERMEDIATE | HARDENED | 56 | INT TH | 203,3 x 138,0 x 2,6 | 8,00 x 5,43 x 0,104 |
| 225103E | OBSOLETE AFTER STOCK | | 129 | EXT TH | 332,5 x 240,0 x 3,3 | 13,09 x 9,45 x 0,130 |
| A4480A,B,M | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| A4480G | CLUTCH DISC SINTER BRONZE | SUNBURST | 76 | EXT TH | 164,0 x 103,0 x 2,9 | 6,46 x 4,06 x 0,114 |
| A4481A | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,4 x 82,3 x 1,6 | 6,00 x 3,24 x 0,063 |
| A4488 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,5 x 117,6 x 3,1 | 7,46 x 4,63 x 0,122 |
| A4939 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,5 | 6,00 x 3,64 x 0,060 |
| A6566E | CLUTCH DISC SINTER BRONZE | SPR/RAD | 12 | EXT LG | 236,0 x 139,7 x 3,1 | 9,29 x 5,50 x 0,122 |
| A6567 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 203,2 x 122,8 x 2,3 | 8,00 x 4,83 x 0,091 |
| A6567-E | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 203,2 x 122,9 x 4,7 | 8,00 x 4,84 x 0,185 |
| B3060A | CLUTCH DISC SINTER BRONZE | RADIAL | 68 | EXT TH | 112,3 x 71,3 x 2,1 | 4,42 x 2,81 x 0,083 |
| P12122 | DISC FRICTION FP | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| P3924D | DISC FRICTION FP | WAFFLE | 64 | EXT TH | 138,4 x 95,0 x 2,4 | 5,45 x 3,74 x 0,093 |
| P4251A,B,C | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,1 x 103,1 x 2,8 | 6,46 x 4,06 x 0,110 |
| P4366 | CLUTCH DISC SINTER BRONZE | WAFFLE | 88 | EXT TH | 189,5 x 117,6 x 3,1 | 7,46 x 4,63 x 0,122 |
| P4371 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 152,4 x 92,5 x 1,5 | 6,00 x 3,64 x 0,060 |
| P4372 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 101,6 x 64,8 x 1,5 | 4,00 x 2,55 x 0,063 |
| P4373 | OBSOLETE AFTER STOCK | | 52 | INT TH | 177,8 x 106,7 x 2,4 | 7,00 x 4,20 x 0,094 |
| P4374A,B | DISC STEEL INTERMEDIATE | DISHED | 56 | INT TH | 203,2 x 138,4 x 2,3 | 8,00 x 5,45 x 0,091 |
| P5389 | DISC STEEL INTERMEDIATE | DISHED | 40 | INT TH | 127,0 x 82,3 x 1,6 | 5,00 x 3,24 x 0,063 |
| P8381 | CLUTCH DISC SINTER BRONZE | WAFFLE | 72 | EXT TH | 116,8 x 75,9 x 2,2 | 4,60 x 2,99 x 0,087 |
| P8382 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 108,2 x 68,9 x 1,6 | 4,26 x 2,71 x 0,063 |
| UNIVERSAL TRACTOR BRASOV | | | | | | |
| 33 16050 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 94 | INT TH | 444,5 x 295,5 x 7,1 | 17,50 x 11,63 x 0,280 |
| 33 24015 | CLUTCH DISC SINTER BRONZE | ----- | 120 | EXT TH | 384,8 x 292,6 x 4,7 | 15,15 x 11,52 x 0,187 |
| UZEL | | | | | | |
| 0012164U1M | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 0012165U1M | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 0012166U1M | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| VALMET / VALTRA | | | | | | |
| 411040 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 633165 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 633170 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 633175 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 5007913 | CLUTCH DISC SINTER BRONZE | WAFFLE | 95 | EXT TH | 287,0 x 167,0 x 4,0 | 11,30 x 6,57 x 0,157 |
| 30184800 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| 30359700 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 30721000 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 30727800 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 30727900 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 30728100 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 30902500 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 32584900 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,6 | 9,00 x 5,00 x 0,102 |

| | | | | | | |
|----------------|---------------------------|------------|----|-----------|---------------------|-----------------------|
| 32618700 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,9 | 5,24 x 3,65 x 0,730 |
| 32773200 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 32800600 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 223,0 x 41,0 x 4,8 | 8,78 x 1,61 x 0,187 |
| 34123900 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT SL | 228,6 x 149,0 x 4,5 | 8,82 x 5,87 x 0,177 |
| 34127100 | DISC FRICTION FP | WAFFLE | 27 | INT TH | 242,5 x 55,1 x 4,9 | 9,55 x 2,70 x 0,193 |
| 34401400 | DISC FRICTION FP | WAFFLE | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,189 |
| 35031000 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 35102500 | DISC STEEL INTERMEDIATE | SINEWAVED | 47 | (48)IN TH | 198,0 x 131,6 x 2,8 | 7,80 x 5,18 x 0,110 |
| 45037300 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 70029600 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 143,1 x 99,3 x 1,5 | 5,63 x 3,91 x 0,059 |
| 81236600 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 81236700 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 802311013 | DISC FRICTION FP | WAFFLE | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 802311014 | DISC STEEL INTERMEDIATE | ----- | 70 | EXT TH | 358,0 x 229,0 x 5,0 | 14,09 x 9,02 x 0,197 |
| 922011125 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 922011130 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 1479110130 | CLUTCH DISC SINTER BRONZE | WAFFLE | 76 | EXT TH | 164,0 x 132,0 x 2,1 | 6,46 x 5,20 x 0,083 |
| 1479130120 | DISC STEEL INTERMEDIATE | HARDENED | 41 | EXT TH | 84,5 x 56,0 x 1,0 | 3,33 x 2,20 x 0,390 |
| 1479130130 | DISC STEEL INTERMEDIATE | ----- | 31 | INT TH | 154,0 x 125,0 x 1,5 | 6,06 x 4,92 x 0,059 |
| M2211064H | CLUTCH DISC SINTER BRONZE | SPR/WAG | 27 | INT TH | 224,0 x 55,1 x 4,8 | 8,82 x 2,17 x 0,190 |
| M2211065H | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| VENIERI | | | | | | |
| 241.0.043 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 303,8 x 66,1 x 10,0 | 11,96 x 2,60 x 0,393 |
| 241.3.007 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 241.3.008 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 241.3.009 vv | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 241.3.013 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| 242.5.030 | DISC FRICTION GRPH | SUNBURST | 27 | INT TH | 260,0 x 66,1 x 10,0 | 10,24 x 2,60 x 0,394 |
| VOITH | | | | | | |
| 40.1046.30 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT SL | 339,4 x 244,1 x 2,6 | 13,36 x 9,61 x 0,102 |
| 48.0133.23 | CLUTCH DISC SINTER BRONZE | RAD/2 PASS | 58 | INT TH | 317,0 x 232,0 x 4,0 | 12,48 x 9,13 x 0,157 |
| 50.2982.04 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 288,0 x 233,0 x 2,0 | 11,34 x 9,17 x 0,079 |
| 50.5153.13 | DISC STEEL INTERMEDIATE | ----- | 63 | INT TH | 317,5 x 250,2 x 2,5 | 12,50 x 9,85 x 0,098 |
| 50.5520.11 | DISC STEEL INTERMEDIATE | SINEWAVED | 12 | EXT LG | 340,0 x 264,0 x 2,5 | 13,39 x 10,24 x 0,098 |
| 50.5520.14 | DISC STEEL INTERMEDIATE | SINEWAVED | 12 | EXT LG | 340,0 x 264,0 x 2,5 | 13,39 x 10,24 x 0,098 |
| 50.7147.16 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 50.7147.17 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 50.7493.10 | OBSOLETE | ----- | 8 | EXT LG | 242,1 x 170,4 x 2,0 | 9,53 x 6,71 x 0,079 |
| 50.7715.20 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 299,0 x 207,0 x 3,0 | 11,77 x 8,15 x 0,118 |
| 50.7910.10 | OBSOLETE | ----- | 8 | EXT LG | 243,3 x 169,8 x 5,0 | 9,58 x 6,69 x 0,197 |
| 50.7920.10 | DISC STEEL INTERMEDIATE | SINEWAVED | 12 | EXT LG | 280,0 x 207,0 x 2,0 | 11,02 x 8,15 x 0,080 |
| 50.8935.12 | OBSOLETE AFTER STOCK | | 34 | EXT TH | 139,0 x 97,0 x 1,5 | 5,47 x 3,82 x 0,059 |
| 50.9743.13 | DISC STEEL INTERMEDIATE | NITRIDED | 12 | EXT LG | 340,0 x 264,0 x 2,5 | 13,39 x 10,24 x 0,098 |
| 52.6303.10 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 299,0 x 207,0 x 3,0 | 11,77 x 8,15 x 0,118 |
| 52.6306.10 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 280,0 x 207,0 x 3,5 | 11,02 x 8,15 x 0,137 |
| 52.6804.10 | OBSOLETE AFTER STOCK | | 34 | EXT TH | 139,0 x 97,0 x 1,5 | 5,47 x 3,82 x 0,059 |
| 54.8208.10 | END PLATE | STEPPED | 12 | EXT LG | 280,0 x 207,0 x 7,0 | 11,02 x 8,15 x 0,276 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 54.9141.10 | DISC STEEL INTERMEDIATE | SINEWAVED | 12 | EXT LG | 340,0 x 264,0 x 2,5 | 13,39 x 10,24 x 0,098 |
| 54.9141.16 | DISC STEEL INTERMEDIATE | SINEWAVED | 12 | EXT LG | 340,0 x 264,0 x 2,5 | 13,39 x 10,24 x 0,098 |
| 58.2182.10 | DISC FRICTION FP | 2 PASS | 12 | EXT LG | 340,0 x 264,0 x 3,3 | 13,39 x 10,39 x 0,130 |
| 58.2250.10 | CLUTCH DISC SINTER BRONZE | RADIAL | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 58.2250.12 | CLUTCH DISC SINTER BRONZE | RADIAL | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 58.2250.13 | CLUTCH DISC SINTER BRONZE | RADIAL | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 58.2305.10 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 268,0 x 221,0 x 3,3 | 10,55 x 8,70 x 0,130 |
| 58.2305.11 | DISC FRICTION FP | 2 PASS | 56 | INT TH | 268,0 x 221,0 x 3,3 | 10,55 x 8,70 x 0,130 |
| 58.2460.13 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 257,6 x 197,1 x 3,0 | 10,14 x 7,76 x 0,118 |
| 58.2460.14 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 257,6 x 197,1 x 3,0 | 10,14 x 7,76 x 0,118 |
| 58.2526.13 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 58.2924.20 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 41 | INT TH | 221,8 x 162,1 x 3,5 | 8,73 x 6,38 x 0,138 |
| 58.3965.04 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 130,0 x 89,2 x 2,5 | 5,12 x 3,51 x 0,098 |
| 58.3965.10 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 130,0 x 89,2 x 2,5 | 5,12 x 3,51 x 0,098 |
| 58.4150.12 | DISC FRICTION FP | 4 PASS | 50 | INT TH | 257,6 x 197,1 x 3,2 | 10,14 x 7,76 x 0,126 |
| 58.4150.13 | DISC FRICTION FP | 4 PASS | 50 | INT TH | 257,6 x 197,1 x 3,2 | 10,14 x 7,76 x 0,126 |
| 68.3001.13 | DISC FRICTION FP | 4 PASS | 50 | INT TH | 257,6 x 197,1 x 3,2 | 10,14 x 7,76 x 0,126 |
| 15000307210 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 15000307211 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 15000349611 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 257,6 x 197,1 x 3,0 | 10,14 x 7,76 x 0,118 |
| 15000411510 | DISC FRICTION FP | 4 PASS | 50 | INT TH | 257,6 x 197,1 x 3,2 | 10,14 x 7,76 x 0,126 |
| 15000557310 | CLUTCH DISC SINTER BRONZE | RADIAL | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 15000557311 | CLUTCH DISC SINTER BRONZE | RADIAL | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 15000910310 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| 15001259110 | DISC FRICTION FP | CONCENTRIC | 63 | INT TH | 317,5 x 250,2 x 3,5 | 12,50 x 9,85 x 0,137 |
| VOLVO (also see Clark and Samsung) | | | | | | |
| 242716 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 212,6 x 145,0 x 4,0 | 8,37 x 5,71 x 0,156 |
| 326019 | OBSOLETE | ----- | 44 | INT TH | 198,1 x 125,7 x 3,0 | 7,80 x 4,95 x 0,118 |
| 355402 | CLUTCH DISC SINTER BRONZE | SPIRAL | 69 | EXT TH | 210,8 x 142,2 x 3,2 | 8,30 x 5,60 x 0,125 |
| 795322-7 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 142,5 x 99,1 x 1,6 | 5,61 x 3,90 x 0,063 |
| 1171216 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 1528081-1 | DISC FRICTION FP | 2 PASS | 30 | INT TH | 182,4 x 129,5 x 2,5 | 7,18 x 5,10 x 0,098 |
| 1529044 | OBSOLETE AFTER STOCK | 2 PASS | 71 | INT TH | 275,3 x 222,3 x 3,2 | 10,84 x 8,75 x 0,125 |
| 1650310-4 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,5 | 9,13 x 6,73 x 0,098 |
| 1650313-8 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 350,0 x 265,5 x 2,5 | 13,78 x 10,45 x 0,098 |
| 1650314-6 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 349,5 x 277,5 x 2,5 | 13,76 x 10,92 x 0,098 |
| 1650317-9 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 350,0 x 265,5 x 3,0 | 13,78 x 10,45 x 0,118 |
| 1650318-7 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 349,5 x 277,5 x 3,0 | 13,76 x 10,92 x 0,118 |
| 1650320-3 | DISC FRICTION FP | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 1650322 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,40 x 9,70 x 0,146 |
| 1650323-7 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 1650357-5 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 337,0 x 265,5 x 3,5 | 13,27 x 10,45 x 0,138 |
| 1650358-3 | DISC STEEL INTERMEDIATE | ----- | 30 | (32)EX TH | 315,0 x 247,0 x 2,5 | 12,40 x 9,72 x 0,098 |
| 1650388-0 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 294,0 x 240,0 x 3,8 | 11,57 x 9,45 x 0,150 |
| 1650996-0 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 337,0 x 265,5 x 3,0 | 13,27 x 10,45 x 0,118 |

| | | | | | | |
|-------------|---------------------------|-----------|----|-----------|---------------------|-----------------------|
| 1663310 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,5 | 6,41 x 3,69 x 0,098 |
| 1663327 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,5 | 11,05 x 8,70 x 0,098 |
| 1663345 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,5 | 12,03 x 9,30 x 0,098 |
| 1663360 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 3095765 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,5 | 12,03 x 9,30 x 0,137 |
| 3097480 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,5 | 16,44 x 14,33 x 0,138 |
| 3097481 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,0 | 16,44 x 14,33 x 0,118 |
| 3097482 | DISC FRICTION FP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4095205 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 4095206 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 4095411 | DISC FRICTION GRPH | SUNBURST | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 6231576 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 17 | INT TH | 224,0 x 50,8 x 4,9 | 8,82 x 2,00 x 0,193 |
| 6231577 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 6609821 | CLUTCH DISC SINTER BRONZE | ----- | 12 | EXT LG | 166,5 x 116,0 x 2,2 | 6,56 x 4,57 x 0,085 |
| 6609822 | DISC STEEL INTERMEDIATE | DISHED | 6 | INT SL | 152,4 x 89,5 x 1,6 | 6,00 x 3,52 x 0,063 |
| 8551061 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 4715178 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,0 x 81,5 x 1,5 | 5,98 x 3,21 x 0,059 |
| 4715178 | DISC STEEL INTERMEDIATE | ----- | 40 | INT TH | 152,0 x 81,5 x 1,5 | 5,98 x 3,21 x 0,059 |
| 4718216 | CLUTCH DISC SINTER BRONZE | ----- | 76 | EXT TH | 164,0 x 89,0 x 2,9 | 6,46 x 3,50 x 0,114 |
| 4718216 | CLUTCH DISC SINTER BRONZE | ----- | 76 | EXT TH | 164,0 x 89,0 x 2,9 | 6,46 x 3,50 x 0,114 |
| 4720762-6 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 155,0 x 92,7 x 2,0 | 6,10 x 3,65 x 0,079 |
| 4720762 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 155,0 x 92,7 x 2,0 | 6,10 x 3,65 x 0,079 |
| 4720763-4 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 155,0 x 92,7 x 1,5 | 6,10 x 3,65 x 0,061 |
| 4720763 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 155,0 x 92,7 x 1,5 | 6,10 x 3,65 x 0,061 |
| 4720764-2 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4720764 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4720765-9 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4720765 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4720768-3 | DISC STEEL INTERMEDIATE | END PLATE | 45 | INT TH | 155,0 x 92,7 x 9,0 | 6,10 x 3,50 x 0,354 |
| 4720768 | DISC STEEL INTERMEDIATE | END PLATE | 45 | INT TH | 155,0 x 92,7 x 9,0 | 6,10 x 3,50 x 0,354 |
| 4.720.856-6 | CLUTCH DISC SINTER BRONZE | WAFFLE | 48 | EXT TH | 202,0 x 133,3 x 2,7 | 7,95 x 5,25 x 0,106 |
| 4720856 | CLUTCH DISC SINTER BRONZE | WAFFLE | 48 | EXT TH | 202,0 x 133,3 x 2,7 | 7,95 x 5,25 x 0,106 |
| 4.720.857-4 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 193,0 x 125,0 x 2,8 | 7,60 x 4,92 x 0,110 |
| 4720857 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 193,0 x 125,0 x 2,8 | 7,60 x 4,92 x 0,110 |
| 4720944 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0 x 70,1 x 4,9 | 8,82 x 2,76 x 0,193 |
| 4720944 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 23 | INT TH | 224,0 x 70,1 x 4,9 | 8,82 x 2,76 x 0,193 |
| 4720945 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 4720945 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 4.780.005 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4780005 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.786.524 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4786524 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.786.525 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4786525 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.871.796-1 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4871796 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.871.966 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT LG | 139,2 x 98,6 x 1,5 | 5,48 x 3,88 x 0,059 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 4871966 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT LG | 139,2 x 98,6 x 1,5 | 5,48 x 3,88 x 0,059 |
| 4.871.979 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4871979 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.873.015-4 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4873015 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4.873.015-4 | CLUTCH DISC SINTER BRONZE | RADIAL | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4873015 | CLUTCH DISC SINTER BRONZE | RADIAL | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 4.873.042-8 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4873042 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.873.042-8 | CLUTCH DISC SINTER BRONZE | 120 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4873042 | CLUTCH DISC SINTER BRONZE | 120 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4.873.043-6 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 4873043 | DISC FRICTION FP | WAFFLE | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 6.201.832 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 6201832 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 6.213.302 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 6213302 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 6.643.999-03 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 6643999 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 6.645.112 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 6645112 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 8550570 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11035240 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 269,0 x 60,5 x 8,6 | 10,59 x 2,38 x 0,339 |
| 11035574 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 420,0 x 132,1 x 8,9 | 16,54 x 5,20 x 0,350 |
| 11036733-1 | DISC STEEL INTERMEDIATE | ----- | 30 | (32)EX TH | 315,0 x 247,0 x 3,0 | 12,40 x 9,72 x 0,118 |
| 11036734-9 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 3,0 | 9,13 x 6,73 x 0,118 |
| 11037030-1 | DISC FRICTION FP | 2 PASS | 23 | INT TH | 224,0 x 70,1 x 4,8 | 8,82 x 2,76 x 0,190 |
| 11037031-9 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 228,6 x 127,0 x 2,7 | 9,00 x 5,00 x 0,106 |
| 11037145 | DISC STEEL INTERMEDIATE | END PLATE | 45 | INT TH | 155,0 x 92,7 x 9,0 | 6,10 x 3,50 x 0,354 |
| 11037156-4 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT LG | 139,2 x 98,6 x 1,5 | 5,48 x 3,88 x 0,059 |
| 11037196-0 | CLUTCH DISC SINTER BRONZE | RAD/WAG | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 11037196-0 | CLUTCH DISC SINTER BRONZE | RADIAL | 76 | EXT TH | 164,0 x 99,3 x 2,0 | 6,46 x 3,91 x 0,079 |
| 11037468-3 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 11037469-1 | DISC FRICTION FP | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 11037474-1 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 294,0 x 240,0 x 3,8 | 11,57 x 9,45 x 0,150 |
| 11037475-8 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,63 x 9,70 x 0,146 |
| 11037577 | DISC FRICTION FP | WAFFLE | 29 | INT TH | 224,0 x 78,0 x 4,8 | 8,82 x 3,07 x 0,189 |
| 11037828 | OBSOLETE AFTER STOCK | | 45 | INT TH | 155,0 x 92,7 x 9,8 | 6,10 x 3,50 x 0,386 |
| 11038189 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 11038191 | DISC FRICTION FP | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 11038192 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 294,0 x 240,0 x 3,8 | 11,57 x 9,45 x 0,150 |
| 11038193 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,40 x 9,70 x 0,146 |
| 11038721 | DISC FRICTION FP | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 11038722 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 294,0 x 240,0 x 3,8 | 11,57 x 9,45 x 0,150 |
| 11038723 | DISC FRICTION FP | 2 PASS | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,40 x 9,70 x 0,146 |

| | | | | | | |
|--------------------------|--|----------|----|-----------|----------------------|-----------------------|
| 11038724 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 11038798 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 11102271 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11102319 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11102321 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |
| 11102322 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 269,0 x 65,0 x 9,5 | 10,59 x 2,56 x 0,374 |
| 11103170 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 269,0 x 65,0 x 9,5 | 10,59 x 2,56 x 0,374 |
| 11103171 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |
| 11103171 (ALTERNATIVE) | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |
| 11103172 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11103172 (ALTERNATIVE) | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11103173 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 18 | INT TH | 460,0 x 97,0 x 9,5 | 18,11 x 3,82 x 0,374 |
| 11143287 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 471,6 x 322,3 x 5,0 | 18,57 x 12,69 x 0,197 |
| 11143290 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 61 | INT TH | 456,6 x 300,5 x 4,4 | 17,98 x 11,83 x 0,171 |
| 11143365 | DISC DAMPER | ----- | 42 | EXT TH | 471,6 x 322,5 x 6,9 | 18,57 x 12,70 x 0,272 |
| 11144441 | END PLATE | ----- | 36 | INT TH | 192,7 x 124,8 x 9,1 | 7,59 x 4,91 x 0,356 |
| 11144442 | END PLATE | ----- | 36 | INT TH | 192,7 x 124,8 x 9,8 | 7,59 x 4,91 x 0,384 |
| 11144443 | END PLATE | ----- | 36 | INT TH | 192,7 x 124,8 x 10,6 | 7,59 x 4,91 x 0,415 |
| 11144444 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 9,50 | 6,10 x 3,65 x 0,374 |
| 11144445 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 10,25 | 6,10 x 3,65 x 0,404 |
| 11144446 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 11,05 | 6,10 x 3,65 x 0,453 |
| 11144447 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 9,25 | 6,10 x 3,65 x 0,364 |
| 11144448 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 9,95 | 6,10 x 3,65 x 0,392 |
| 11144449 | END PLATE | ----- | 45 | INT TH | 155,0 x 92,7 x 10,50 | 6,10 x 3,65 x 0,413 |
| PART OF CLUTCH DISC KIT | DISC FRICTION FP | WAFFLE | 54 | EXT TH | 139,2 x 98,6 x 1,6 | 5,48 x 3,88 x 0,063 |
| PART OF CLUTCH DISC KIT | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,1 x 92,7 x 1,8 | 5,24 x 3,65 x 0,071 |
| PART OF CLUTCH DISC KIT | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 11145597 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,5 | 9,13 x 6,73 x 0,098 |
| 11145598 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 3,0 | 9,13 x 6,73 x 0,118 |
| 11418427 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,4 | 9,13 x 6,73 x 0,094 |
| 11418428 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,9 | 9,13 x 6,73 x 0,114 |
| 11700825 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 11700826 | DISC STEEL INTERMEDIATE | ----- | 30 | (55)EX TH | 474,0 x 338,6 x 4,7 | 18,66 x 13,33 x 0,185 |
| 11701244 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11702448 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |
| 11702571 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11703493-4 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11703493-4 (ALTERNATIVE) | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 419,0 x 100,0 x 9,5 | 16,50 x 3,94 x 0,374 |
| 11703544-4 | DISC FRICTION FP/BRZ | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|--------------------------|--|-------------------|--------------------|-----------------|----------------------|-----------------------|
| 11703544-4 (ALTERNATIVE) | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 360,0 x 100,0 x 9,5 | 14,17 x 3,94 x 0,374 |
| 11703590 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 36 | INT TH | 269,0 x 65,0 x 9,5 | 10,59 x 2,56 x 0,374 |
| 11703615 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 11703652 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 11703855 | DISC STEEL INTERMEDIATE | ----- | 35 | EXT TH | 228,1 x 159,0 x 2,7 | 8,98 x 6,26 x 0,105 |
| 11703856 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EXT TH | 257,2 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 11704644 | OBSOLETE AFTER STOCK | | 32 | (42)EXT TH | 184,2 x 92,7 x 2,6 | 7,25 x 3,65 x 0,102 |
| 11704645 | CLUTCH DISC SINTER BRONZE | SUNBURST | 19 | INT TH | 165,1 x 74,2 x 4,0 | 6,50 x 2,92 x 0,156 |
| 11704646 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 11704647 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 11704787 | NYLON | 16 HOLES | 96 | INT TH | 357,9 x 298,5 x 20,8 | 14,09 x 11,75 x 0,819 |
| 11704788 | NYLON | 24 HOLES | 90 | INT TH | 451,1 x 374,9 x 28,0 | 17,76 x 14,76 x 1,102 |
| 11704882 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 11705005 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 11705006 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 11705007 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 11705008 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 11705168 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 11705172 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 11705190 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 11706058 | OBSOLETE AFTER STOCK | | 7 | (28)EX TH | 314,2 x 227,3 x 2,0 | 12,37 x 8,95 x 0,079 |
| 11706196 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 11707294 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 3,5 | 14,16 x 11,85 x 0,137 |
| 11707321 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 48 | INT TH | 278,0 x 238,0 x 3,0 | 10,94 x 9,37 x 0,117 |
| 11708345 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11708593 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 11708805 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 11709086 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 151,0 x 102,0 x 2,5 | 5,94 x 3,86 x 0,098 |
| 11709087 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 11709332 | DISC FRICTION FP | 2 PASS | 36 | INT TH | 223,0 x 71,0 x 4,9 | 8,78 x 2,80 x 0,191 |
| 11709333 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| 11709335 | END PLATE | ----- | 64 | EXT TH | 230,0 x 151,0 x 9,0 | 9,06 x 5,94 x 0,354 |
| 11711970 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 212,6 x 145,0 x 4,0 | 8,37 x 5,71 x 0,156 |
| 11712158 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 11712160 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 11712162 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,157 |
| 11712514 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 11712599 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 11712763 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11712765 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 11713163 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 11716579 | DISC FRICTION FP | WAFFLE | 15 | INT TH | 289,0 x 43,0 x 6,7 | 11,38 x 1,69 x 0,262 |

| | | | | | | |
|------------|---------------------------|----------|----|-----------|----------------------|-----------------------|
| 11716580 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 5,0 | 13,21 x 7,42 x 0,197 |
| 11716581 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 335,5 x 188,4 x 8,0 | 13,21 x 7,42 x 0,315 |
| 11988608 | END PLATE | ----- | 32 | (64)EX TH | 230,0 x 152,5 x 10,8 | 9,06 x 6,00 x 0,397 |
| 11988852 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 11988853 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 11988854 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 11988855 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 11991091 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 11991092 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 11991093 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,0 | 11,05 x 8,70 x 0,079 |
| 11991099 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,0 | 6,41 x 3,69 x 0,079 |
| 11991100 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11991116 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 11991117 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 11991118 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 11991164 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 48 | INT TH | 278,0 x 238,0 x 3,0 | 10,94 x 9,37 x 0,117 |
| 11991165 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,0 | 12,03 x 9,72 x 0,079 |
| 11991282 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 2,0 | 14,16 x 11,85 x 0,079 |
| 11991283 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 11992417 | DISC FRICTION GRPH | SUNBURST | 62 | INT TH | 319,0 x 259,1 x 3,8 | 12,56 x 10,20 x 0,148 |
| 11992887 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 11992913 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 11992955-2 | END PLATE | STEPPED | 54 | EXT TH | 139,2 x 98,6 x 9,0 | 5,48 x 3,88 x 0,354 |
| 11992958 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 11993291 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 11993759 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 11993773 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 11993812 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 11993839 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 11994241 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 11997188 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11997445 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 11997446 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 11997615 | DISC STEEL INTERMEDIATE | HARDENED | 28 | INT TH | 139,9 x 93,1 x 1,5 | 5,51 x 3,67 x 0,059 |
| 11997616 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 157,0 x 102,0 x 2,4 | 6,18 x 4,02 x 0,094 |
| 11997643 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 110,0 x 64,0 x 2,1 | 4,33 x 2,52 x 0,083 |
| 11997644 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 121,9 x 72,5 x 1,5 | 4,80 x 2,85 x 0,059 |
| 11998591 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,5 | 12,03 x 9,72 x 0,098 |
| 11999371 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 11999723-7 | DISC STEEL INTERMEDIATE | ----- | 40 | EXT TH | 260,0 x 191,0 x 2,6 | 10,24 x 7,52 x 0,100 |
| 11999724 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 244,2 x 175,5 x 4,0 | 9,62 x 6,91 x 0,156 |
| 11999748 | DISC STEEL INTERMEDIATE | ----- | 7 | (28)EX TH | 314,2 x 227,3 x 2,6 | 12,37 x 8,95 x 0,102 |
| 11999749-2 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 11998601 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 2,0 | 14,16 x 11,85 x 0,079 |
| 11999977 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 269,0 x 60,5 x 8,6 | 10,59 x 2,38 x 0,339 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|--------------------|--------------------|-----------------|----------------------|-----------------------|
| 12743128 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,7 x 156,7 x 6,0 | 9,75 x 6,17 x 0,236 |
| 12743129 | OBSOLETE | SPR/RAD | 35 | INT TH | 235,3 x 104,2 x 4,2 | 9,26 x 4,10 x 0,165 |
| 12968737 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 12973349-9 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 14012880-2 | OBSOLETE | SINEWAVED | 3 | INT TH | 123,0 x 72,2 x 1,5 | 4,84 x 2,84 x 0,059 |
| 14043070-3 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 6 | EXT LG | 137,0 x 84,0 x 2,4 | 5,39 x 3,31 x 0,094 |
| 14506913 | DISC FRICTION FP | 3 PASS | 54 | (60)IN TH | 448,0 x 300,0 x 5,1 | 17,64 x 11,81 x 0,200 |
| 14506914 | DISC STEEL INTERMEDIATE | ----- | 90 | EXT TH | 462,0 x 326,0 x 4,9 | 18,19 x 12,83 x 0,193 |
| 14506915 | DISC STEEL INTERMEDIATE | ----- | | RING | 449,8 x 324,6 x 11,0 | 17,71 x 12,79 x 0,430 |
| 14520701 | DISC FRICTION FP | 3 PASS | 57 | INT TH | 360,0 x 237,0 x 4,5 | 14,17 x 9,33 x 0,177 |
| 14529761 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 163,7 x 139,0 x 1,7 | 6,44 x 5,47 x 0,067 |
| 14529762 | DISC FRICTION FP | 2 PASS | 43 | INT TH | 155,0 x 129,4 x 2,0 | 6,10 x 5,09 x 0,079 |
| 14558958 | DISC FRICTION DISC FRICTION CAR- BON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| 14558960 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| 14558961 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| 14558962 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| 14573807 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 147,5 x 127,0 x 1,5 | 5,81 x 5,00 x 0,059 |
| 14573808 | ELASTOMER | RADIAL | 42 | (48)IN TH | 143,0 x 115,0 x 3,5 | 5,63 x 4,53 x 0,138 |
| 15001697 | DISC FRICTION FP | 2 PASS | 96 | INT TH | 294,0 x 240,0 x 3,8 | 11,57 x 9,45 x 0,150 |
| 15001702 | WAFFLE | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 15001703 | DISC FRICTION FP | WAFFLE | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,40 x 9,70 x 0,146 |
| 15001704 | DISC FRICTION FP | 2 PASS | 54 | INT TH | 328,0 x 265,0 x 3,7 | 12,91 x 10,43 x 0,146 |
| 15010426 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 36 | INT TH | 413,4 x 100,3 x 10,5 | 16,28 x 3,95 x 0,413 |
| 15010615 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 18 | INT TH | 459,4 x 97,3 x 10,5 | 18,09 x 3,83 x 0,413 |
| 15011845 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 36 | INT TH | 353,0 x 100,3 x 10,5 | 13,90 x 3,95 x 0,413 |
| 15012446 | DISC FRICTION FP | 3 PASS | 68 | INT TH | 540,0 x 330,0 x 5,1 | 21,26 x 12,99 x 0,200 |
| 15019425 | DISC STEEL INTERMEDIATE | ----- | 112 | EXT TH | 565,0 x 356,0 x 2,4 | 22,24 x 14,02 x 0,094 |
| 15019435 | DISC STEEL INTERMEDIATE | ----- | | RING | 458,5 x 356,7 x 10,0 | 18,05 x 14,04 x 0,394 |
| 15023672 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 36 | INT TH | 265,4 x 65,4 x 9,6 | 10,45 x 2,57 x 0,378 |
| 15047926 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 4 PASS | 40 | INT TH | 414,0 x 112,1 x 10,5 | 16,30 x 4,41 x 0,413 |
| 15053509 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 416,4 x 297,5 x 5,0 | 16,39 x 11,71 x 0,197 |
| 15067329 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,9 | 9,13 x 6,73 x 0,114 |
| 15067330 | DISC STEEL INTERMEDIATE | ----- | 48 | EXT TH | 232,0 x 171,0 x 2,4 | 9,13 x 6,73 x 0,094 |
| 15067331 | DISC STEEL INTERMEDIATE | ----- | 30 | (32)EX TH | 315,0 x 247,0 x 2,5 | 12,40 x 9,72 x 0,098 |
| 15067332 | DISC STEEL INTERMEDIATE | ----- | 30 | (32)EX TH | 315,0 x 247,0 x 3,0 | 12,40 x 9,72 x 0,118 |
| 15067333 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 337,0 x 265,5 x 3,0 | 13,27 x 10,45 x 0,118 |
| 15067334 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 337,0 x 265,5 x 3,5 | 13,27 x 10,45 x 0,138 |
| 15067335 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 349,5 x 277,5 x 2,5 | 13,76 x 10,92 x 0,098 |
| 15067336 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 349,5 x 277,5 x 3,0 | 13,76 x 10,92 x 0,118 |
| 15067337 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 350,0 x 265,5 x 2,5 | 13,78 x 10,45 x 0,098 |
| 15067338 | DISC STEEL INTERMEDIATE | ----- | 31 | (32)EX TH | 350,0 x 265,5 x 3,0 | 13,78 x 10,45 x 0,118 |

| | | | | | | |
|------------------------------------|--|-------------|-----|------------|---------------------|-----------------------|
| 15173187 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 97 | (105)IN TH | 400,8 x 309,6 x 5,3 | 15,78 x 12,19 x 0,210 |
| 15173243 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 75 | INT TH | 280,0 x 221,0 x 5,0 | 11,02 x 8,70 x 0,196 |
| 15173495 | DISC STEEL INTERMEDIATE | ----- | 98 | EXT TH | 298,2 x 234,0 x 3,2 | 11,74 x 9,21 x 0,126 |
| 15173592 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 468,0 x 323,5 x 5,0 | 18,43 x 12,74 x 0,197 |
| 15173973 | DISC FRICTION FP | WAFFLE | 75 | INT TH | 315,0 x 220,2 x 3,2 | 12,40 x 8,67 x 0,126 |
| 15173978 | DISC STEEL INTERMEDIATE | ----- | 110 | EXT TH | 334,5 x 238,0 x 4,0 | 13,17 x 9,37 x 0,157 |
| 15174006 | DISC STEEL INTERMEDIATE | ----- | 130 | EXT TH | 396,0 x 320,0 x 5,0 | 15,59 x 12,60 x 0,197 |
| 15174779 | DISC FRICTION CARBON FP | WAFFLE | 105 | INT TH | 400,0 x 309,0 x 5,5 | 15,75 x 12,17 x 0,215 |
| 15174841 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 103 | INT TH | 374,7 x 305,3 x 5,0 | 14,75 x 12,02 x 0,197 |
| 15175141 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 466,9 x 323,4 x 3,2 | 18,38 x 12,73 x 0,126 |
| 15275520 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 15275521 | DISC STEEL INTERMEDIATE | ----- | 30 | (55)EX TH | 474,0 x 338,6 x 4,7 | 18,66 x 13,33 x 0,185 |
| 17205742 | WAFFLE | 2 PASS | 65 | INT TH | 218,0 x 162,0 x 2,8 | 8,58 x 6,38 x 0,110 |
| 17205750 | DISC FRICTION FP | WAFFLE | 50 | INT TH | 315,0 x 246,5 x 3,7 | 12,40 x 9,70 x 0,146 |
| 17227869 | DISC FRICTION DISC FRICTION CARBON FP FP | SHOCK | 47 | INT TH | 386,5 x 230,5 x 4,6 | 15,22 x 9,07 x 0,181 |
| 17248189 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 551,6 x 379,5 x 5,0 | 21,72 x 14,94 x 0,197 |
| 17248192 | DISC FRICTION FP | RADIAL DOTS | 70 | INT TH | 519,4 x 345,3 x 4,6 | 20,45 x 13,59 x 0,181 |
| 40188229 | DISC FRICTION DISC FRICTION MOLYBDENUMLYBDENUM | SPR/RAD | 44 | INT TH | 191,3 x 94,2 x 4,1 | 7,53 x 3,71 x 0,161 |
| Torque Converter | CLUTCH DISC SINTER BRONZE | SPIRAL | 71 | INT TH | 393,0 x 350,0 x 3,3 | 15,47 x 13,78 x 0,130 |
| Torque Converter | DISC STEEL INTERMEDIATE | ----- | 80 | EXT TH | 402,0 x 363,0 x 2,0 | 15,83 x 14,29 x 0,079 |
| WABCO (ALSO SEE ALLISON) | | | | | | |
| A010124 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| A010437 | DISC FRICTION GRPH | SUNBURST | 73 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| A101438 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| TZ-5499 | DISC FRICTION FP | WAFFLE | 87 | INT TH | 368,3 x 181,0 x 5,3 | 14,50 x 7,13 x 0,210 |
| 122166-4 | DISC FRICTION FP | WAFFLE | 87 | INT TH | 368,3 x 181,0 x 5,3 | 14,50 x 7,13 x 0,210 |
| TBA | DISC STEEL INTERMEDIATE | ----- | 89 | EXT TH | 379,5 x 262,4 x 6,3 | 14,94 x 10,33 x 0,247 |
| 725193 | DISC STEEL INTERMEDIATE | ----- | 77 | INT TH | 241,3 x 158,8 x 1,6 | 9,50 x 6,25 x 0,063 |
| 725224 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 119 | EXT TH | 255,3 x 171,5 x 4,7 | 10,05 x 6,75 x 0,185 |
| WAGNER / ATLAS COPCO/EPIROC | | | | | | |
| 333867 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 334055 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 334282 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 334290 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 339613 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 339692 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 339705 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 339706 | DISC FRICTION GRPH | SUNBURST | 60 | INT TH | 292,1 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 339711 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 351568 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 353131 | DISC STEEL INTERMEDIATE | ----- | 72 | (90)EX TH | 462,0 x 350,0 x 3,5 | 18,19 x 13,78 x 0,138 |
| 353132 | DISC FRICTION GRPH | WAFFLE | 54 | INT TH | 450,3 x 269,5 x 5,5 | 17,73 x 10,61 x 0,216 |
| 353183 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 355996 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 361674 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 361683 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 366161 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 22 | INT TH | 204,5 x 53,3 x 4,8 | 8,05 x 2,10 x 0,190 |
| 366162 | DISC STEEL INTERMEDIATE | ----- | 1 | EXT LG | 209,3 x 114,3 x 2,7 | 8,24 x 4,50 x 0,106 |
| 367134 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 368988 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |
| 369816 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 370357 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 370358 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 370558 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 371749 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 375391 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 375392 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 378857 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 400,0 x 240,0 x 4,7 | 15,74 x 9,46 x 0,184 |
| 378858 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 421,6 x 254,0 x 3,2 | 16,60 x 10,01 x 0,126 |
| 409040 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 421,6 x 254,0 x 3,2 | 16,60 x 10,01 x 0,126 |
| 409165 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 400,0 x 240,0 x 4,7 | 15,74 x 9,46 x 0,184 |
| 4699801 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 4699943 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,205 |
| 3222303269 | DISC STEEL INTERMEDIATE | ----- | 37 | EXT TH | 75,5 x 57,2 x 1,1 | 2,97 x 2,25 x 0,042 |
| 3222303270 | CLUTCH DISC SINTER BRONZE | WAFFLE | 27 | INT TH | 71,1 x 52,7 x 1,7 | 2,80 x 2,07 x 0,065 |
| 5112256028 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT SL | 201,7 x 129,5 x 2,7 | 7,94 x 5,10 x 0,106 |
| 5112300359 | CLUTCH DISC SINTER BRONZE | SUNBURST | 16 | INT TH | 202,9 x 40,4 x 4,8 | 7,99 x 1,59 x 0,189 |
| 5112300360 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 220,0 x 145,5 x 2,7 | 8,66 x 5,73 x 0,105 |
| 5112319149 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 189,6 x 130,5 x 3,7 | 7,46 x 5,14 x 0,146 |
| 5112319158 | DISC FRICTION FP | WAFFLE | 54 | INT TH | 178,0 x 105,6 x 3,8 | 7,01 x 4,16 x 0,148 |
| 5112319700 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 199,7 x 114,0 x 3,7 | 7,86 x 4,49 x 0,146 |
| 5112320153 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 268,0 x 176,0 x 4,5 | 10,55 x 6,93 x 0,177 |
| 5112320161 | DISC FRICTION FP | WAFFLE | 24 | INT TH | 253,0 x 69,0 x 6,1 | 9,96 x 2,72 x 0,240 |
| 5112322938 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 317,6 x 225,6 x 4,5 | 12,50 x 8,88 x 0,177 |
| 5533386700 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 5533353900 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 80 | INT TH | 326,9 x 247,9 x 5,5 | 12,87 x 9,76 x 0,216 |
| 5533405500 | CLUTCH DISC SINTER BRONZE | SUNBURST | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 5533429000 | DISC FRICTION DISC FRICTION CAR- BON FP FP | 2 PASS | 60 | INT TH | 195,1 x 145,0 x 4,0 | 7,68 x 5,71 x 0,156 |
| 5533961300 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 5533969200 | DISC STEEL INTERMEDIATE | ----- | 16 | (24)EX TH | 257,3 x 190,5 x 2,7 | 10,13 x 7,50 x 0,106 |
| 5533970500 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 5533971100 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,6 | 5,85 x 4,24 x 0,102 |
| 5535156800 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 5535318300 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,3 | 5,24 x 3,65 x 0,090 |
| 5535599600 | CLUTCH DISC SINTER BRONZE | RADIAL | 45 | INT TH | 133,1 x 92,7 x 2,4 | 5,24 x 3,65 x 0,093 |
| 5536533200 | DISC STEEL INTERMEDIATE | ----- | 14 | (20)EX TH | 218,9 x 158,8 x 2,7 | 8,62 x 6,25 x 0,106 |
| 5536713400 | CLUTCH DISC SINTER BRONZE | RADIAL | 52 | INT TH | 148,6 x 107,7 x 2,9 | 5,85 x 4,24 x 0,114 |

| | | | | | | |
|------------|--|------------------|----|------------|---------------------|-----------------------|
| 5536981600 | DISC FRICTION GRPH | SUNBURST | 36 | INT TH | 394,5 x 222,3 x 6,2 | 15,53 x 8,75 x 0,245 |
| 5537035800 | DISC FRICTION GRPH | SUNBURST | 34 | (38)IN TH | 456,7 x 313,7 x 7,8 | 17,98 x 12,35 x 0,308 |
| 5537393200 | DISC STEEL INTERMEDIATE | SUNBURST | 16 | EXT TH | 176,2 x 103,5 x 3,9 | 6,94 x 4,07 x 0,155 |
| 5537393300 | DISC STEEL INTERMEDIATE | SUNBURST | 32 | (36)IN TH | 156,8 x 89,0 x 6,4 | 6,17 x 3,50 x 0,250 |
| 5537539200 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 414,3 x 254,0 x 4,7 | 16,31 x 10,00 x 0,185 |
| 5537885700 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 400,0 x 240,0 x 4,7 | 15,74 x 9,46 x 0,184 |
| 5537885800 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 421,6 x 254,0 x 3,2 | 16,60 x 10,01 x 0,126 |
| 5540059200 | CLUTCH DISC SINTER BRONZE | RADIAL | 61 | INT TH | 449,6 x 305,3 x 4,7 | 17,70 x 12,02 x 0,185 |
| 5540059300 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 472,9 x 336,5 x 3,2 | 18,62 x 13,25 x 0,126 |
| 5540863500 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 129,0 x 76,0 x 1,5 | 5,08 x 2,99 x 0,059 |
| 5540863600 | DISC FRICTION FP | 2 PASS | 33 | INT TH | 117,9 x 68,1 x 2,2 | 4,65 x 2,68 x 0,087 |
| 5540904000 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 421,6 x 254,0 x 3,2 | 16,60 x 10,01 x 0,126 |
| 5540916500 | DISC FRICTION FP | WAFFLE | 48 | INT TH | 400,0 x 240,0 x 4,7 | 15,74 x 9,46 x 0,184 |
| 5540936300 | CLUTCH DISC SINTER BRONZE | RADIAL | 60 | INT TH | 169,0 x 124,6 x 3,3 | 6,65 x 4,91 x 0,128 |
| 5540981100 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| 5540981200 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| 5540991200 | DISC FRICTION FP | WAFFLE | 61 | INT TH | 449,3 x 305,3 x 4,8 | 17,69 x 12,02 x 0,189 |
| 5540991300 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 472,9 x 336,5 x 3,2 | 18,62 x 13,25 x 0,126 |
| 5541184400 | DISC STEEL INTERMEDIATE | ----- | 30 | (90)EX TH | 387,4 x 321,8 x 5,0 | 15,25 x 12,67 x 0,195 |
| 5541203800 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 371,3 x 303,0 x 5,2 | 14,62 x 11,93 x 0,205 |
| 5541285800 | DISC STEEL INTERMEDIATE | HARDENED | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 5541489000 | DISC STEEL INTERMEDIATE | ----- | 69 | EXT TH | 177,0 x 132,0 x 1,9 | 6,97 x 5,20 x 0,075 |
| 5541511000 | DISC STEEL INTERMEDIATE | ----- | 71 | EXT TH | 182,6 x 117,9 x 1,8 | 7,19 x 4,64 x 0,069 |
| 5541606600 | END PLATE | STEPPED | 4 | EXT LG | 129,0 x 74,0 x 5,0 | 5,08 x 2,91 x 0,197 |
| 5541733800 | DISC STEEL INTERMEDIATE | ----- | 30 | (90)EX TH | 387,4 x 321,8 x 3,0 | 15,25 x 12,67 x 0,120 |
| 5541924500 | GREEN PA | 2 PASS | 50 | (52) IN TH | 148,6 x 107,7 x 2,7 | 5,85 x 4,24 x 0,108 |
| 5542004300 | DISC FRICTION FP | 2 PASS | 60 | INT TH | 169,0 x 124,6 x 2,8 | 6,65 x 4,91 x 0,110 |
| 5542008700 | DISC STEEL INTERMEDIATE | ----- | 48 | (96)EX TH | 499,1 x 337,8 x 4,8 | 19,65 x 13,30 x 0,187 |
| 5542011000 | DISC STEEL INTERMEDIATE | END PLATE | 69 | EXT TH | 176,0 x 131,9 x 6,2 | 6,93 x 5,19 x 0,244 |
| 5580002122 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 5580002186 | DISC STEEL INTERMEDIATE | ----- | 9 | EXT LG | 477,8 x 338,6 x 4,7 | 18,81 x 13,33 x 0,185 |
| 5580004741 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 36 | INT TH | 394,5 x 222,3 x 5,2 | 15,53 x 8,75 x 0,204 |
| 5580006011 | DISC FRICTION DISC FRICTION CARBON FP FP | 3 PASS | 34 | (38)IN TH | 456,7 x 313,7 x 6,8 | 17,98 x 12,35 x 0,268 |
| 5580011249 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 3,0 | 7,87 x 4,49 x 0,118 |
| 5580011312 | DISC STEEL INTERMEDIATE | ----- | 78 | EXT TH | 200,6 x 114,0 x 2,3 | 7,87 x 4,49 x 0,089 |
| 5580013201 | DISC STEEL INTERMEDIATE | ----- | 60 | EXT TH | 154,2 x 113,8 x 1,8 | 6,07 x 4,48 x 0,070 |
| 5580013920 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 501,0 x 338,0 x 4,8 | 19,72 x 13,31 x 0,189 |
| 5580018098 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT LG | 485,9 x 310,1 x 4,0 | 19,13 x 12,21 x 0,157 |
| 5580021479 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 52 | INT TH | 193,4 x 107,5 x 2,6 | 7,60 x 4,23 x 0,102 |
| 5580021523 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 148,3 x 92,7 x 2,3 | 5,84 x 3,65 x 0,089 |
| 5580021524 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 60 | EXT TH | 154,0 x 99,0 x 2,7 | 6,06 x 3,90 x 0,104 |
| 5580021525 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE/ PLAIN | 60 | EXT TH | 154,0 x 99,0 x 1,9 | 6,06 x 3,90 x 0,075 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 5580101906 | DISC FRICTION FP | WAFFLE | 62 | INT TH | 465,5 x 292,3 x 5,6 | 18,32 x 11,51 x 0,141 |
| 5590001180 | DISC FRICTION FP | 3 PASS | 60 | INT TH | 466,0 x 284,0 x 5,6 | 18,35 x 11,18 x 0,220 |
| 5590001971 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 60 | INT TH | 292,0 x 207,0 x 4,0 | 11,50 x 8,15 x 0,156 |
| 5590001242 | DISC STEEL INTERMEDIATE | ----- | 96 | EXT TH | 488,0 x 310,0 x 4,0 | 19,21 x 12,20 x 0,157 |
| 5590003620 | DISC FRICTION FP | WAFFLE | 79 | INT TH | 550,0 x 391,0 x 5,5 | 21,65 x 15,39 x 0,217 |
| 5590007522 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 570,0 x 416,0 x 4,0 | 22,44 x 16,38 x 0,157 |
| 5590008730 | DISC FRICTION GRPH | SUNBURST | 72 | INT TH | 233,4 x 175,5 x 4,0 | 9,19 x 6,91 x 0,156 |
| 5590009350 | DISC FRICTION FP | WAFFLE | 79 | INT TH | 550,0 x 391,0 x 5,5 | 21,65 x 15,39 x 0,217 |
| 8440300420 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 216,9 x 144,0 x 2,7 | 8,54 x 5,67 x 0,106 |
| 8440300562 | DISC FRICTION FP | SUNBURST | 16 | INT TH | 201,0 x 40,5 x 4,9 | 7,91 x 1,59 x 0,192 |
| WARNER GEAR | | | | | | |
| 3-37 | DISC STEEL INTERMEDIATE | SPRING | 8 | INT TH | 134,7 x 73,6 x 1,8 | 5,30 x 2,90 x 0,071 |
| 3-65 | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 3-176 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 5C-175A | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,3 | 5,48 x 3,87 x 0,327 |
| 5L-67 | DISC STEEL INTERMEDIATE | END PLATE | 54 | EXT TH | 139,2 x 98,2 x 8,7 | 5,48 x 3,87 x 0,343 |
| 22-176 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 72-A66 | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 1,5 | 7,51 x 5,80 x 0,059 |
| 72/A66B | CLUTCH DISC SINTER BRONZE | RADIAL | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 72/176 | DISC STEEL INTERMEDIATE | ----- | 3 | EXT LG | 214,9 x 155,7 x 1,8 | 8,46 x 6,13 x 0,070 |
| SK4461'65-G | DISC STEEL INTERMEDIATE | DISHED | 50 | (54)EX TH | 138,9 x 98,0 x 1,8 | 5,47 x 3,86 x 0,070 |
| 3A66 | CLUTCH DISC SINTER BRONZE | SPIRAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 12A66 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| 35A333 | OBSOLETE | SUNBURST | 36 | INT TH | 177,3 x 111,0 x 3,2 | 6,98 x 4,37 x 0,125 |
| 35A334 | OBSOLETE | ----- | 58 | EXT TH | 186,4 x 121,2 x 1,7 | 7,34 x 4,77 x 0,065 |
| 5C-A66A | CLUTCH DISC SINTER BRONZE | 240 RADIAL | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| AT-220-66 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| T22176A | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 10-08-166-001 | DISC STEEL INTERMEDIATE | ----- | 43 | (64)EX TH | 205,5 x 145,4 x 3,5 | 8,09 x 5,72 x 0,138 |
| 10-08-666-001 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 10-08-666-004 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| 10-16-166-001 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 1,8 | 5,48 x 3,88 x 0,070 |
| 10-17-666-001 | DISC FRICTION FP | 2 PASS | 59 | INT TH | 190,8 x 147,3 x 3,0 | 7,51 x 5,80 x 0,118 |
| 10-21-166-001 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 10-21-666-002 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 10-21-666-003 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 10-21-666-005 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 20-3000-390 | OBSOLETE | SUNBURST | 36 | INT TH | 177,8 x 111,0 x 3,2 | 7,00 x 4,37 x 0,126 |
| 20-3009-180 | OBSOLETE | SUNBURST | 58 | EXT TH | 186,4 x 121,2 x 2,5 | 7,34 x 4,77 x 0,100 |
| 3-645-154-20210 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,1 x 92,7 x 1,6 | 5,24 x 3,65 x 0,063 |
| WINGET | | | | | | |
| V601521 | DISC FRICTION GRPH | SUNBURST | 15 | INT TH | 213,0 x 44,0 x 10,0 | 8,38 x 1,73 x 0,394 |
| V602886 | END PLATE | ----- | 64 | EXT TH | 230,0 x 152,5 x 5,0 | 9,06 x 6,00 x 0,197 |
| XTREME | | | | | | |

| | | | | | | |
|---------------|---------------------------|-------------|----|-----------|---------------------|----------------------|
| 14105-020 | CLUTCH DISC SINTER BRONZE | SUNBURST | 45 | INT TH | 133,0 x 93,0 x 1,8 | 5,24 x 3,66 x 0,069 |
| 14105-028 | DISC FRICTION FP | 2 PASS | 44 | INT TH | 196,9 x 138,0 x 2,8 | 7,75 x 5,43 x 0,110 |
| YALE | | | | | | |
| 630 243 | CLUTCH DISC SINTER BRONZE | SPR/WAG | 37 | EXT TH | 192,0 x 117,6 x 2,4 | 7,56 x 4,63 x 0,094 |
| 641 409 | DISC STEEL INTERMEDIATE | ----- | 36 | (42)IN TH | 176,3 x 102,6 x 2,0 | 6,94 x 4,04 x 0,079 |
| 4907850 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 059-217-900 | DISC STEEL INTERMEDIATE | ----- | 64 | EXT TH | 205,5 x 145,3 x 1,7 | 8,09 x 5,72 x 0,067 |
| 059-218-000 | CLUTCH DISC SINTER BRONZE | SUNBURST | 43 | (44)IN TH | 196,9 x 137,7 x 2,8 | 7,75 x 5,42 x 0,109 |
| 0805288-00 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 1341424-00 | DISC STEEL INTERMEDIATE | REINF PLATE | 6 | HOLE | 186,5 x 132,0 x 2,1 | 7,34 x 5,20 x 0,830 |
| 1341464-00 | DISC STEEL INTERMEDIATE | FLEXI PLATE | 6 | HOLE | 339,7 x 133,4 x 1,5 | 13,37 x 5,25 x 0,059 |
| 1368471-00 | DISC STEEL INTERMEDIATE | FLEXI PLATE | | | | |
| 2200125-94 | END PLATE | STEPPED | 4 | EXT LG | 129,0 x 74,0 x 5,0 | 5,08 x 2,91 x 0,197 |
| 505-971-559 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 505-971-578 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 514-132-600 | DISC STEEL INTERMEDIATE | ----- | 35 | (39)IN TH | 136,7 x 60,5 x 1,8 | 5,38 x 2,38 x 0,072 |
| 518-470-818 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 3,0 | 5,48 x 3,88 x 0,118 |
| 518-470-819 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 519-744-400 | DISC FRICTION FP | 2 PASS | 12 | EXT LG | 147,3 x 81,5 x 2,5 | 5,80 x 3,21 x 0,100 |
| 580-001-691 | END PLATE | ----- | 54 | EXT TH | 138,8 x 98,8 x 6,3 | 5,46 x 3,89 x 0,248 |
| 580-014-555 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,1 | 5,24 x 3,65 x 0,083 |
| 580-019-516 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| 580-020-036 | DISC STEEL INTERMEDIATE | ----- | 54 | EXT TH | 139,2 x 98,6 x 2,5 | 5,48 x 3,88 x 0,100 |
| 580-042-529 | DISC STEEL INTERMEDIATE | ----- | 34 | INT TH | 142,9 x 88,4 x 5,8 | 5,63 x 3,48 x 0,228 |
| 580-081-744 | DISC FRICTION FP | WAFFLE | 14 | INT TH | 229,0 x 45,0 x 5,7 | 9,02 x 1,77 x 0,224 |
| 580-081-745 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 250,7 x 179,9 x 5,0 | 9,87 x 7,08 x 0,197 |
| 750-110-9000 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 152,6 x 87,0 x 2,0 | 6,00 x 3,43 x 0,079 |
| 750-112-5000 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 750-115-5000 | DISC FRICTION FP | WAFFLE | 41 | INT TH | 125,0 x 68,6 x 2,6 | 4,92 x 2,70 x 0,102 |
| 800-083-842 | DISC FRICTION FP | 2 PASS | 45 | INT TH | 133,1 x 92,7 x 2,5 | 5,24 x 3,65 x 0,100 |
| 900-485-806 | DISC STEEL INTERMEDIATE | ----- | 35 | (39)IN TH | 136,7 x 60,5 x 1,8 | 5,38 x 2,38 x 0,072 |
| 900-485-807 | DISC FRICTION FP | 2 PASS | 12 | EXT LG | 147,3 x 81,5 x 2,5 | 5,80 x 3,21 x 0,100 |
| 900-682-813 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 66 | EXT TH | 142,6 x 85,7 x 2,8 | 5,61 x 3,37 x 0,110 |
| 900-682-814 | DISC STEEL INTERMEDIATE | ----- | 38 | INT TH | 133,0 x 77,0 x 1,5 | 5,24 x 3,03 x 0,059 |
| 900-952-803 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 149,9 x 87,4 x 2,3 | 5,90 x 3,44 x 0,091 |
| 900-952-804 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 2,8 | 5,26 x 3,03 x 0,110 |
| 900-952-824 | DISC FRICTION FP | 2 PASS | 38 | INT TH | 133,6 x 77,0 x 3,0 | 5,26 x 3,03 x 0,118 |
| 901-194-880 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 136,2 x 80,0 x 1,6 | 5,37 x 3,15 x 0,063 |
| 902-152-850 | DISC STEEL INTERMEDIATE | ----- | 42 | EXT TH | 131,4 x 80,0 x 1,6 | 5,17 x 3,15 x 0,063 |
| ? | DISC STEEL INTERMEDIATE | DISHED | 54 | EXT TH | 139,4 x 88,0 x 2,5 | 5,49 x 3,46 x 0,098 |
| ? | OBSOLETE AFTER STOCK | | 54 | EXT TH | 139,4 x 88,0 x 3,6 | 5,49 x 3,46 x 0,144 |
| ? | END PLATE | ----- | 54 | EXT TH | 139,4 x 88,0 x 6,2 | 5,49 x 3,46 x 0,244 |
| YANMAR | | | | | | |
| E1903102714 | DISC FRICTION FP | 2 PASS | 27 | INT TH | 78,0 x 54,0 x 1,7 | 3,07 x 2,13 x 0,067 |
| ? | DISC FRICTION FP | 2 PASS | 16 | INT TH | 116,0 x 27,0 x 4,0 | 4,57 x 1,06 x 0,157 |
| 198200-36380 | DISC FRICTION FP | 2 PASS | 16 | INT TH | 114,0 x 26,7 x 3,4 | 4,49 x 1,05 x 0,134 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 198200-36390 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 133,0 x 70,0 x 3,2 | 5,24 x 2,76 x 0,126 |
| ZETOR | | | | | | |
| 93-0194 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 2,8 | 2,82 x 1,73 x 0,110 |
| 93-0195 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 85,0 x 49,2 x 1,5 | 3,35 x 1,94 x 0,059 |
| 93-0196 | CLUTCH DISC SINTER BRONZE | WAFFLE | 22 | INT TH | 71,7 x 44,0 x 1,6 | 2,82 x 1,73 x 0,063 |
| 93-0276 | DISC FRICTION GRPH | SUNBURST | 12 | INT TH | 170,0 x 32,7 x 4,8 | 6,69 x 1,29 x 0,189 |
| ZETZLEMEYER | | | | | | |
| 2901867 | DISC FRICTION FP | 2 PASS | 19 | INT TH | 178,0 x 34,0 x 4,8 | 7,01 x 1,34 x 0,189 |
| 2-171 180-1 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 2-171 190-9 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 2200 2405 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 2258 6601 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 2258 6709 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 2258 6806 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 2258 6814 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 2282 6840 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 2283 3498 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 2283 3501 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 2283 8180 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 2283 8198 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 2285 2123 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 2286 9794 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 2290 6851 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 2290 7025 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| ZF | | | | | | |
| 0000 475 824 | CLUTCH DISC SINTER BRONZE | SUNBURST | 65 | EXT TH | 137,0 x 105,2 x 2,0 | 5,39 x 4,14 x 0,079 |
| 0000 475 825 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 130,0 x 90,0 x 2,0 | 5,12 x 3,54 x 0,079 |
| 0007 302 727 | DISC FRICTION FP | 2 PASS | 24 | INT TH | 143,0 x 110,0 x 1,6 | 5,63 x 4,33 x 0,064 |
| 0212 120 215 | CLUTCH DISC SINTER BRONZE | WAFFLE | 6 | EXT LG | 136,4 x 92,0 x 2,4 | 5,37 x 3,62 x 0,094 |
| 0212 120 315 | DISC STEEL INTERMEDIATE | ----- | 21 | INT TH | 122,6 x 82,1 x 1,5 | 4,83 x 3,23 x 0,059 |
| 0501 201 291 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| 0501 207 128 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 0501 208 067 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 0501 208 264 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 0501 208 435 | DISC FRICTION FP | 4 PASS | 42 | INT TH | 340,0 x 206,0 x 5,5 | 13,39 x 8,11 x 0,217 |
| 0501 208 457 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 0501 208 883 | CLUTCH DISC SINTER BRONZE | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,5 | 7,72 x 5,59 x 0,096 |
| 0501 208 884 | BRNZ/PLN | SUNBURST | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,077 |
| 0501 209 446 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 0501 210 131 | DISC FRICTION FP | 2 PASS | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 210 138 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 2,6 | 7,72 x 5,59 x 0,100 |
| 0501 210 139 | DISC FRICTION DISC FRICTION CAR- BON FP FP | RADIAL/ PLAIN | 64 | EXT TH | 196,0 x 142,0 x 2,0 | 7,72 x 5,59 x 0,079 |
| 0501 210 290 | DISC FRICTION FP | WAFFLE/ WAVED | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |

| | | | | | | |
|--------------|--|------------------|----|--------|---------------------|-----------------------|
| 0501 210 916 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 0501 210 917 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 0501 210 918 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 0501 210 920 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 0501 210 921 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 0501 212 249 | AFP | 3 PASS | 66 | INT TH | 378,0 x 326,0 x 3,1 | 14,88 x 12,83 x 0,120 |
| 0501 212 249 | DISC FRICTION FP | 3 PASS | 66 | INT TH | 378,0 x 326,0 x 3,1 | 14,88 x 12,83 x 0,120 |
| 0501 212 368 | DISC FRICTION FP/PLAIN | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 1,9 | 5,39 x 3,69 x 0,073 |
| 0501 212 369 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 27 | EXT TH | 137,0 x 93,7 x 2,5 | 5,39 x 3,69 x 0,098 |
| 0501 212 370 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 2,5 | 6,98 x 4,39 x 0,098 |
| 0501 212 371 | DISC FRICTION FP/PLAIN | RADIAL | 34 | EXT TH | 177,4 x 111,5 x 1,9 | 6,98 x 4,39 x 0,075 |
| 0501 212 372 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 2,5 | 6,25 x 4,39 x 0,098 |
| 0501 212 373 | DISC FRICTION FP/PLAIN | RADIAL | 44 | EXT TH | 158,8 x 111,5 x 1,9 | 6,25 x 4,39 x 0,075 |
| 0501 212 443 | DISC FRICTION FP | WAFFLE | 78 | INT TH | 446,0 x 312,0 x 4,8 | 17,56 x 12,28 x 0,187 |
| 0501 212 619 | DISC FRICTION FP | WAFFLE/ WAVED | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| 0501 212 620 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| 0501 213 016 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 34 | INT TH | 104,0 x 68,0 x 1,6 | 4,09 x 2,68 x 0,063 |
| 0501 213 150 | DISC FRICTION FP | 3 PASS | 59 | INT TH | 339,0 x 291,0 x 3,0 | 13,35 x 11,46 x 0,118 |
| 0501 213 172 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 0501 213 173 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 0501 213 174 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 0501 213 393 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 64 | EXT TH | 196,0 x 142,0 x 3,4 | 7,72 x 5,59 x 0,132 |
| 0501 214 260 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| 0501 214 901 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 3,3 | 6,95 x 5,59 x 0,128 |
| 0501 215 072 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 78 | INT TH | 445,5 x 312,3 x 4,0 | 17,54 x 12,30 x 0,157 |
| 0501 215 074 | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 200,0 x 59,0 x 4,3 | 7,87 x 2,32 x 0,169 |
| 0501 215 477 | DISC FRICTION GRPH | SUNBURST | 20 | INT TH | 200,0 x 59,0 x 4,5 | 7,87 x 2,32 x 0,177 |
| 0501 216 833 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| 0501 217 387 | DISC FRICTION FP | WAFFLE | 50 | EXT TH | 204,7 x 149,0 x 2,5 | 8,06 x 5,87 x 0,098 |
| 0501 217 852 | DISC FRICTION FP | WAFFLE | 50 | EXT TH | 204,9 x 148,7 x 2,2 | 8,07 x 5,85 x 0,087 |
| 0501 221 326 | DISC FRICTION FP | WAFFLE | 50 | EXT TH | 204,9 x 148,7 x 2,2 | 8,07 x 5,85 x 0,087 |
| 0501 232 652 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 34 | INT TH | 109,7 x 68,4 x 1,6 | 4,32 x 2,69 x 0,063 |
| 0501 232 653 | DISC FRICTION FP | WAFFLE | 40 | INT TH | 119,7 x 79,0 x 1,6 | 4,71 x 3,11 x 0,063 |
| 0501 308 325 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 308 328 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 309 265 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 0501 309 326 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 0501 309 329 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 309 330 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|--|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 0501 309 534 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 309 541 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 309 600 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 310 174 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 312 249 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 0501 312 280 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 1,6 | 5,41 x 3,58 x 0,063 |
| 0501 332 093 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 312 283 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 0501 313 598 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 313 802 | CLUTCH DISC SINTER BRONZE | SUNBURST | 30 | EXT TH | 118,3 x 77,3 x 2,2 | 4,66 x 3,04 x 0,087 |
| 0501 314 215 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 34 | INT TH | 146,7 x 99,7 x 2,1 | 5,78 x 3,93 x 0,083 |
| 0501 314 216 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 161,6 x 107,0 x 1,8 | 6,36 x 4,21 x 0,071 |
| 0501 314 381 | CLUTCH DISC SINTER BRONZE | SUN/WAG | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 0501 314 381 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 0501 314 382 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 0501 314 781 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 0501 314 782 | BRNZ/PLN | SPR/RAD | 35 | EXT TH | 176,5 x 142,0 x 2,0 | 6,95 x 5,51 x 0,077 |
| 0501 315 964 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 130,9 x 86,8 x 1,8 | 5,15 x 3,42 x 0,071 |
| 0501 315 974 | DISC FRICTION FP | 3 PASS | 15 | INT TH | 232,0 x 43,0 x 5,8 | 9,13 x 1,69 x 0,228 |
| 0501 316 027 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL | 35 | EXT TH | 176,5 x 142,0 x 2,5 | 6,95 x 5,51 x 0,096 |
| 0501 316 028 | DISC FRICTION DISC FRICTION CARBON FP FP | RADIAL/ PLAIN | 35 | EXT TH | 176,5 x 142,0 x 1,9 | 6,95 x 5,51 x 0,073 |
| 0501 316 590 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 129,6 x 84,8 x 2,5 | 5,10 x 3,34 x 0,098 |
| 0501 316 591 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 150,9 x 102,5 x 2,5 | 5,94 x 4,04 x 0,098 |
| 0501 316 592 | DISC STEEL INTERMEDIATE | ----- | 42 | INT TH | 167,8 x 102,5 x 2,5 | 6,61 x 4,04 x 0,098 |
| 0501 318 589 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 410,0 x 336,0 x 3,5 | 16,14 x 13,23 x 0,138 |
| 0501 318 590 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 410,0 x 336,0 x 4,0 | 16,14 x 13,23 x 0,157 |
| 0501 318 590-4.5 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 410,0 x 336,0 x 4,5 | 16,14 x 13,23 x 0,177 |
| 0501 319 274 | DISC STEEL INTERMEDIATE | ----- | 30 | EXT TH | 130,9 x 86,8 x 1,8 | 5,15 x 3,42 x 0,071 |
| 0501 319 853 | CLUTCH DISC SINTER BRONZE | SUNBURST | 65 | EXT TH | 137,0 x 105,2 x 1,8 | 5,39 x 4,14 x 0,071 |
| 0501 319 854 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 130,0 x 90,0 x 1,8 | 5,12 x 3,54 x 0,071 |
| 0501 320 305 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 368,0 x 300,0 x 3,5 | 14,49 x 11,81 x 0,138 |
| 0501 320 306 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 368,0 x 300,0 x 4,0 | 14,49 x 11,81 x 0,157 |
| 0501 320 306-4.5 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 368,0 x 300,0 x 4,5 | 14,49 x 11,81 x 0,177 |
| 0501 320 969 | DISC FRICTION FP | WAFFLE | 36 | INT TH | 242,5 x 72,0 x 5,2 | 9,55 x 2,83 x 0,205 |
| 0501 321 410 | DISC STEEL INTERMEDIATE | DISHED | 30 | EXT TH | 119,8 x 75,3 x 1,8 | 4,72 x 2,96 x 0,071 |
| 0501 321 596 | OBSOLETE | SPR/RAD | 35 | INT TH | 235,3 x 104,2 x 4,2 | 9,26 x 4,10 x 0,165 |
| 0501 321 598 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 247,7 x 156,7 x 6,0 | 9,75 x 6,17 x 0,236 |
| 0501 322 140 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| 0501 322 355 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 233,0 x 141,5 x 5,5 | 9,17 x 5,57 x 0,217 |
| 0501 322 751 | CLUTCH DISC SINTER BRONZE | SUNBURST | 65 | EXT TH | 137,0 x 105,2 x 1,8 | 5,39 x 4,14 x 0,071 |
| 0501 322 752 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 130,0 x 90,0 x 1,8 | 5,12 x 3,54 x 0,071 |

| | | | | | | |
|--------------|--|---------------|----|-----------|---------------------|-----------------------|
| 0501 323 004 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 262,7 x 155,0 x 4,5 | 10,34 x 6,10 x 0,177 |
| 0501 323 005 | DISC FRICTION DISC FRICTION CARBON FP FP | WAFFLE | 8 | EXT LG | 240,0 x 140,0 x 4,5 | 9,45 x 5,51 x 0,177 |
| 0501 323 108 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 0501 323 109 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 0501 323 110 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 0501 323 111 | DISC STEEL INTERMEDIATE | HARD/BLACK | 45 | INT TH | 170,0 x 132,6 x 4,5 | 6,69 x 5,22 x 0,177 |
| 0501 323 352 | DISC FRICTION FP/STL | WAFFLE | 20 | EXT LG | 373,4 x 262,6 x 3,4 | 14,70 x 10,34 x 0,134 |
| 0501 323 355 | DISC FRICTION FP | 3 PASS | 20 | INT TH | 233,0 x 59,5 x 5,5 | 9,17 x 2,34 x 0,217 |
| 0501 323 456 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0 x 153,6 x 4,0 | 9,88 x 6,05 x 0,157 |
| 0501 324 099 | DISC FRICTION GRPH | SUNBURST | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 0501 324 153 | DISC FRICTION GRPH | SUN/RAD | 28 | INT TH | 242,6 x 56,1 x 4,8 | 9,55 x 2,21 x 0,189 |
| 0501 324 155 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 288,0 x 156,0 x 3,0 | 11,34 x 6,14 x 0,118 |
| 0501 324 156 | DISC STEEL INTERMEDIATE | ----- | 2 | EXT LG | 248,0 x 156,0 x 5,0 | 9,76 x 6,14 x 0,197 |
| 0501 324 785 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 214,7 x 144,4 x 3,0 | 8,45 x 5,69 x 0,118 |
| 0501 324 834 | DISC STEEL INTERMEDIATE | HARDENED | 41 | INT TH | 177,7 x 119,5 x 2,0 | 7,00 x 4,70 x 0,079 |
| 0501 325 244 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0 x 153,6 x 4,0 | 9,88 x 6,05 x 0,157 |
| 0501 332 092 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 35 | EXT TH | 177,5 x 109,0 x 1,6 | 6,99 x 4,29 x 0,063 |
| 0501 332 093 | CLUTCH DISC SINTER BRONZE | SUN-PLAIN | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 332 094 | CLUTCH DISC SINTER BRONZE | SUN/ IND HARD | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 332 095 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0501 332 096 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0501 334 482 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 368,0 x 300,0 x 3,5 | 14,49 x 11,81 x 0,138 |
| 0501 334 483 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 368,0 x 300,0 x 4,0 | 14,49 x 11,81 x 0,157 |
| 0501 348 023 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| 0501 348 025 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| 0730 105 150 | DISC STEEL INTERMEDIATE | HARDENED | | WASHER | 46,0 x 26,2 x 1,0 | 1,81 x 1,03 x 0,039 |
| 0750 140 009 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 0750 140 010 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 0750 140 011 | OBSOLETE AFTER STOCK | | 35 | EXT TH | 177,0 x 109,0 x 2,4 | 6,97 x 4,29 x 0,094 |
| 0750 140 012 | OBSOLETE AFTER STOCK | | 27 | EXT TH | 137,4 x 90,9 x 2,4 | 5,41 x 3,58 x 0,094 |
| 0750 140 013 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 0750 140 028 | DISC FRICTION FP | 3 PASS | 35 | INT TH | 179,0 x 103,0 x 3,5 | 7,05 x 4,05 x 0,138 |
| 0750 140 029 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 0750 140 049 | DISC STEEL INTERMEDIATE | SINEWAVED | 40 | (41)IN TH | 233,0 x 160,2 x 2,8 | 9,17 x 6,31 x 0,110 |
| 0750 140 060 | DISC STEEL INTERMEDIATE | ----- | 4 | EXT LG | 251,0 x 153,6 x 4,0 | 9,88 x 6,05 x 0,157 |
| 0899 312 912 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 4,0 | 6,69 x 5,22 x 0,157 |
| 0899 316 757 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 1405 304 004 | DISC STEEL INTERMEDIATE | SPIRAL | 10 | EXT LG | 200,0 x 140,0 x 1,1 | 7,87 x 5,51 x 0,044 |
| 1406 304 005 | DISC STEEL INTERMEDIATE | HARDENED | 10 | EXT LG | 200,0 x 140,0 x 1,2 | 7,87 x 5,51 x 0,047 |
| 1407 304 035 | CLUTCH DISC SINTER BRONZE | SPIRAL | 44 | INT TH | 188,0 x 129,0 x 2,8 | 7,40 x 5,08 x 0,110 |
| 2092 362 096 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 204,7 x 150,4 x 3,8 | 8,06 x 5,92 x 0,150 |
| 2092 362 176 | DISC STEEL INTERMEDIATE | ----- | 50 | EXT TH | 204,7 x 150,4 x 3,0 | 8,06 x 5,92 x 0,118 |
| 2093 213 018 | DISC FRICTION FP | WAFFLE | 10 | EXT LG | 211,0 x 149,4 x 2,5 | 8,31 x 5,88 x 0,098 |
| 2093 313 060 | DISC STEEL INTERMEDIATE | SINEWAVED | 47 | (48)IN TH | 198,0 x 131,6 x 2,8 | 7,80 x 5,18 x 0,110 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---|-------------------|--------------------|-----------------|---------------------|-----------------------|
| 2093 359 051 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 110,9 x 70,7 x 1,5 | 4,37 x 2,78 x 0,059 |
| 2094 213 014 | DISC FRICTION FP | WAFFLE | 12 | EXT LG | 252,7 x 180,6 x 2,5 | 9,95 x 7,11 x 0,098 |
| 3205 302 057 | CLUTCH DISC SINTER BRONZE | WAFFLE | 51 | EXT TH | 103,7 x 77,1 x 2,2 | 4,08 x 3,04 x 0,087 |
| 3205 302 062 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 97,5 x 71,2 x 1,4 | 3,84 x 2,80 x 0,055 |
| 3205 302 066 | DISC STEEL INTERMEDIATE | ----- | 36 | INT TH | 97,5 x 71,2 x 1,4 | 3,84 x 2,80 x 0,055 |
| 3207 302 027 | DISC STEEL INTERMEDIATE | ----- | 27 | INT TH | 107,2 x 78,7 x 1,4 | 4,22 x 3,10 x 0,055 |
| 3207 302 029 | CLUTCH DISC SINTER BRONZE | WAFFLE | 37 | EXT TH | 113,8 x 85,0 x 2,2 | 4,48 x 3,35 x 0,087 |
| 3209 303 035 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 128,8 x 83,0 x 1,5 | 5,07 x 3,27 x 0,059 |
| 3210 303 015 | CLUTCH DISC SINTER BRONZE | WAFFLE | 68 | EXT TH | 137,5 x 91,2 x 2,1 | 5,41 x 3,59 x 0,083 |
| 3312 302 008 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT LG | 146,6 x 97,4 x 1,7 | 5,77 x 3,83 x 0,067 |
| 3312 302 009 | CLUTCH DISC SINTER BRONZE | SUNBURST | 36 | INT TH | 134,0 x 90,3 x 2,0 | 5,28 x 3,56 x 0,079 |
| 3319 302 006 | CLUTCH DISC SINTER BRONZE | WAFFLE | 36 | INT TH | 151,3 x 90,0 x 2,0 | 5,96 x 3,54 x 0,077 |
| 4061 310 116 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 4061 310 125 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 4061 310 255 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 46 | (50)IN TH | 117,5 x 62,6 x 2,6 | 4,63 x 2,46 x 0,102 |
| 4061 310 264 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,2 | 5,12 x 2,63 x 0,087 |
| 4061 310 265 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,3 | 5,12 x 2,63 x 0,091 |
| 4061 310 266 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,4 | 5,12 x 2,63 x 0,094 |
| 4061 310 267 | DISC STEEL INTERMEDIATE | HARDENED | 6 | EXT SL | 130,0 x 66,8 x 2,5 | 5,12 x 2,63 x 0,098 |
| 4061 313 235 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 26 | INT TH | 147,8 x 75,4 x 3,0 | 5,82 x 2,97 x 0,118 |
| 4061 316 165 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 40 | INT TH | 172,0 x 84,1 x 3,0 | 6,77 x 3,31 x 0,118 |
| 4061 316 224 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 4061 316 227 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 4061 316 240 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,9 x 92,1 x 3,0 | 7,47 x 3,63 x 0,118 |
| 4061 316 242 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,7 | 7,47 x 3,63 x 0,106 |
| 4061 316 243 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 2,9 | 7,47 x 3,63 x 0,114 |
| 4061 316 244 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,1 | 7,47 x 3,63 x 0,122 |
| 4061 316 245 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,2 | 7,47 x 3,63 x 0,126 |
| 4061 316 246 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 189,8 x 92,1 x 3,3 | 7,47 x 3,63 x 0,130 |
| 4061 318 004 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 4,0 | 8,31 x 4,03 x 0,157 |
| 4061 318 048 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 211,2 x 102,3 x 3,9 | 8,31 x 4,03 x 0,154 |
| 4061 318 049 | OBSOLETE AFTER STOCK | | 4 | EXT LG | 211,2 x 102,3 x 4,1 | 8,31 x 4,03 x 0,161 |
| 4112 333 551 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 320,0 x 268,0 x 3,5 | 12,60 x 10,55 x 0,138 |
| 4128 310 017 | DISC STEEL INTERMEDIATE | ----- | 6 | EXT LG | 129,8 x 89,3 x 1,5 | 5,11 x 3,52 x 0,059 |
| 4131 303 048 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 36 | INT TH | 71,7 x 44,8 x 1,5 | 2,82 x 1,76 x 0,059 |
| 4131 303 194 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 84,5 x 49,7 x 1,3 | 3,33 x 1,96 x 0,051 |
| 4139 219 064 | DISC FRICTION FP | 2 PASS | 29 | INT TH | 117,8 x 84,0 x 1,9 | 4,64 x 3,31 x 0,073 |
| 4139 233 014 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 233 025 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 233 177 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 4139 233 178 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 3,0 | 10,84 x 8,98 x 0,117 |

| | | | | | | |
|------------------|---------------------------|------------|----|-----------|---------------------|-----------------------|
| 4139 233 303 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 4139 233 307 | DISC FRICTION FP | RADIAL | 46 | INT TH | 278,0 x 228,0 x 2,7 | 10,84 x 8,98 x 0,106 |
| 4139 233 309 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 48 | INT TH | 278,0 x 238,0 x 3,0 | 10,94 x 9,37 x 0,117 |
| 4139 236 098 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 4139 270 021 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 270 025 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 270 032 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 270 034 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 4139 270 035 | DISC FRICTION FP | 2 PASS | 10 | EXT LG | 177,0 x 126,0 x 3,0 | 6,97 x 4,97 x 0,117 |
| 4139 270 036 | DISC FRICTION FP | RADIAL | 43 | INT TH | 257,0 x 212,0 x 3,0 | 10,11 x 8,34 x 0,117 |
| 4139 333 009 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,5 | 12,03 x 9,30 x 0,137 |
| 4139 333 015 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 4139 333 036 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,0 | 6,41 x 3,69 x 0,079 |
| 4139 333 172 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,0 | 11,05 x 8,70 x 0,079 |
| 4139 333 187 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 4139 333 263 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 4139 333 281 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 4139 333 335 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,0 | 12,03 x 9,72 x 0,079 |
| 4139 333 373 | DISC STEEL INTERMEDIATE | "M" | 45 | EXT TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 4139 333 437 | DISC STEEL INTERMEDIATE | "S" | 45 | EXT TH | 282,0 x 221,0 x 3,0 | 11,10 x 8,70 x 0,118 |
| 4139 333 480 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 4139 333 745 | DISC STEEL INTERMEDIATE | HOLES | 24 | (32)EX TH | 306,0 x 237,0 x 2,5 | 12,03 x 9,30 x 0,098 |
| 4139 333 759 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,5 | 11,05 x 8,70 x 0,098 |
| 4139 333 765 | DISC STEEL INTERMEDIATE | ----- | 32 | INT TH | 163,0 x 94,0 x 2,5 | 6,41 x 3,69 x 0,098 |
| 4139 333 766 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,0 | 12,03 x 9,30 x 0,118 |
| 4139 333 768 | DISC STEEL INTERMEDIATE | 8 HOLES | 24 | (32)EX TH | 306,0 x 247,0 x 2,5 | 12,03 x 9,72 x 0,098 |
| 4139 334 002 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 2,0 | 14,16 x 11,85 x 0,079 |
| 4139 334 004 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 2,0 | 14,16 x 11,85 x 0,079 |
| 4139 334 005 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 4,0 | 14,16 x 11,85 x 0,157 |
| 4139 334 005-4.5 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 4,5 | 14,16 x 11,85 x 0,177 |
| 4139 334 006 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 360,0 x 301,0 x 3,5 | 14,16 x 11,85 x 0,137 |
| 4139 373 029 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 2,0 | 12,03 x 9,30 x 0,079 |
| 4143 251 002 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 45 | INT TH | 187,0 x 132,6 x 3,0 | 7,36 x 5,22 x 0,118 |
| 4143 351 011 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,0 | 7,73 x 5,51 x 0,118 |
| 4143 351 013 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 3,5 | 7,73 x 5,51 x 0,138 |
| 4143 351 025 | DISC STEEL INTERMEDIATE | HARD/BLACK | 64 | EXT TH | 196,4 x 140,0 x 2,9 | 7,73 x 5,51 x 0,114 |
| 4143 352 056 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,2 | 4,38 x 3,31 x 0,047 |
| 4143 352 058 | DISC STEEL INTERMEDIATE | HARDENED | 45 | EXT TH | 111,2 x 84,2 x 1,4 | 4,38 x 3,31 x 0,055 |
| 4149 333 009 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,5 | 12,03 x 9,30 x 0,137 |
| 4149 333 760 | DISC STEEL INTERMEDIATE | ----- | 24 | (32)EX TH | 306,0 x 237,0 x 3,5 | 12,03 x 9,30 x 0,137 |
| 4149 370 001 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 3,0 | 11,05 x 8,70 x 0,118 |
| 4149 370 004 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,5 | 11,05 x 8,70 x 0,098 |
| 4149 370 005 | DISC STEEL INTERMEDIATE | ----- | 34 | (45)EX TH | 281,0 x 221,0 x 2,0 | 11,05 x 8,70 x 0,079 |
| 4166 236 098 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 4166 236 112 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 4166 236 129 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 4166 236 134 | DISC FRICTION FP | RADIAL | 18 | INT TH | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |


| Replaces OEM Part # | Description | Groove/ Pattern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|--------------------|--------------------|-----------------|---------------------|-----------------------|
| 4166 238 025 | DISC FRICTION FP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4166 238 042 | AFP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4166 238 042 | DISC FRICTION FP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4166 238 047 | AFP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4166 238 047 | DISC FRICTION FP | RADIAL | 36 | INT LG | 390,0 x 345,0 x 3,1 | 15,35 x 13,58 x 0,122 |
| 4166 263 114 | DISC FRICTION FP | RADIAL | 30 | INT LG | 329,0 x 285,0 x 3,0 | 12,96 x 11,24 x 0,117 |
| 4166 338 165 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,0 | 16,44 x 14,33 x 0,118 |
| 4166 338 202 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,0 | 16,44 x 14,33 x 0,118 |
| 4166 338 206 | DISC STEEL INTERMEDIATE | ----- | 8 | EXT LG | 417,6 x 354,0 x 3,5 | 16,44 x 14,33 x 0,138 |
| 4462 305 075 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 4462 305 079 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,0 | 7,52 x 5,12 x 0,079 |
| 4462 305 080 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 2,5 | 7,52 x 5,12 x 0,098 |
| 4462 305 081 | DISC STEEL INTERMEDIATE | ----- | 67 | (70)EX TH | 191,0 x 130,0 x 3,0 | 7,52 x 5,12 x 0,118 |
| 4462 305 084 | DISC STEEL INTERMEDIATE | ----- | 87 | (90)EX TH | 189,1 x 130,6 x 2,5 | 7,44 x 5,14 x 0,098 |
| 4472 209 002 | DISC FRICTION FP | 3 PASS | 48 | INT TH | 232,7 x 142,0 x 4,0 | 9,16 x 5,59 x 0,157 |
| 4472 320 103 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,0 | 9,59 x 5,99 x 0,079 |
| 4472 320 104 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,6 x 152,1 x 2,5 | 9,59 x 5,99 x 0,098 |
| 4472 320 105 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 3,0 | 9,59 x 6,02 x 0,118 |
| 4472 347 017 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,0 | 8,19 x 4,69 x 0,079 |
| 4472 347 018 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 2,5 | 8,19 x 4,69 x 0,098 |
| 4472 347 019 | DISC STEEL INTERMEDIATE | ----- | 31 | (40)IN TH | 208,0 x 119,0 x 3,0 | 8,19 x 4,69 x 0,118 |
| 4472 348 023 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,5 | 9,29 x 5,68 x 0,098 |
| 4472 348 024 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 3,0 | 9,29 x 5,68 x 0,118 |
| 4472 348 025 | DISC STEEL INTERMEDIATE | ----- | 36 | (48)IN TH | 236,0 x 144,2 x 2,0 | 9,29 x 5,68 x 0,079 |
| 4474 205 001 | DISC FRICTION FP | 4 PASS | 34 | INT TH | 277,0 x 167,0 x 4,5 | 10,91 x 6,57 x 0,177 |
| 4474 252 008 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 4474 252 023 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 4474 252 033 | DISC FRICTION FP | WAF/WAG | 64 | INT TH | 345,0 x 252,1 x 4,7 | 13,58 x 9,93 x 0,185 |
| 4474 304 048 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 4474 304 049 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 4474 304 064 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 4474 304 065 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 4474 305 202 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,0 | 11,54 x 7,28 x 0,157 |
| 4474 305 203 | DISC STEEL INTERMEDIATE | ----- | 88 | (91)EX TH | 293,0 x 185,0 x 4,5 | 11,54 x 7,28 x 0,177 |
| 4474 308 082 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4474 308 083 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 4474 308 084 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 4474 309 037 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 4,5 | 13,98 x 8,54 x 0,177 |
| 4474 309 038 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,0 | 13,98 x 8,54 x 0,197 |
| 4474 309 039 | DISC STEEL INTERMEDIATE | ----- | 91 | EXT TH | 355,0 x 217,0 x 5,5 | 13,98 x 8,54 x 0,217 |
| 4474 322 140 | CLUTCH DISC SINTER BRONZE | WAF/WAG | 64 | INT TH | 345,0 x 252,0 x 3,8 | 13,58 x 9,92 x 0,150 |
| 4474 352 052 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |
| 4474 352 121 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 2,0 | 14,67 x 10,33 x 0,079 |
| 4474 352 157 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 374,0 x 262,0 x 2,4 | 14,72 x 10,31 x 0,094 |
| 4474 352 160 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 372,5 x 262,5 x 4,0 | 14,67 x 10,33 x 0,157 |

| | | | | | | |
|--------------|---|----------|----|--------|---------------------|-----------------------|
| 4474 352 002 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 473,0 x 322,0 x 4,0 | 18,62 x 12,68 x 0,157 |
| 4474 355 023 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 4,0 | 18,86 x 12,68 x 0,157 |
| 4474 355 024 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 2,6 | 18,86 x 12,68 x 0,102 |
| 4474 355 025 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 3,2 | 18,86 x 12,68 x 0,126 |
| 4474 355 026 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 3,0 | 18,86 x 12,68 x 0,118 |
| 4474 355 027 | DISC STEEL INTERMEDIATE | HARDEDED | 20 | EXT LG | 479,0 x 322,0 x 2,8 | 18,86 x 12,68 x 0,110 |
| 4474 355 053 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 1,7 | 18,86 x 12,68 x 0,067 |
| 4474 355 055 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 0,7 | 18,86 x 12,68 x 0,028 |
| 4474 355 085 | DISC STEEL INTERMEDIATE | HARDENED | 20 | EXT LG | 479,0 x 322,0 x 2,7 | 18,86 x 12,68 x 0,106 |
| 4474 355 092 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 1,1 | 18,86 x 12,68 x 0,043 |
| 4474 355 093 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 1,4 | 18,86 x 12,68 x 0,055 |
| 4474 355 094 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 2,0 | 18,86 x 12,68 x 0,079 |
| 4474 355 095 | DISC STEEL INTERMEDIATE | ----- | 20 | EXT LG | 479,0 x 322,0 x 2,3 | 18,86 x 12,68 x 0,091 |
| 4475 219 001 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 146,5 x 99,8 x 4,0 | 5,57 x 3,90 x 0,157 |
| 4475 319 012 | DISC STEEL INTERMEDIATE | HARDENED | 8 | EXT LG | 160,0 x 109,5 x 4,0 | 6,30 x 4,31 x 0,157 |
| 4475 308 017 | DISC STEEL INTERMEDIATE | ----- | 81 | EXT TH | 243,5 x 153,0 x 4,0 | 9,59 x 6,02 x 0,157 |
| 4475 336 181 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 210,6 x 158,5 x 3,0 | 8,29 x 6,24 x 0,118 |
| 4475 336 191 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 210,6 x 158,5 x 2,0 | 8,29 x 6,24 x 0,079 |
| 4475 336 192 | DISC STEEL INTERMEDIATE | ----- | 5 | EXT LG | 210,6 x 158,5 x 2,5 | 8,29 x 6,24 x 0,098 |
| 4481 313 006 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 4481 313 031 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,8 | 6,49 x 4,24 x 0,110 |
| 4481 313 032 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 2,9 | 6,49 x 4,24 x 0,114 |
| 4481 313 033 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,0 | 6,49 x 4,24 x 0,118 |
| 4481 313 034 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 164,8 x 82,4 x 3,1 | 6,49 x 4,24 x 0,122 |
| 4481 345 066 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 26 | INT TH | 84,7 x 51,0 x 1,5 | 3,33 x 2,00 x 0,059 |
| 4481 345 067 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 26 | INT TH | 84,7 x 51,0 x 3,0 | 3,33 x 2,00 x 0,118 |
| 4481 345 081 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 102,0 x 60,0 x 1,5 | 4,02 x 2,36 x 0,059 |
| 4481 345 082 | DISC STEEL INTERMEDIATE | HARDENED | 4 | EXT LG | 102,0 x 60,0 x 1,4 | 4,02 x 2,36 x 0,055 |
| 4481 346 047 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 24 | INT TH | 71,8 x 48,0 x 1,5 | 2,83 x 1,89 x 0,059 |
| 4481 371 064 | DISC STEEL INTERMEDIATE | HARDENED | 16 | EXT SL | 171,6 x 105,0 x 4,0 | 6,76 x 4,13 x 0,157 |
| 4481 371 074 | DISC STEEL INTERMEDIATE | HARDENED | 16 | EXT SL | 171,6 x 105,0 x 1,2 | 6,76 x 4,13 x 0,047 |
| 4481 371 077 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | SPR/WAG | 44 | INT TH | 154,5 x 86,3 x 2,7 | 6,08 x 3,40 x 0,104 |
| 4481 371 104 | DISC FRICTION DISC FRICTION MO- LYBDENUMLYBDENUM | ----- | 31 | INT TH | 102,8 x 61,1 x 1,6 | 4,05 x 2,41 x 0,061 |
| 4481 371 106 | DISC STEEL INTERMEDIATE | HARDENED | 2 | EXT LG | 120,0 x 65,6 x 1,8 | 4,72 x 2,57 x 0,071 |
| 4481 371 107 | DISC STEEL INTERMEDIATE | HARDENED | 2 | EXT LG | 120,0 x 65,6 x 1,9 | 4,72 x 2,57 x 0,075 |
| 4481 371 108 | DISC STEEL INTERMEDIATE | HARDENED | 2 | EXT LG | 120,0 x 65,6 x 2,0 | 4,72 x 2,57 x 0,079 |
| 4481 371 197 | DISC STEEL INTERMEDIATE | HARDENED | 16 | EXT SL | 171,6 x 105,0 x 1,2 | 6,76 x 4,13 x 0,047 |
| 4481 371 198 | DISC STEEL INTERMEDIATE | HARDENED | 16 | EXT SL | 171,6 x 105,0 x 1,3 | 6,76 x 4,13 x 0,051 |
| 4481 371 199 | DISC STEEL INTERMEDIATE | HARDENED | 16 | EXT SL | 171,6 x 105,0 x 1,4 | 6,76 x 4,13 x 0,055 |
| 4616 208 002 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 4616 208 003 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 42 | EXT TH | 212,5 x 154,5 x 2,5 | 8,37 x 6,08 x 0,098 |
| 4616 223 003 | OBSOLETE AFTER STOCK | | 75 | INT TH | 373,2 x 295,5 x 3,3 | 14,69 x 11,63 x 0,128 |
| 4616 308 035 | DISC STEEL INTERMEDIATE | ----- | 37 | INT TH | 204,6 x 143,8 x 2,0 | 8,06 x 5,66 x 0,079 |

| Replaces OEM Part # | Description | Groove/ Patern | Number of Teeth | Teeth/ Tangs | Size MM | Size INCH |
|---------------------|---------------------------|-------------------|--------------------|-----------------|----------------------|-----------------------|
| 4616 323 017 | OBSOLETE AFTER STOCK | | 14 | EXT SL | 399,5 x 310,3 x 3,0 | 15,73 x 12,22 x 0,118 |
| 4620 233 028 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 4620 233 055 | CLUTCH DISC SINTER BRONZE | SUNBURST | 87 | INT TH | 306,0 x 258,0 x 3,0 | 12,05 x 10,16 x 0,118 |
| 4620 333 152 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 4620 333 184 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 317,7 x 268,0 x 3,0 | 12,51 x 10,55 x 0,118 |
| 4620 333 213 | OBSOLETE AFTER STOCK | | 12 | EXT LG | 320,0 x 268,0 x 2,5 | 12,60 x 10,55 x 0,098 |
| 4627 333 190 | DISC STEEL INTERMEDIATE | HARDENED | 10 | EXT SL | 212,4 x 164,2 x 1,8 | 8,36 x 6,46 x 0,069 |
| 4642 208 034 | CLUTCH DISC SINTER BRONZE | SUNBURST | 27 | EXT TH | 137,4 x 90,9 x 2,0 | 5,41 x 3,58 x 0,079 |
| 4642 308 096 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 4642 308 107 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 4642 308 330 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 1,5 | 5,16 x 3,35 x 0,059 |
| 4642 308 331 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,5 | 5,16 x 3,35 x 0,098 |
| 4642 308 332 | DISC STEEL INTERMEDIATE | ----- | 29 | INT TH | 131,1 x 85,1 x 2,0 | 5,16 x 3,35 x 0,079 |
| 4644 208 013 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 4644 208 072 | CLUTCH DISC SINTER BRONZE | SUNBURST | 35 | EXT TH | 177,5 x 109,0 x 2,0 | 6,99 x 4,29 x 0,079 |
| 4644 308 054 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 4644 308 071 | END PLATE | STEPPED | 35 | EXT TH | 177,3 x 109,4 x 10,9 | 6,98 x 4,31 x 0,429 |
| 4644 308 099 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 4644 308 328 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 1,5 | 6,73 x 4,05 x 0,059 |
| 4644 308 329 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,0 | 6,73 x 4,05 x 0,079 |
| 4644 308 330 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 2,5 | 6,73 x 4,05 x 0,098 |
| 4644 308 365 | DISC STEEL INTERMEDIATE | ----- | 35 | INT TH | 170,9 x 102,9 x 3,0 | 6,73 x 4,05 x 0,118 |
| 4645 251 004 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 4645 251 005 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 4645 251 021 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 34 | INT TH | 100,0 x 68,2 x 1,6 | 3,94 x 2,69 x 0,061 |
| 4645 251 022 | CLUTCH DISC SINTER BRONZE | SPR/RAD | 24 | INT TH | 143,0 x 109,8 x 1,6 | 5,63 x 4,32 x 0,061 |
| 4645 351 020 | DISC STEEL INTERMEDIATE | ----- | 24 | EXT TH | 108,2 x 76,2 x 1,2 | 4,26 x 3,00 x 0,045 |
| 4645 351 023 | DISC STEEL INTERMEDIATE | ----- | 12 | EXT TH | 156,0 x 119,2 x 1,2 | 6,14 x 4,69 x 0,045 |
| 4646 323 017 | OBSOLETE AFTER STOCK | | 14 | EXT SL | 399,5 x 310,3 x 3,0 | 15,73 x 12,22 x 0,118 |
| 4646 351 099 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 4646 351 100 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 4646 351 101 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 4646 351 162 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 4646 351 171 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 4646 351 172 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 4646 351 173 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 4646 351 174 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 4646 351 181 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 4646 351 182 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 4646 351 183 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 4646 351 184 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |
| 4646 351 212 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,5 | 6,69 x 5,22 x 0,138 |
| 4646 351 213 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 3,0 | 6,69 x 5,22 x 0,118 |
| 4646 351 214 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,5 | 6,69 x 5,22 x 0,098 |
| 4646 351 215 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 2,0 | 6,69 x 5,22 x 0,077 |

| | | | | | | |
|--------------|--|---------|----|-----------|---------------------|-----------------------|
| 4646 351 225 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,0 | 7,32 x 5,22 x 0,077 |
| 4646 351 261 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 170,0 x 132,7 x 4,0 | 6,69 x 5,22 x 0,157 |
| 4646 351 284 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 2,5 | 7,32 x 5,22 x 0,098 |
| 4646 351 285 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,0 | 7,32 x 5,22 x 0,118 |
| 4646 351 286 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 3,5 | 7,32 x 5,22 x 0,138 |
| 4646 351 287 | DISC STEEL INTERMEDIATE | ----- | 45 | INT TH | 186,0 x 132,7 x 4,0 | 7,32 x 5,22 x 0,157 |
| 5838 300 313 | DISC FRICTION FP | WAFFLE | 28 | INT TH | 223,0 x 56,0 x 4,4 | 8,78 x 2,20 x 0,173 |
| 6002 204 363 | DISC FRICTION DISC FRICTION CARBON FP FP | 2 PASS | 38 | INT TH | 113,0 x 77,1 x 1,5 | 4,45 x 3,04 x 0,059 |
| 6002 305 683 | DISC STEEL INTERMEDIATE | ----- | 29 | EXT TH | 119,5 x 88,8 x 1,0 | 4,70 x 3,50 x 0,039 |
| | DISC STEEL INTERMEDIATE | | 73 | (91)EX TH | 293,0x185,0x4,0 | 11,54 x 7,28 x 0,157 |
| | DISC FRICTION FP | 3 PASS | 56 | INT TH | 321,0x275,7x3,1 | 12,64x10,85x0,122 |
| | DISC STEEL INTERMEDIATE | ----- | 12 | EXT LG | 341,8x287,9x3,0 | 13,46x11,33x0,118 |
| | CLUTCH DISC SINTER BRONZE | SPR/RAD | 18 | INT TH | 393,0x350,8x3,5 | 15,47x13,81x0,138 |
| LOCK-UP | DISC FRICTION FP/STL | 4 PASS | 66 | INT TH | 389,0 x 325,8 x 3,1 | 15,31 x 12,83 x 0,122 |
| LOCK-UP | DISC FRICTION FP/STL | 4 PASS | 12 | EXT LG | 413,5 x 337,0 x 3,1 | 16,28 x 13,27 x 0,122 |

PART IDENTIFICATION



Please complete as much information as you can in the table below, to enable us to identify the part that you require

Disc Type

Steel Disc

Friction Disc

Gearform

Internal

External

Measurements

Outer Diameter

mm

Thickness

mm

Inner Diameter

mm

Number of Teeth

mm

If Known

Part Number

Manufacturer

Comments

Groove Type (If Friction Disc)



Plain



Radial



2 Pass



SWR



Spiral



Sunburst



WaAÄ



Smith Equipment Pty Ltd
405 Hammond Road
Dandenong South
Victoria 3175 Australia

+61 3 9793 1588

www.smithequipment.com.au

sales@smithequipment.com.au

*Smith Equipment. We're Experts in Earthmoving
Parts, Components, Attachments and Equipment.*